



SALVIMAR

BUYER'S GUIDE 2027



SPEARFISHING
FREEDIVING
SNORKELLING
SCUBA DIVING

SPEARFISHING FREEDIVING SNORKELING SCUBADIVING

INDEX

Arbalete Spearguns	10	Spearfishing Wetsuits	84	Combo Set	168
Pole Spears	34	B.C.D	98	Tris	174
Spare Parts for Arbalete	36	Scuba Wetsuits	100	Goggles	176
Reels	38	Snorkeling Wetsuits	102	Scuba Accessories	178
Rubbers	40	Watersports Wetsuits	104	Torches	180
Speargun Accessories	44	Wetsuit Sizes	114	Freediving Watches	188
Arbalete Rubbers	45	Gloves & Socks	115	Knives	192
Pneumatics	46	Gloves & Socks size information	120	Bags	197
Pneumatic Accessories	52	Gloves & Socks Scuba	121	Belts - Weights- Buoys	207
Spearfishing Lines	56	Superior Hood Scuba	122	Footwear	215
Arbalete Shafts	59	Neoprene Accessories	122	Sportswear	216
Pneumatic Shafts	68	Fins	124	Display	217
Shaft Accessories	71	Scuba Masks	136		
Wishbones	73	Spearfishing Masks	140		
Prongs	75	Snorkeling Masks	150		
Harpoons	78	Masks Accessories	161		
Accessories	80	Snorkels	164		



SPEARFISHING . SCUBA DIVING . WATERSPORTS . SNORKELING



SALVIMAR

BUYER'S GUIDE 2027

La Nostra Storia e la Nostra Visione

Dal 1962 operiamo come partner produttivo con una visione chiara: innovazione continua e progresso costante. Nel 2010 abbiamo lanciato il marchio Salvimar, portando la nostra esperienza agli appassionati di pesca in apnea e freediving di tutto il mondo.

Ricerca e Sviluppo Interni

Ogni prodotto nasce e viene sviluppato internamente dal nostro team R&D, in stretta collaborazione con i reparti di stampaggio e produzione. La nostra sede è dotata di tecnologie avanzate: torni, frese, robot, centri di lavoro, sistemi di saldatura laser e macchine per stampaggio a iniezione, che ci permettono di gestire internamente anche i processi più complessi.

Qualità Garantita dal Controllo Totale del Processo

Gestendo ogni fase della produzione sotto lo stesso tetto, assicuriamo un controllo completo, tempi rapidi e uno standard qualitativo costante nel tempo.

Logistica Ottimizzata e Assistenza Clienti Efficiente

Abbiamo investito in un software di gestione magazzino su misura, in grado di ottimizzare l'acquisizione, l'elaborazione e la spedizione degli ordini.

Grazie a questo sistema, riusciamo a evadere la maggior parte delle richieste in tempi brevissimi, spesso entro sole 48 ore.

Presenza Globale, Anima Italiana

Dalla nostra sede di 5.000 m² a Casarza Ligure, in Italia, spediamo in oltre 50 paesi.

I nostri clienti riconoscono in Salvimar una combinazione unica di competenza, prestazioni e autentico stile Made in Italy.

Salvimar USA Corp.: Servizio Più Rapido per il Mercato Nordamericano

Nel 2024 abbiamo ampliato la nostra presenza internazionale con la nascita di Salvimar USA Corp., che include un magazzino dedicato negli Stati Uniti. Questa scelta strategica ci permette di garantire spedizioni più veloci, gestione ordini localizzata e un servizio post-vendita potenziato per il mercato nordamericano.

Our History and Vision

Since 1962, we have operated as a manufacturing partner with a clear vision: continuous innovation and progress.

In 2010, we launched the Salvimar brand, bringing our expertise to spearfishing and freediving lovers worldwide.

In-House Research and Development

Every product is conceived and developed in-house by our R&D team, working closely with the molding and manufacturing departments. Our facility is equipped with advanced technologies: lathes, milling machines, robots, machining centers, laser welding systems, and injection molding machines, allowing us to handle even the most complex processes internally.

Quality Through Total Process Control

By managing all stages of production under one roof, we ensure full control, rapid turnaround, and consistently high quality over time.

Streamlined Logistics and Customer Support

We've made significant investments in a custom-built warehouse management software that optimizes order intake, processing, and shipping. Thanks to this system, we're able to fulfill orders quickly within just 48 hours.

Global Reach and Italian Identity

From our 5,000 m² facility in Casarza Ligure, Italy, we ship to over 50 countries. Our customers recognize Salvimar as a unique blend of expertise, performance, and authentic Made in Italy style.

Salvimar USA Corp.: Faster Service for the North American Market

In 2024, we expanded our global footprint launching Salvimar USA Corp., including a dedicated warehouse located in the United States. This strategic move allows us to offer faster shipping, localized order management, and enhanced after-sales support for the North American market.

HYDROPHOBIC LENS DRAKE ANTI FOG

HYDROPHOBIC
GLASS
ANTI
FOG

NEXT-LEVEL INNOVATION. ROCK-SOLID.

PRIMI NELL'INNOVAZIONE. UNICI PER AFFIDABILITÀ.

SALVMAR



Hydrophobic Glass: una soluzione avanzata per il controllo dell'appannamento nelle maschere subacquee

PRIMI A INTEGRARLA NEL VETRO. PRIMI A PORTARLA SU UNA GAMMA COMPLETA.

Due anni fa Salvimar è stata la prima al mondo ad affrontare alla radice il problema dell'appannamento, introducendo maschere subacquee con tecnologia Anti Fog integrata nelle lenti in vetro temperato. Una tecnologia che interviene direttamente sulle proprietà del vetro, superando i trattamenti manuali tradizionali. Ad oggi, confermando la nostra leadership, siamo i primi ad aver sviluppato anche le lenti ottiche anti-fog.

NESSUN trattamento esterno, **NESSUNA** pellicola monouso, **NESSUNA** soluzione temporanea: il trattamento è ancorato al vetro tramite legami chimici stabili e si attiva semplicemente bagnando le lenti prima dell'uso.

Il principio della superidrofilia

Il principio è quello della superidrofilia: invece di formare microgocce che distorcono la visione, l'acqua si distribuisce sulla lente creando un film uniforme e trasparente. Il risultato è una visuale più limpida, immediata e costante, senza ricorrere a spray antiappannanti, dentifricio o bruciatura del vetro.

Efficacia della tecnologia

Le maschere sono state testate in diverse condizioni ambientali, dalle acque fredde a quelle temperate e tropicali, confermando una riduzione significativa dell'appannamento rispetto alle maschere prive di Hydrophobic Glass. Il trattamento garantisce prestazioni elevate senza necessità di pretrattamenti, rendendo la maschera più semplice, affidabile e pronta all'uso.

Gamma prodotti

Hydrophobic Glass non è limitata a un solo modello: Salvimar la propone su una gamma completa sviluppata per adattarsi a visi, utilizzi e discipline diverse.

La collezione comprende:

- Oltre 13 modelli di maschere dotati di Hydrophobic Glass Technology.
- Più di 45 varianti tra colori e configurazioni.
- Modelli specifici per immersione, pesca in apnea, freediving e snorkeling.
- Versioni disponibili per adulti e ragazzi.
- Disponibilità anche in formato Combo: maschera + snorkel.
- Disponibilità anche in formato TRIS: maschera + snorkel + pinne.

Conclusione tecnica

Hydrophobic Glass rappresenta un'evoluzione funzionale rispetto alle maschere tradizionali: una tecnologia integrata nella lente, pensata per ridurre l'appannamento e offrire un'esperienza d'uso più immediata, affidabile e performante.

Hydrophobic Glass: an advanced solution for fog control in diving masks

FIRST TO INTEGRATE IT INTO THE GLASS. FIRST TO BRING IT TO A FULL RANGE.

Two years ago, Salvimar was the first in the world to tackle the fogging problem at its root by introducing diving masks with Anti-Fog technology integrated into the tempered glass lenses. This technology acts directly on the properties of the glass, surpassing traditional manual treatments. Today, confirming our leadership, we are the first to have also developed anti-fog optical lenses.

No external coating, No disposable film, No temporary fix: the treatment is chemically bonded to the glass through stable molecular bonds and is activated simply by wetting the lenses before use.

The superhydrophilic principle

The technology is based on superhydrophilicity: instead of forming microdroplets that scatter light and distort vision, water spreads evenly across the lens, creating a uniform, transparent film. The result is a clearer, immediate and more consistent view, without the need for anti-fog sprays, toothpaste, or glass-burning.

Technology performance

The masks have been tested in a wide range of diving conditions, from cold to temperate and tropical waters, confirming a significant reduction in fogging compared to masks without Hydrophobic Glass. The treatment delivers high performance with no need for pre-treatment, making the mask simpler, more reliable and ready to dive.

Product range

Hydrophobic Glass is not limited to a single model: Salvimar offers it across a full range designed to suit different face shapes, uses and diving disciplines.

The collection includes:

- Over 13 mask models featuring Hydrophobic Glass Technology.
- More than 45 color and configuration variants.
- Specific models for scuba diving, spearfishing, freediving, and snorkeling.
- Versions available for adults and juniors.
- Also available as a Combo: mask + snorkel.
- Also available as a TRIS set: mask + snorkel + fins.

Technical conclusion

Hydrophobic Glass represents a functional evolution from traditional masks: a technology integrated into the lens, designed to reduce fogging and deliver a more immediate, reliable, and high-performing underwater experience.

The image features a minimalist design on a solid black background. Several thin, bright yellow lines create a series of nested, angular shapes. On the right side, there are two parallel, rounded rectangular outlines. From the bottom-left corner, a long, thin yellow line extends horizontally across the middle of the frame. Below this, another line starts further to the right and extends horizontally. A third line starts at the far left and extends diagonally upwards towards the right, meeting the horizontal line. The text 'ARBALETE SPEARGUNS' is centered within the negative space created by these lines.

ARBALETE SPEARGUNS



MADE IN ITALY




BAD BOY MED

- **Allestimento pronto-pesca MEDITERRANEO:** asta Capture ø6,5, doppia passata di monofilo in nylon ø1,6 e shock absorber
 - Fusto in lega di alluminio aeronautico con sezione maggiorata: struttura ad alta rigidità, resistente alla flessione anche sotto carico di armamento elevato
 - Guida asta integrale e perfetto equilibrio idrostatico
 - Meccanismo di sgancio Salvimar in acciaio inox 17-4PH con trattamento superficiale Diamond-Like Carbon (DLC): massima durezza, resistenza all'usura e all'ossidazione in ambiente marino
 - Mono elastico circolare ø16 Salvimar Optimus by Primeline
 - Testata aperta multi-elastico idrodinamica per ottimale brandeggio
 - Impugnatura ergonomica con texture antiscivolo e appoggio sternale in gomma
 - Fusto sigillato con tappi interni stagni
 - Anello di fissaggio sotto impugnatura in acciaio inox
 - Alloggio integrato per mulinello
 - Compatibile con mulinello Max Reel Bad Boy (non incluso)
- **Full rigged MEDITERRANEAN setup:** Capture shaft ø6.5, double wrap ø1.6 nylon shooting line and shock absorber
 - Aircraft aluminium alloy barrel with oversized cross-section: high-rigidity structure, resistant to bending under heavy loading force
 - Integrated shaft guide and perfect hydrostatic balance
 - Salvimar 17-4PH stainless steel release mechanism with Diamond-Like Carbon (DLC) surface treatment: maximum hardness, wear and corrosion resistance in saltwater environments
 - Single band, ø16 Salvimar Optimus by Primeline
 - Hydrodynamic open multi-band muzzle for optimal tracking
 - Ergonomic handle with anti-slip texture and rubber loading butt
 - Sealed barrel with internal watertight plugs
 - Stainless-steel attachment ring under the handle
 - Integrated reel housing
 - Compatible with Max Reel Bad Boy reel (not included)

BAD BOY MED

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
60	CAPTURE 6,5mm	850mm	OPTIMUS MONO Black ø 16mm	44	ARB09002M
70	CAPTURE 6,5mm	950mm	OPTIMUS MONO Black ø 16mm	48	ARB09003M
80	CAPTURE 6,5mm	1050mm	OPTIMUS MONO Black ø 16mm	54	ARB09004M
90	CAPTURE 6,5mm	1150mm	OPTIMUS MONO Black ø 16mm	60	ARB09005M
100	CAPTURE 6,5mm	1250mm	OPTIMUS MONO Black ø 16mm	64	ARB09006M

MADE IN ITALY

SEZIONE FUSTO
BARREL SECTION

NOT INCLUDED
301005/DB
NEW MAX REEL BAD BOY

Appoggio sternale intercambiabile incluso
Interchangeable loading pad included


BAD BOY HD

- Allestimento pronto-pesca OCEAN: asta Pacific ø7, doppia passata di monofilo in nylon ø2,0, moschettone inox AP070/26S e shock absorber
- Fusto in lega di alluminio aeronautico con sezione maggiorata: elevata resistenza alla flessione anche sotto carico di armamento elevato
- Guida asta integrale e perfetto equilibrio idrostatico
- Meccanismo di sgancio in acciaio inox 17-4PH con trattamento superficiale Diamond-Like Carbon (DLC)
- Doppio elastico circolare ø14,5 Salvimar Optimus by Primeline
- Testata aperta multi-elastico idrodinamica per ottimale brandeggio
- Impugnatura ergonomica con texture antiscivolo e appoggio sternale in gomma
- Fusto sigillato con tappi interni stagni
- Impugnatura con moschettone rinforzato in acciaio inox
- Alloggio integrato per mulinello
- Compatibile con mulinello Max Reel Bad Boy (non incluso)

- Full rigged OCEAN setup: Pacific shaft ø7, double wrap ø2.0 nylon shooting line, stainless snap hook AP070/26S and shock absorber
- Aircraft aluminium alloy barrel with oversized cross-section: high resistance to bending even under heavy loading force
- Integrated shaft guide and perfect hydrostatic balance
- 17-4PH stainless steel release mechanism with Diamond-Like Carbon (DLC) surface treatment
- Double bands ø14,5 Salvimar Optimus by Primeline
- Hydrodynamic open multi-band muzzle for optimal tracking
- Ergonomic handle with anti-slip texture and rubber loading butt
- Sealed barrel with internal watertight plugs
- Handle with reinforced Stainless-steel shark clip
- Integrated reel housing
- Compatible with Max Reel Bad Boy reel (not included)

BAD BOY HD

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
80	PACIFIC 7,00mm	1100mm	2 x OPTIMUS Black ø 14,5mm	48	ARB09004
90	PACIFIC 7,00mm	1200mm	2 x OPTIMUS Black ø 14,5mm	54	ARB09005
100	PACIFIC 7,00mm	1300mm	2 x OPTIMUS Black ø 14,5mm	60	ARB09006
110	PACIFIC 7,00mm	1400mm	2 x OPTIMUS Black ø 14,5mm	64	ARB09007
120	PACIFIC 7,00mm	1500mm	2 x OPTIMUS Black ø 14,5mm	70	ARB09008
130	PACIFIC 7,00mm	1600mm	2 x OPTIMUS Black ø 14,5mm	75	ARB09009
140	PACIFIC 7,00mm	1700mm	2 x OPTIMUS Black ø 14,5mm	80	ARB09010



ARES CARBO impugnatura NEUTRA - NEUTRAL handgrip

- Fusto in carbonio K300 realizzato a stampo, con struttura poligonale per una rigidità superiore
- Riempimento interno in schiuma poliuretanica ad alta densità a cella chiusa
- Paratie sigillanti in carbonio che isolano completamente l'interno, garantendo equilibrio idrostatico perfetto con asta Bolt (inclusa)
- Doppio elastico circolare Salvimar Optimus by Primeline ø14,5 su testata con fori separati
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Guida asta integrale e perfetto allineamento elastici-asta per tiri tesi e precisi
- Mirino posteriore per facilitare l'acquisizione del bersaglio
- Meccanismo di sgancio R.F.S.C. (Rolling, Friction, Self-Centering) e grilletto regolabile realizzato con tecnologia M.I.M.
- Sganciasagola personalizzabile destra sinistra
- Anello di fissaggio sotto impugnatura in acciaio inox
- Compatibile con tutti i mulinelli Salvimar
- K300 carbon barrel molded in one piece, with a polygonal structure for superior rigidity
- Inner filling in closed-cell, high-density polyurethane foam
- Carbon sealing bulkheads that fully isolate the interior, ensuring perfect hydrostatic balance with the included BOLT shaft
- Double bands ø14,5 Salvimar Optimus by Primeline, on a muzzle with separate holes
- BOLT shaft with Line of Sight Collimation system for enhanced aiming precision
- Integrated shaft guide and perfect shaft-elastic alignment for accurate, powerful shots
- Rear sight for easy aiming
- R.F.S.C. (Rolling, Friction, Self-centering) release mechanism with adjustable trigger made with M.I.M. technology
- Customizable sideline release right-left
- Stainless-steel attachment ring under the handle
- Compatible with Salvimar reels

ARES CARBO impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black ø 14,5mm	54cm	MICRO VERTICAL	ARB07085
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black ø 14,5mm	60cm	MICRO VERTICAL	ARB07095
105	BOLT 7,0mm	1350mm	2 x OPTIMUS Black ø 14,5mm	64cm	VERTICAL REEL 70	ARB07105
115	BOLT 7,0mm	1450mm	2 x OPTIMUS Black ø 14,5mm	70cm	VERTICAL REEL 70	ARB07115



ARES CARBO impugnatura DESTRA - RIGHT-HAND grip



MICRO VERTICAL



VERTICAL REEL 70

ARES CARBO impugnatura DESTRA - RIGHT-HAND grip

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black ø 14,5mm	54cm	MICRO VERTICAL	ARB08085
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black ø 14,5mm	60cm	MICRO VERTICAL	ARB08095
105	BOLT 7,0mm	1350mm	2 x OPTIMUS Black ø 14,5mm	64cm	VERTICAL REEL 70	ARB08105
115	BOLT 7,0mm	1450mm	2 x OPTIMUS Black ø 14,5mm	70cm	VERTICAL REEL 70	ARB08115

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing 1,6$ mm**MEDITERRANEO Full rigged:**Shock Absorber + Monofilament $\varnothing 1.6$ mm**ARES FULL RIGGED impugnatura NEUTRA - NEUTRAL handgrip****- Allestimento pronto-pesca MEDITERRANEO: asta Bolt $\varnothing 6,5$, doppia passata di monofilo in nylon $\varnothing 1,6$ e shock absorber**

- Doppio elastico circolare $\varnothing 14,5$ Salvimar Optimus by Primeline
- Sistema di sgancio autocentrante ad attrito volante
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato ellittico con cerniere esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 6,5 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Testata con fori separati per elastici 14,5/16 mm
- Perfetto allineamento asta / elastici
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Anello di fissaggio sotto impugnatura in acciaio inox
- Lunghezza asta calcolata per evitare l'O-ring di chiusura aletta
- Mirino posteriore per facilitare il puntamento

- Full rigged MEDITERRANEAN setup: Bolt shaft $\varnothing 6.5$, double wrap $\varnothing 1.6$ nylon shooting line and shock absorber


- Double bands $\varnothing 14,5$ Salvimar Optimus by Primeline
- Rolling friction self-centering release system
- BOLT shaft with line-of-sight collimation system (LINE OF SIGHT COLLIMATION)
- Adjustable trigger M.I.M. Technology
- Elliptical anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 6.5mm shaft supplied as standard
- Compatible with all Salvimar reels and shafts
- Muzzle with separate holes for 14,5/16 mm bands
- Perfect bands / shaft alignment
- Integral shaft guide
- Customizable sideline release right left
- Stainless-steel attachment ring under the handle
- Shaft length calculated to avoid the flopper closure O-ring
- Rear sight for easy aiming

ARES FULL RIGGED impugnatura NEUTRA - NEUTRAL handgrip



SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
60	BOLT 6,5mm	900mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	44 cm		ARB01022
75	BOLT 6,5mm	1050mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	48 cm		ARB01023
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	54 cm		ARB01024
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	60 cm		ARB01025
105	BOLT 6,5mm	1350mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	64 cm		ARB01026

ARES FULL RIGGED impugnatura NEUTRA con MULINELLO - NEUTRAL handgrip with REEL

SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
75	BOLT 6,5mm	1050mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	48 cm	MINI REEL 50	ARB01022/R
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	54 cm	MINI REEL 50	ARB01023/R
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	60 cm	MINI REEL 50	ARB01024/R
105	BOLT 6,5mm	1350mm	2 x OPTIMUS Black $\varnothing 14,5$ mm	64 cm	MINI REEL 50	ARB01025/R

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing 1,6$ mm**MEDITERRANEO Full rigged:**Shock Absorber + Monofilament $\varnothing 1.6$ mm

MINI REEL 50

**ARES FULL RIGGED** impugnatura DESTRA - RIGHT-HAND grip**ARES FULL RIGGED** impugnatura DESTRA - RIGHT-HAND grip

SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
60	BOLT 6,5mm	900mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	44 cm		ARB01032
75	BOLT 6,5mm	1050mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	48 cm		ARB01033
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	54 cm		ARB01034
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	60 cm		ARB01035
105	BOLT 6,5mm	1350mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	64 cm		ARB01036

ARES FULL RIGGED impugnatura DESTRA con MULINELLO - RIGHT-HAND grip with REEL

SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
75	BOLT 6,5mm	1050mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	48 cm	MINI REEL 50	ARB01033/R
85	BOLT 6,5mm	1150mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	54 cm	MINI REEL 50	ARB01034/R
95	BOLT 6,5mm	1250mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	60 cm	MINI REEL 50	ARB01035/R
105	BOLT 6,5mm	1350mm	2 x OPTIMUS Black $\varnothing$ 14,5mm	64 cm	MINI REEL 50	ARB01036/R

Allestimento pronto-pesca OCEAN:Moschettone AP070/26S + shock absorber + filo $\varnothing 2\text{mm}$ **OCEAN Full rigged:**Snap clip AP070/26S + shock absorber + $\varnothing 2\text{ mm}$ line**ARES NIGHTMARE FULL RIGGED****Impugnatura NEUTRA - NEUTRAL handgrip**

- **Allestimento pronto-pesca OCEAN:** asta Bolt $\varnothing 7$, doppia passata di monofilo in nylon $\varnothing 2,0$, moschettone inox AP070/26S e shock absorber
- Doppio elastico circolare $\varnothing 14,5$ Salvimar Optimus by Primeline
- Sistema di sgancio autocentrante ad attrito volvente
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato ellittico con centine esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 7 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Testata con fori separati per elastici 14,5/16 mm
- Perfetto allineamento asta / elastici
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Impugnatura con moschettone rinforzato in acciaio inox
- Lunghezza asta calcolata per evitare l'O-ring di chiusura aletta
- Mirino posteriore per facilitare il puntamento

- **Full rigged OCEAN setup:** Bolt shaft $\varnothing 7$, double wrap $\varnothing 2.0$ nylon shooting line, stainless snap hook AP070/26S and shock absorber
- Double bands $\varnothing 14,5$ Salvimar Optimus by Primeline
- Rolling friction self-centering release system
- BOLT shaft with line-of-sight collimation system (LINE OF SIGHT COLLIMATION)
- Adjustable trigger M.I.M. Technology
- Elliptical anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 7 mm shaft supplied as standard
- Compatible with all Salvimar reels and shafts
- Muzzle with separate holes for 14,5/16 mm bands
- Perfect bands / shaft alignment
- Integral shaft guide
- Customizable sideline release right left
- Handle with reinforced stainless-steel shark clip
- Shaft length calculated to avoid the flopper closure O-ring
- Rear sight for easy aiming

ARES NIGHTMARE FULL RIGGED impugnatura NEUTRA - NEUTRAL handgrip


SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
75	BOLT 7,0mm	1050mm	2 x OPTIMUS Black $\varnothing 14,5\text{mm}$	48 cm		ARB01042
85	BOLT 7,0mm	1150mm	2 x OPTIMUS Black $\varnothing 14,5\text{mm}$	54 cm		ARB01043
95	BOLT 7,0mm	1250mm	2 x OPTIMUS Black $\varnothing 14,5\text{mm}$	60 cm		ARB01044
105	BOLT 7,0mm	1350mm	2 x OPTIMUS Black $\varnothing 14,5\text{mm}$	64 cm		ARB01045

Allestimento pronto-pesca OCEAN:



Moschettone AP070/26S + shock absorber + filo ø2mm

OCEAN Full rigged:


Snap clip AP070/26S + shock absorber + Ø2 mm line

**ARES NIGHTMARE FULL RIGGED**

Impugnatura DESTRA - RIGHT-HAND grip

**ARES NIGHTMARE FULL RIGGED** impugnatura DESTRA - RIGHT-HAND grip

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
75	BOLT 7,0mm	1050mm	2 x OPTIMUS Black ø 14,5mm	48 cm		ARB01052
85	BOLT 7,0mm	1150mm	2 x OPTIMUS Black ø 14,5mm	54 cm		ARB01053
95	BOLT 7,0mm	1250mm	2 x OPTIMUS Black ø 14,5mm	60 cm		ARB01054
105	BOLT 7,0mm	1350mm	2 x OPTIMUS Black ø 14,5mm	64 cm		ARB01055

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing 1,6$ mm**MEDITERRANEO Full rigged:**Shock Absorber + Monofilament $\varnothing 1.6$ mm**ARES STONE FULL RIGGED**


Impugnatura NEUTRA - NEUTRAL handgrip

- Allestimento pronto-pesca MEDITERRANEO: asta Capture filettata $\varnothing 6,5$, doppia + fiocina Speed, passata di monofilo in nylon $\varnothing 1,6$ e shock absorber

- Mono elastico circolare Eptagum S600 $\varnothing 16$,
- Sistema di sgancio autocentrante ad attrito volvente
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato ellittico con cinghie esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 6,5 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Testata con fori separati per elastici 14/16 mm
- Perfetto allineamento asta / elastici
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Anello di fissaggio sotto impugnatura in acciaio inox
- Mirino posteriore per facilitare il puntamento

- Full rigged MEDITERRANEAN setup: Capture threaded shaft $\varnothing 6.5$ + stainless steel Speed prong, double wrap $\varnothing 1,6$ nylon shooting line and shock absorber

- Single band Eptagum S600 $\varnothing 16$
- Rolling friction self-centering release system
- BOLT shaft with line-of-sight collimation system (LINE OF SIGHT COLLIMATION)
- Adjustable trigger M.I.M. Technology
- Elliptical anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 6.5mm shaft supplied as standard
- Compatible with all Salvimar reels and shafts
- Muzzle with separate holes for 14/16 mm bands
- Perfect bands / shaft alignment
- Integral shaft guide
- Customizable sideline release right left
- Stainless-steel attachment ring under the handle
- Rear sight for easy aiming



ARES STONE FULL RIGGED impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
60	$\varnothing 6,5$ mm	900mm	EPTAGUM MONO Black $\varnothing 16$ mm	48 cm		ARB01062
75	$\varnothing 6,5$ mm	1050mm	EPTAGUM MONO Black $\varnothing 16$ mm	54 cm		ARB01063

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A., offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A., offers very high performance.



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm

HERO

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture (da 65 a 95)
- Asta Pacific (da 105 a 135)
- Doppio elastico circolare Ø16 Salvimar Optimus by Primeline
- Sistema di sgancio Heavy Metal 350
- Impugnatura con calcio destro e sinistro di serie
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Mulinello di serie

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft (65 to 95)
- Pacific shaft (105 to 135)
- Double bands Ø16 Salvimar Optimus by Primeline
- Heavy Metal 350 release system
- Right and left butt handle as standard
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Loading butt of soft rubber
- Handle with hook for line releaser fixing or reinforced snap hook
- Multi-elastic open muzzle
- Reel included



SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
65	CAPTURE 7,0mm	1050mm	2 x OPTIMUS Black Ø 16,00mm	48cm	MINI 50	300300/065
75	CAPTURE 7,0mm	1150mm	2 x OPTIMUS Black Ø 16,00mm	54cm	MINI 50	300300/075
85	CAPTURE 7,0mm	1200mm	2 x OPTIMUS Black Ø 16,00mm	60cm	MINI 50	300300/085
95	CAPTURE 7,0mm	1300mm	2 x OPTIMUS Black Ø 16,00mm	64cm	MAX	300300/095
105	PACIFIC 7,5mm	1400mm	2 x OPTIMUS Black Ø 16,00mm	70cm	MAX	300300/105
115	PACIFIC 7,5mm	1500mm	2 x OPTIMUS Black Ø 16,00mm	75cm	MAX	300300/115
125	PACIFIC 7,5mm	1700mm	3 x OPTIMUS Black Ø 14,5mm	75cm	MAX	300300/125
135	PACIFIC 7,5mm	1800mm	3 x OPTIMUS Black Ø 14,5mm	80cm	MAX	300300/135

A woman with long brown hair is standing against a dark blue background. She is wearing a full-body wetsuit with a green and black camouflage pattern that includes images of fish and coral. She is holding a long, silver speargun vertically with her left hand. Her right hand is on her hip. She is also wearing a watch on her left wrist and a knee cap on her right knee. The overall aesthetic is professional and adventurous.

WETSUIT: SEAWALKER
GLOVES: TACTILE 1,5mm
WATCH: ONE PLUS SENSOR PRO
ARBALETE: HERO NIGHTMARE
SOCKS: TACTILE 1,5mm

YOUR WAY. YOUR SPEARFISHING.

IL TUO STILE. LA TUA PESCA IN APNEA.

SALVIMAR


FOR SPEARFISHING

Allestimento pronto-pesca OCEAN:

Moschettone AP070/26S + shock absorber + filo ø2mm


OCEAN Full rigged:

Snap clip AP070/26S + shock absorber + Ø2 mm line

MOSCHETTONE
SHARK CLIP**HERO NIGHTMARE FULL RIGGED**

- Allestimento pronto-pesca OCEAN: asta Pacific ø7/ø7,5, doppia passata di monofilo in nylon ø2,0, moschettone inox AP070/26S e shock absorber
- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Doppio elastico circolare ø16 Salvimar Optimus by Primeline
- Sistema di sgancio Heavy Metal 350
- Impugnatura con calcio destro e sinistro di serie
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con moschettone rinforzato
- Testata aperta multielastico
- Predisposizione per mulinelli Salvimar


- Full rigged OCEAN setup: Pacific shaft ø7/ø7,5, double wrap ø2.0 nylon shooting line, stainless snap hook AP070/26S and shock absorber
- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Double bands ø16 Salvimar Optimus by Primeline
- Heavy Metal 350 release system
- Handle with standard left and right butt
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Loading butt of soft rubber
- Handle with reinforced shark clip
- Open multibands muzzle
- Compatible with Salvimar reels



SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
75	PACIFIC 7,0mm	1150mm	2 x OPTIMUS Black ø 16mm	54cm		ARB02012
85	PACIFIC 7,0mm	1200mm	2 x OPTIMUS Black ø 16mm	60cm		ARB02013
95	PACIFIC 7,0mm	1300mm	2 x OPTIMUS Black ø 16mm	64cm		ARB02014
105	PACIFIC 7,5mm	1400mm	2 x OPTIMUS Black ø 16mm	70cm		ARB02015
115	PACIFIC 7,5mm	1500mm	2 x OPTIMUS Black ø 16mm	75cm		ARB02016
125	PACIFIC 7,5mm	1700mm	2 x OPTIMUS Black ø 16mm	80cm		ARB02017



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm



HERO STORM

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture (da 85 a 95)
- Asta Pacific (da 105 a 115)
- Doppi elastici circolari Ø16 S400 Shining
- Mimetizzato in sublimazione permanente
- Appoggio sternale in gomma morbida
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Impugnatura ergonomica con calcio destro e sinistro di serie
- Nuovo meccanismo di sgancio Heavy Metal 350 (Carico testato 350kg)
- Regolazione del grilletto sensitive
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Mulinello di serie

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft (85 to 95)
- Pacific shaft (105 to 115)
- Double bands S400 Shining Ø16
- Permanent sublimation camouflage
- Loading butt of soft rubber
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Ergonomic handle with standard left and right butt
- New Heavy Metal 350 release mechanism (Tested load 350kg)
- Sensitive trigger adjustment
- Handle with hook for line releaser fixing or reinforced snap hook
- Multi-bands open muzzle
- Reel included



SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
85	7,0mm	1200mm	2 x S400 Shining16mm	54cm	VERTICAL 70	300300/085GH
95	7,0mm	1300mm	2 x S400 Shining16mm	60cm	VERTICAL 70	300300/095GH
105	7,5mm	1400mm	2 x S400 Shining16mm	64cm	VERTICAL 70	300300/105GH
115	7,5mm	1500mm	2 x S400 Shining16mm	70cm	VERTICAL 70	300300/115GH

Allestimento pronto-pesca OCEAN:Moschettone AP070/26S + shock absorber + filo $\varnothing 2\text{mm}$ **OCEAN Full rigged:**Snap clip AP070/26S + shock absorber + $\varnothing 2\text{ mm}$ line**HERO TOMAHAWK FULL RIGGED**

- **Allestimento pronto-pesca OCEAN:** asta Pacific $\varnothing 7/\varnothing 7,5$, doppia passata di monofilo in nylon $\varnothing 2,0$, moschettone inox AP070/26S e shock absorber
- Fusto ellittico asimmetrico, lega di alluminio aeronautico
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Nuovo meccanismo di sgancio Heavy Metal 350 (Carico testato 350kg)
- Impugnatura con moschettone rinforzato
- Predisposizione per mulinelli Salvimar
- Sistema di propulsione elastica Tomahawk, composto da elastici principali S400 con allungamento controllato da un'anima interna in sagola e da quattro elastici supplementari S400R $\varnothing 15\text{ mm}$ collegati in linea.

- **Full rigged OCEAN setup:** Pacific shaft $\varnothing 7/\varnothing 7,5$, double wrap $\varnothing 2.0$ nylon shooting line, stainless snap hook AP070/26S and shock absorber
- Asymmetrical elliptical barrel, aircraft aluminum alloy
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Loading butt of soft rubber
- Handle with reinforced shark clip
- New Heavy Metal 350 release mechanism (Tested load 350kg)
- Ergonomic handle with right and left butt as standard
- Salvimar reel setup
- Tomahawk propulsion system, comprising S400 main bands with stretch controlled by an internal line core, and four additional $\varnothing 15\text{ mm}$ S400R bands connected in line.



SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	LENGTH	COD.
65	CAPTURE 7,0mm	1050mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 22\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 18\text{cm}$	ARB02032
75	CAPTURE 7,0mm	1150mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 24\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 20\text{cm}$	ARB02033
85	CAPTURE 7,0mm	1200mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 27\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 23\text{cm}$	ARB02034
95	PACIFIC 7,5mm	1300mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 30\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 26\text{cm}$	ARB02035
105	PACIFIC 7,5mm	1400mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 33\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 28\text{cm}$	ARB02036
115	PACIFIC 7,5mm	1500mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 35\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 31\text{cm}$	ARB02037
125	PACIFIC 7,5mm	1700mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 38\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 34\text{cm}$	ARB02038
135	PACIFIC 7,5mm	1800mm	KIT Tomahawk	2 black $\varnothing 16\text{mm} \times 41\text{cm}$ + 4 red $\varnothing 15\text{mm} \times 37\text{cm}$	ARB02039

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A., offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A., offers very high performance.



METAL

- Fusto in lega di alluminio aeronautico con guida asta integrale
- Asta Capture
- Doppio elastico circolare Ø14,5 Salvimar Optimus by Primeline
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata Enclosed Track rinforzata, aperta multi elastico
- Mulinello di serie

- Aircraft-grade aluminum alloy barrel with an integrated full-length shaft guide
- Capture shaft
- Double bands Ø14,5 Salvimar Optimus by Primeline
- Handle with METAL release system
- SENSITIVE trigger adjustment
- Easily removable chest-loading pad
- Reinforced Enclosed Track muzzle with an open multi-band design
- Reel included



MINI REEL 50



MAX REEL


SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
60	6,5mm	950mm	2 x OPTIMUS Black Ø 14,5mm	44cm	MINI 50	300060MET
75	6,5mm	1100mm	2 x OPTIMUS Black Ø 14,5mm	48cm	MINI 50	300075MET
85	6,5mm	1200mm	2 x OPTIMUS Black Ø 14,5mm	54cm	MINI 50	300085MET
95	6,5mm	1300mm	2 x OPTIMUS Black Ø 14,5mm	60cm	MINI 50	300095MET
105	6,5mm	1400mm	2 x OPTIMUS Black Ø 14,5mm	64cm	MAX	300105MET
115	7,0mm	1500mm	2 x OPTIMUS Black Ø 14,5mm	70cm	MAX	300115MET
125	7,0mm	1600mm	2 x OPTIMUS Black Ø 14,5mm	75cm	MAX	300125MET

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing$ 1,6 mm**MEDITERRANEO Full rigged:**Shock Absorber + Monofilament $\varnothing$ 1.6 mm

METAL CARBO ROLLER FULL RIGGED

- Allestimento pronto-pesca MEDITERRANEO: asta Capture $\varnothing$ 7, doppia passata di monofilo in nylon $\varnothing$ 1,6 e shock absorber
- Fusto 100% in carbonio diametro esterno 28mm
- Doppio elastico circolare $\varnothing$ 16 Salvimar Optimus by Primeline
- Testata Roller
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- Full rigged MEDITERRANEAN setup: Capture shaft $\varnothing$ 7, double wrap $\varnothing$ 1,6 nylon shooting line and shock absorber
- 100% carbon barrel 28mm outer diameter
- Double bands $\varnothing$ 16 Salvimar Optimus by Primeline
- Muzzle Roller
- Handle with METAL release system
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Compatible with Salvimar reels



SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
60	7,0mm	950mm	2 x OPTIMUS Black $\varnothing$ 16mm	44cm		ARB03012
75	7,0mm	1100mm	2 x OPTIMUS Black $\varnothing$ 16mm	48cm		ARB03013
85	7,0mm	1200mm	2 x OPTIMUS Black $\varnothing$ 16mm	54cm		ARB03014
95	7,0mm	1300mm	2 x OPTIMUS Black $\varnothing$ 16mm	60cm		ARB03015
105	7,0mm	1400mm	2 x OPTIMUS Black $\varnothing$ 16mm	70cm		ARB03016
115	7,0mm	1500mm	2 x OPTIMUS Black $\varnothing$ 16mm	75cm		ARB03017



TESTATA ROLLER

- Materiale testata Nylon caricato Vetro 30%
- Pulegge in Derlin® ad elevata scorrevolezza, compatibili con elastici fino a Ø 18mm
- Passafilo laterale studiato per alloggiare elastico supplementare
- L'apertura superiore a "V" facilita l'inserimento dell'asta con pinnette
- Si consigliano aste con pinnette con foro Capture
- Utilizzare elastici ufficiali Salvimar che non contengono all'interno sfere per legatura
- Muzzle material 30% fiberglass nylon
- High-smooth Derlin® roller pulleys, compatible with rubber bands up to Ø18mm
- Line pass designed to accommodate additional rubber band
- Innovative design of the muzzle roller with upper "V" shape facilitates insertion of the shaft during rigging
- Passing the line over the muzzle is quick and intuitive
- Capture shafts with shark fins and official Salvimar rubber bands are recommended



ROLLER MUZZLE

WEIGHT	MODEL	COD.
109 gr.	Salvimar Aluminum/Carbo ID Ø26mm	303000
109 gr.	Salvimar Sapiens	303000/25

ADAPTERS

Ø	COD.
24,8mm	301024
25,5mm	301025/5
25,6mm with double O-ring	301025/6
26,5mm	301026/5





V-PRO

- Impugnatura con sistema di sgancio VOODOO
- Asta Capture Ø6,5
- Doppio elastico circolare Ø14,5 Salvimar Optimus by Primeline
- Fusto in lega di alluminio aeronautico con guida asta integrale
- Testata aperta multi elastico
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Elastici legati di serie con ogiva in Dyneema Acid Green
- Mulinello di serie
- Handle with VOODOO release system
- Capture shaft Ø6.5
- Double bands Ø14,5 Salvimar Optimus by Primeline
- Aircraft aluminum alloy shaft with integral shaft guide
- Open multi bands muzzle
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Dyneema Acid Green wishbone bands
- Reel included





SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	REEL	COD.
60	6,5mm	950mm	2 x OPTIMUS Black Ø 14,5mm	44cm	MINI 50	300060ROP
75	6,5mm	1100mm	2 x OPTIMUS Black Ø 14,5mm	48cm	MINI 50	300075ROP
85	6,5mm	1200mm	2 x OPTIMUS Black Ø 14,5mm	54cm	MINI 50	300085ROP
95	6,5mm	1300mm	2 x OPTIMUS Black Ø 14,5mm	60 cm	MINI 50	300095ROP
105	6,5mm	1400mm	2 x OPTIMUS Black Ø 14,5mm	64 cm	MAX	300105ROP

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing$ 1,6 mm**MEDITERRANEO Full:**Shock Absorber + Monofilament $\varnothing$ 1.6 mm

VOODOO FULL RIGGED

- Allestimento pronto-pesca MEDITERRANEO: asta Tahitiana $\varnothing$ 6,5, doppia passata di monofilo in nylon $\varnothing$ 1,6 e shock absorber
- Impugnatura con sistema di sgancio Voodoo
- Asta Tahitiana $\varnothing$ 6,5
- Coppia elastici imboccolati $\varnothing$ 16
- Fusto cilindrico $\varnothing$ 28mm in lega di alluminio aeronautico
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata a ponticello
- Predisposizione per mulinelli Salvimar

- Full rigged MEDITERRANEAN setup: Tahitiana shaft $\varnothing$ 6.5, double wrap $\varnothing$ 1,6 nylon shooting line and shock absorber
- Grip with Voodoo release system
- Tahitian shaft $\varnothing$ 6.5
- Pair of $\varnothing$ 16 mm threaded bands
- Cylindrical shaft $\varnothing$ 28mm aircraft aluminum alloy
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Muzzle removable bridge
- Compatible with Salvimar reels




SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
60	6,5mm	950mm	S400 PAIR Black 16mm	18 cm		ARB04012
75	6,5mm	1100mm	S400 PAIR Black 16mm	20 cm		ARB04013
85	6,5mm	1200mm	S400 PAIR Black 16mm	24 cm		ARB04014
95	6,5mm	1300mm	S400 PAIR Black 16mm	26 cm		ARB04015
105	6,5mm	1400mm	S400 PAIR Black 16mm	28 cm		ARB04016

Allestimento pronto-pesca MEDITERRANEO:Shock Absorber + Monofilo $\varnothing 1,6$ mm**MEDITERRANEO:**Shock Absorber + Monofilament $\varnothing 1.6$ mm**PULSE FULL RIGGED**

- **Allestimento pronto-pesca MEDITERRANEO:** asta Tahitiana, doppia passata di monofilo in nylon $\varnothing 1,6$ e shock absorber
- Impugnatura con sistema di sgancio Wild
- Asta Tahitiana $\varnothing 6.25/\varnothing 6$
- Elastico circolare $\varnothing 14$
- Fusto in lega di alluminio aeronautico con guida asta integrale
- Ogiva in metallo
- Testata Intruder
- Predisposizione per mulinello Salvimar

- **Full rigged MEDITERRANEAN setup:** Tahitiana shaft , double wrap $\varnothing 1,6$ nylon shooting line and shock absorber
- Handle with Wild release system
- Tahitian shaft $\varnothing 6.25/\varnothing 6$
- Single band $\varnothing 14$
- Aeronautical aluminium alloy with integral shaft guide
- Metal wishbones
- Intruder muzzle
- Compatible with Salvimar reels



SIZE	SHAFT $\varnothing$	SHAFT LENGTH	RUBBER $\varnothing$	RUBBER LENGTH	REEL	COD.
50	6,25mm	85cm	S400 MONO Black 14mm	32cm		300050PULSE
60	6,00mm	95cm	S400 MONO Black 14mm	37cm		300060PULSE
75	6,00mm	110cm	S400 MONO Black 14mm	46cm		300075PULSE
85	6,00mm	120cm	S400 MONO Black 14mm	50cm		300085PULSE
95	6,00mm	130cm	S400 MONO Black 14mm	56cm		300095PULSE

Allestimento pronto-pesca WILD:
Tendisagola + filo trasparente ø1.6 mm

WILD Full rigged:
Line tensioner + ø1.6 mm transparent monofilament line



WILD PRO FULL RIGGED

- **Allestimento pronto-pesca WILD con asta Tahitiana ø6,5, passata singola di sagola in nylon ø1.5mm, tendisagola in gomma**
- Impugnatura con sistema di sgancio WILD
- Coppia elastici imboccolati ø14
- Fusto cilindrico ø 28mm in lega di alluminio aeronautico
- Testata a ponticello
- Ogiva in metallo
- Asta Tahitiana
- Predisposizione per mulinello Salvimar
- **Full rigged WILD setup:** Tahitiana shaft ø6,5, single wrap of ø 1.5 mm nylon line, and rubber line tensioner
- Handle with WILD release system
- Pair of Ø 14 mm threaded bands
- Cylindrical shaft ø28mm aeronautical aluminum alloy
- Muzzle removable bridge
- Metal wishbone
- Tahitian Shaft
- Compatible with Salvimar reels

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
40	6,5mm	750mm	S400 PAIR Black 14mm	12cm	ARB05002
50	6,5mm	850mm	S400 PAIR Black 14mm	14cm	ARB05003
60	6,5mm	950mm	S400 PAIR Black 14mm	16cm	ARB05004
75	6,5mm	1150mm	S400 PAIR Black 14mm	20cm	ARB05005

Allestimento pronto-pesca WILD:
Tendisagola + filo poliestere ø 1.7 mm

WILD Full rigged:
Line tensioner + ø 1.7 mm polyester line



WILD FULL RIGGED

- **Allestimento pronto-pesca WILD, passata singola di sagola in poliestere ø1.7, tendisagola in gomma**
- Impugnatura con sistema di sgancio WILD
- Asta filettata ø6,5 con fiocina 3 punte di serie
- Elastico circolare ø14
- Fusto cilindrico ø 28mm in lega di alluminio aeronautico
- Ogive in metallo
- Predisposizione per mulinello Salvimar
- **Full rigged WILD setup:** single wrap of ø 1.7 polyester line, and a rubber line tensioner
- Handle with WILD release system
- Threaded shaft ø6.5 with 3 points prong
- Single band ø14
- Cylindrical shaft ø28mm made of aircraft aluminum alloy
- Metal wishbones
- Threaded shaft with 3 points prong
- Compatible with Salvimar reels

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
40	Prong	620mm	S400 MONO Black 14mm	28cm	ARB05012
50	Prong	720mm	S400 MONO Black 14mm	32cm	ARB05013
60	Prong	820mm	S400 MONO Black 14mm	37cm	ARB05014
75	Prong	970mm	S400 MONO Black 14mm	46cm	ARB05015

Allestimento pronto-pesca MEDITERRANEO:

Shock Absorber + Monofilo Ø1,6 mm

MEDITERRANEO Full rigged:

Shock Absorber + Monofilament Ø1.6 mm

**CARBO STONE FULL RIGGED**

- **Allestimento pronto-pesca MEDITERRANEO:**
asta filettata Ø6,5 + fiocina Speed, doppia
passata di sagola in nylon Ø 1,6 e shock
absorber

- Impugnatura con sistema di sgancio WILD
- Coppia elastici imboccolati Ø16
- Fusto 100% in carbonio Ø esterno 28mm
- Testata con ponticello
- Asta tahitiana inox filettata + fiocina speed
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- **Full rigged MEDITERRANEAN setup:** Tahitiana
shaft Ø6.5 + stainless steel Speed prong,,
double wrap Ø1,6 nylon shooting line and
shock absorber

- Handle with WILD release system
- Pair of Ø16 screw-in bands
- 100% carbon shaft outer diameter 28mm
- Muzzle removable bridge
- Threaded stainless steel tahitian shaft + speed prong
- Chest loading butt pad easily removable
- Compatible with Salvimar reels

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
40	Ø 6,5mm	620mm	S400 PAIR Black 16mm	12 cm	ARB05022
50	Ø 6,5mm	720mm	S400 PAIR Black 16mm	14 cm	ARB05023
60	Ø 6,5mm	820mm	S400 PAIR Black 16mm	18 cm	ARB05024
75	Ø 6,5mm	970mm	S400 PAIR Black 16mm	20cm	ARB05025

Allestimento pronto pesca MEDITERRANEO:

Shock Absorber + Monofilo Ø1,6 mm

MEDITERRANEO Full rigged:

Shock Absorber + Monofilament Ø1.6 mm

**WILD CARBO OPEN:**

- **Allestimento pronto-pesca MEDITERRANEO:**
asta Capture Ø6,5, doppia passata di monofilo
in nylon Ø1,6 e shock absorber

- Impugnatura con sistema di sgancio WILD
- Asta Capture Ø6,5
- Elastico circolare Ø16
- Fusto 100% in carbonio Ø esterno 28mm
- Testata aperta multi elastico
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- **Full rigged MEDITERRANEAN setup:** Capture
shaft Ø6.5, double wrap Ø1,6 nylon shooting
line and shock absorber

- Handle with WILD release system
- Capture shaft Ø6,5
- Single band Ø16
- 100% carbon shaft outer diameter 28mm
- Open multi bands muzzle
- Removable chest loading butt pad
- Compatible with Salvimar reels

SIZE	SHAFT Ø	SHAFT LENGTH	RUBBER Ø	RUBBER LENGTH	COD.
60	6,5mm	950mm	OPTIMUS MONO Black Ø 16mm	48cm	ARB05032
75	6,5mm	1100mm	OPTIMUS MONO Black Ø 16mm	54cm	ARB05033
85	6,5mm	1200mm	OPTIMUS MONO Black Ø 16mm	60cm	ARB05034

POLE SPEAR 18 + HARPOON



POLE SPEAR 18 + SLIP TIP



- Tubo in alluminio Ergal anodizzato da $\varnothing$ 18 mm esterno e $\varnothing$ 13 mm interno
- Propulsione tramite elastico
- Lunghezza totale 195cm

- Anodized aluminum Ergal tube of $\varnothing$ 18 mm outside and $\varnothing$ 13 mm inside
- Propulsion by rubber band
- Total length 195cm

SIZE	COD.
195cm HARPOON	301000/B
195cm SLIP TIP	301000/BS




HARPOON
SPEAR PARTS POLE SPEAR 18

THREAD	COD.
M7	AC062/18



SLIP TIP 3
SPEAR PARTS POLE SPEAR 18

THREAD	COD.
M7	AC062/18ST-M7



RUBBER $\varnothing$ 12mm external | $\varnothing$ 9mm internal
SPEAR PARTS POLE SPEAR 18

COD.
LELASPOL/18

POLE SPEAR 14 + PARALYZER



POLE SPEAR 14 + HARPOON




- Tubo in alluminio Ergal anodizzato da $\varnothing$ 14 mm esterno e $\varnothing$ 10 mm interno
- Propulsione tramite elastico
- Filettatura M6
- Lunghezza totale 160cm

- Anodized aluminum Ergal tube $\varnothing$ 14 mm outer and $\varnothing$ 10 mm inner
- Propulsion by rubber band
- M6 threading
- Total length 160cm

SIZE	COD.
160cm PARALYZER	301000BK/1
160cm HARPOON	301000BKA

POLE SPEAR 14 SHORT + PARALYZER



POLE SPEAR 14 SHORT + HARPOON



- Tubo singolo in alluminio Ergal anodizzato da $\varnothing$ 14 mm esterno e $\varnothing$ 10 mm interno
- Propulsione tramite elastico
- Filettatura M6
- Lunghezza 90cm

- Single tube made of anodized Ergal aluminum $\varnothing$ 14 mm outer and $\varnothing$ 10 mm inner
- Propulsion by rubber band
- M6 threading
- Length 90cm

	SIZE	COD.
POLE SPEAR 14 SHORT + PARALYZER	90cm SHORT	301000S/1
POLE SPEAR 14 SHORT + HARPOON	90cm SHORT	301000SA



PARALYZER STAINLESS 3 PRONGS
SPEAR PARTS POLE SPEAR 14

THREAD	LENGTH	COD.
M6	24cm	AA006



HARPOON
SPEAR PARTS POLE SPEAR 14

THREAD	LENGTH	COD.
M6	24cm	AC062



RUBBER $\varnothing$ 9mm external | $\varnothing$ 6mm internal
SPEAR PARTS POLE SPEAR 14

COD.
LELASPOL



RUBBER $\varnothing$ 9mm external | $\varnothing$ 6mm internal
SPEAR PARTS POLE SPEAR 14 SHORT

COD.
LELASPOL/S

ADATTATORE M6 / M7



Adattatore INOX filettatura femmina M6, maschio M7

INOX threaded adapter M6 female, M7 male

KIT	COD.
10pz	AE055

	DESCRIPTION	COLOR	COD.
	IMPUGNATURA COMPLETA METAL COMPLETE HANDLE METAL		LVM0006
	IMPUGNATURA COMPLETA VODOO COMPLETE HANDLE VODOO		301006
	IMPUGNATURA COMPLETA WILD COMPLETE HANDLE WILD		LFUC17LVM
	CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	BIANCO WHITE	301008/W
	CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	NERO BLACK	301008
	CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	ARANCIONE ORANGE	301008/A
	CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	BLU BLUE	301008/B
	CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	VERDE ACIDO ACID GREEN	301008/C
	APPOGGIO STERNALE REMOVABLE BUTT PAD.		301009
	CANNOTTO WILD WILD SHORT TUBE		301010
	CANNOTTO MULINELLO VODOO VOODOO REEL SHORT TUBE		301011
	TESTATA VODOO VOODOO MUZZLE		301014
	TESTATA WILD WILD MUZZLE		301012
	NUOVO CANOTTO TESTATA 2023 2023 NEW MUZZLE SHORT TUBE		301016N
	CANNOTTO+TESTATA OPEN (Metal/VPRO/RailOpen) SHORT TUBE+MUZZLE OPEN (Metal/VPRO/RailOpen)		ACARB0001

FUSTI VODOO - METAL - WILD CARBO / VODOO - METAL - WILD CARBO BARREL


	DESCRIPTION	SIZE	COD.
	FUSTO VODOO CILINDRICO / VODOO ROUND ALUMINIUM BARREL	75 cm	LFUC100/V75
	FUSTO VODOO CILINDRICO / VODOO ROUND ALUMINIUM BARREL	85 cm	LFUC100/V85
	FUSTO VODOO CILINDRICO / VODOO ROUND ALUMINIUM BARREL	95 cm	LFUC100/V95
	FUSTO VODOO CILINDRICO / VODOO ROUND ALUMINIUM BARREL	105 cm	LFUC100/V105
	FUSTO METAL /METAL ALUMINIUM BARREL	75 cm	LVM0010/75
	FUSTO METAL /METAL ALUMINIUM BARREL	85 cm	LVM0010/85
	FUSTO METAL /METAL ALUMINIUM BARREL	95 cm	LVM0010/95
	FUSTO METAL /METAL ALUMINIUM BARREL	105 cm	LVM0010/105
	FUSTO METAL /METAL ALUMINIUM BARREL	115 cm	LVM0010/115
	FUSTO METAL /METAL ALUMINIUM BARREL	125 cm	LVM0010/125
	FUSTO ALLUMINIO VODOO RAIL / VODOO RAIL ALUMINIUM BARREL	75 cm	LFUC100/75
	FUSTO ALLUMINIO VODOO RAIL / VODOO RAIL ALUMINIUM BARREL	85cm	LFUC100/85
	FUSTO ALLUMINIO VODOO RAIL / VODOO RAIL ALUMINIUM BARREL	95 cm	LFUC100/95
	FUSTO ALLUMINIO VODOO RAIL / VODOO RAIL ALUMINIUM BARREL	105 cm	LFUC100/105




- Tubo 100% Carbonio Pre-Peg TW-K03, realizzato a stampo in autoclave
- Diametro esterno 28mm - interno 25,7mm
- Sigillato con Tappi in gomma

- 100% Carbon Pre-Peg TW-K03 barrel, moulded in autoclave
- Internally filled with closed cell Polyurethane
- Sealed with Carbon walls

	DESCRIPTION	SIZE	COD.
	FUSTO WILD CARBO / WILD CARBO BARREL	40 cm	LFUC100/C40
	FUSTO WILD CARBO / WILD CARBO BARREL	50 cm	LFUC100/C50
	FUSTO WILD CARBO / WILD CARBO BARREL	60 cm	LFUC100/C60
	FUSTO WILD CARBO / WILD CARBO BARREL	75 cm	LFUC100/C75
	FUSTO WILD CARBO / WILD CARBO BARREL	85 cm	LFUC100/C85
	FUSTO WILD CARBO / WILD CARBO BARREL	95 cm	LFUC100/C95
	FUSTO WILD CARBO / WILD CARBO BARREL	105 cm	LFUC100/C105
	FUSTO WILD CARBO / WILD CARBO BARREL	115 cm	LFUC100/C115



MECCANISMO DI SGANCIO HEAVY METAL HEAVY METAL TRIGGER MECHANISM




- Meccanismo di sgancio in acciaio Inox 100%
- Grilletto (1) e leva di sgancio (2) realizzati con tecnologia M.I.M
- Rotellina in acciaio 17-4ph trattato termicamente
- Carico testato 350 kg.

- 100% stainless steel release mechanism
- Trigger (1) and Sear (2) made with M.I.M. Technology
- Heat-treated 17-4ph steel roller wheels
- Tested load 350 kgs

COD.

301050




OLIO LUBRIFICANTE SPRAY - 30ML LUBRICATING SPRAY OIL - 30ML

- Olio lubrificante per parti meccaniche di fucili subacquei
- Liquido idraulico ad alte prestazioni adatto a sistemi meccanici subacquei
- Eccellenti proprietà antiusura, antiossidanti e anti corrosione. Grazie all'esclusiva formula antiattrito, SpearGun Oil, consente la formazione di uno strato lubrificante atto a ridurre l'attrito tra le parti meccaniche. Le prestazioni si mantengono elevate nel tempo e sin dalle prime applicazioni
- Prima dell'applicazione, lavare con acqua dolce e lasciare asciugare le parti da lubrificare

- Lubricating oil for spearguns' mechanical parts
- High performance hydraulic oil for spearguns mechanism
- Thanks to the special antifriction compound, SpearGun Oil creates a coating lube that reduces friction between mechanical parts. High and long-lasting performance from the first use. Exceptional antiwear, antioxidant and anti-corrosion capacity
- Wash with fresh water and dry the mechanical parts before applying the product

COD.

400269

SUGGESTED PACK
15pz.

TAPPO IN GOMMA RUBBER PLUG

- Tappo in gomma per sigillatura fusti arbalette da Ø25mm a Ø27mm
- Rubber plug for sealing sling gun barrels from Ø25mm to Ø27mm

COD.

LWI0001

KIT
2pz.

NEW



MAX REEL BAD BOY

- Materiale: nylon caricato vetro
- Componenti in acciaio e Delrin
- Staffa guida sagola
- Componenti per l'assemblaggio inclusi
- Design & Technical Concept made in Salvimar

- Material: 30% fiberglass nylon
- Steel and Delrin components
- Line guide bracket
- Included assembly components
- Design & Technical Concept made in Salvimar

	CAPACITY	COD.
NEW MAX REEL BAD BOY	75m x1,5mm	301005/DB



MAX REEL

- Materiale: nylon caricato vetro
- Componenti in acciaio e Delrin
- Staffa guida sagola
- Compatibile con tutti gli arbalette Salvimar
- Componenti per l'assemblaggio inclusi
- Design & Technical Concept made in Salvimar

- Material: 30% fiberglass nylon
- Steel and Delrin components
- Line guide bracket
- Compatible with all Salvimar arbalette
- Included assembly components
- Design & Technical Concept made in Salvimar

	CAPACITY	COD.
MAX REEL	75m x1,5mm	301005/D



MINI REEL 50

- Materiale: nylon caricato vetro 30%
- Componenti in acciaio e Delrin
- Staffa guida sagola
- Compatibile con tutti gli arbalette Salvimar
- Componenti per l'assemblaggio inclusi
- Design & Technical Concept made in Salvimar

- 30% Fiberglass loaded nylon
- Components in stainless steel and Delrin
- Line Guide
- Compatible with all Salvimar spearguns
- Included assembly components
- Design & Technical Concept made in Salvimar

CAPACITY	COD.
50m x 1,0mm	301005/E



VERTICAL REEL 70

- Mulinello verticale per arbalette
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti gli arbalette Salvimar
- Componenti per l'assemblaggio inclusi
- Design & Technical Concept made in Salvimar
- Capacità 70mt x 1,5mm

- Vertical reel
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar spearguns
- Included assembly components
- Design & Technical Concept made in Salvimar
- 70mt x 1.5mm capacity

CAPACITY	COD.
70m x 1,5mm	301005/F



MICRO VERTICAL REEL

- Mulinello MICRO vertical per arbalette
- Capacità: 50mt x 1,2mm
- Componenti in alluminio anodizzato nero, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti gli arbalette Salvimar
- Componenti per l'assemblaggio inclusi
- Design & Technical Concept made in Salvimar

- MICRO vertical reel for arbalette
- Capacity 50mt x 1,2mm
- Black anodized Aluminum, Nylon and Delrin components
- Separate drag and handle for winding
- Line guide bracket
- Compatible with all Salvimar arbalette
- Included assembly components
- Design & Technical Concept made in Salvimar

CAPACITY	COD.
50m x 1,2mm	301005/C



ADATTATORI / ADAPTERS

- Adattatore in NYLON caricato vetro SALVIMAR
- Compatibile con supporti originali Omer e Cressi

- Fiberglass nylon adapter for SALVIMAR reels
- Compatible with original Omer and Cressi reel mounts

COD.	
OMER	LMULINMAX20
CRESSI	LMULINMAX21



UNIVERSAL REEL

- Mulinello universale con adattatore

- Universal reel with adapter

CAPACITY	COD.
50m x 1,5mm	AP050



STAFFA ACTION CAM2 ALLUMINIO ALUMINUM DUAL ACTION CAM BRACKET

- Staffa videocamera doppia in alluminio
- Orientabile e removibile
- Compatibile con tutti gli arbalette Salvimar

- Aluminum dual camera bracket
- Adjustable and removable
- Compatible with all Salvimar arbalette

COLOR	COD.
Black	LHR0060A



STAFFA / BRACKET ACTION CAM2

- Staffa videocamera doppia in acciaio inox AISI 304
- Orientabile e removibile
- Compatibile con tutti gli arbalette Salvimar

- Dual camera bracket stainless steel AISI 304
- Adjustable and removable
- Compatible with all Salvimar arbalette

COD.
LHR0060



STAFFA / BRACKET INOX

- Staffa videocamera in acciaio inox AISI 304
- Compatibile con tutti gli arbalette Salvimar

- Camera bracket stainless steel AISI 304
- Compatible with all Salvimar arbalette

COD.
LHR0040



LFUC25

UNICLAMP

- Staffa universale per montare mulinelli ed altri accessori su tubi da Ø28 a 40 mm

- Universal clamp
- On Ø28 to 40 mm tubes

COD.	
	400280
3 pieces	LFUC25

SALVIMAR *by Primeline*

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A., offre altissime prestazioni.

La gomma ricavata dal lattice naturale è diversa da quella ricavata da materiali estrusi o sintetici. Primeline utilizza un "procedimento d' immersione continua" in cui la gomma viene costruita in un processo a strati che offre proprietà fisiche elevate con meno di 50 microgrammi di proteine per grammo. Estratto dall'albero Hevea Brasiliensis viene lavorato nella forma liquida originale, ottenendo una formula uniformemente distribuita. Il risultato è un prodotto con proprietà fisiche superiori, tra cui una maggiore resistenza alla lacerazione. Queste caratteristiche sono essenziali per fornire all'elastico Salvimar by Primeline maggiore forza e prestazioni superiori. Salvimar offre ai suoi clienti produzioni PRIMELINE dedicate e realizzate appositamente per la nostra azienda con una scelta accurata delle mescole e degli spessori.

Le mescole Salvimar by Primeline sono di tre diverse tipologie: HURRICANE, PRIME e OPTIMUS. Ognuna di loro ha caratteristiche tecniche diverse per adattarsi ad ogni esigenza del pescatore in apnea.

HURRICANE, la mescola compatta dall'elevata durezza è sviluppata per mantenere invariata la potenza dopo che il fucile è stato caricato. Consigliato per la pesca all'aspetto e per chi predilige reattività ed esplosività.

PRIME, formula studiata per ottenere un modulo elastico ottimizzato che garantisca un ottimo rapporto tra sforzo di caricamento e restituzione di potenza. Questo rende la mescola PRIME versatile e adatta a tutti i tipi di pesca.

OPTIMUS, Mescola più morbida: garantisce una spinta progressiva e costante, e consente di poter accorciare la lunghezza standard dell'elastico su fucili a canna corta per aumentarne la potenza. Facilita il caricamento del fucile.

Il processo produttivo permette di scegliere la dimensione del foro: l'ID, che può essere, STANDARD ID 3,2mm o MICRO ID 1,6mm. L'elastico dal diametro interno standard ID da 3,2mm ha un'ottimo rapporto tra forza di carico e potenza erogata. La scelta del diametro più piccolo MICRO ID 1,6mm consente di aumentare la potenza dell'elastico a parità di ingombro esterno, facilitando il brandeggio durante l'azione di pesca.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A., offers very high performance.

Rubber made from natural latex is different from rubber made from extruded or synthetic materials. Primeline uses a "continuous immersion process" in which the rubber is built in a layered process that offers high physical properties with less than 50 micrograms of protein per gram. Extracted from the Hevea Brasiliensis tree, it is processed in the original liquid form and avoids the chewing process, resulting in an evenly distributed formula. The result is a product with superior physical properties including higher tear resistance. These features are essential to provide the Salvimar by Primeline elastic band with greater strength and higher performance. Salvimar offers its customers dedicated PRIMELINE productions made specifically for our company with an accurate choice of compounds and thicknesses.

Salvimar by Primeline compounds are of three different types: HURRICANE, PRIME and OPTIMUS. Each of them has different technical characteristics to adapt to each spearfisher's need.

HURRICANE, the compact compound with high hardness is developed to maintain power unchanged after the speargun has been loaded. Recommended for spearfishing with the waiting technique and for those who prefer reactivity and explosiveness.

PRIME, formula designed to obtain an optimized bands modulus that guarantees an excellent ratio between loading effort and power return. This makes the PRIME compound versatile and suitable for all types of fishing.

OPTIMUS, Softer compound: ensures a progressive and constant thrust, and allows to shorten the standard length of the rubber band on short-barrelled spearguns to increase their power. It facilitates the speargun loading.

The production process allows to choose the bore size: the ID, which can be STANDARD ID 3.2mm or MICRO ID 1.6mm.

The rubber band with standard 3.2mm ID (inner diameter) has an excellent ratio between load force and power delivered. The choice of the smaller diameter MICRO ID 1.6mm allows to increase the power of the rubber band with the same external dimensions, facilitating the swinging during the fishing action.



HURRICANE ACID GREEN
micro ID
Ø 14,5 mm
Ø 16 mm



PRIME BLACK
standard ID
Ø 14,5 mm
Ø 16 mm



PRIME BLACK
micro ID
Ø 14,5 mm
Ø 16 mm



OPTIMUS OLIVE GREEN
standard ID
Ø 14,5 mm
Ø 16 mm
Ø 17,5 mm



OPTIMUS BLACK
standard ID
Ø 14,5 mm
Ø 16 mm



DIAMETER	COMPOUND	ID / Ø	COLOR	PACK	COD.
Ø14,5 mm*	Hurricane	micro ID Ø 1,6mm	acid green	15m	E145B3P
Ø16 mm*	Hurricane	micro ID Ø 1,6mm	acid green	15m	E160B3P
Ø14,5 mm*	Prime	standard ID Ø 3,2mm	black	15m	E145B2G
Ø16 mm*	Prime	standard ID Ø 3,2mm	black	15m	E160B2G
Ø14,5 mm*	Prime	micro ID Ø 1,6mm	black	15m	E145B2P
Ø16 mm*	Prime	micro ID Ø 1,6mm	black	15m	E160B2P
Ø14,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E145B1G
Ø16 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E160B1G
Ø17,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E175B1G/12

DIAMETER	COMPOUND	ID / Ø	COLOR	PACK	COD.
Ø14,5 mm*	Hurricane	micro ID Ø 1,6mm	acid green	1,5m	E145K3P
Ø16 mm*	Hurricane	micro ID Ø 1,6mm	acid green	1,5m	E160K2P
Ø14,5 mm*	Prime	standard ID Ø 3,2mm	black	1,5m	E145K2G
Ø16 mm*	Prime	standard ID Ø 3,2mm	black	1,5m	E160K2G
Ø14,5 mm*	Prime	micro ID Ø 1,6mm	black	1,5m	E145K2P
Ø16 mm*	Prime	micro ID Ø 1,6mm	black	1,5m	E160K2P
Ø14,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E145K1G
Ø16 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E160K1G
Ø17,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E175K1G

* Diametro minimo garantito

SALVIMAR RUBBERS S400 - S600

- 100% lattice Malese
- Mescola con aggiunta di additivo anti-invecchiamento per conferire maggiore durata nel tempo
- Processo produttivo prevede:
 - 1 Trafilatura: questa tecnologia garantisce costanza di diametro e quindi assicura costanza di prestazioni
 - 2 Passaggio nel tunnel di Pre-Vulcanizzazione
 - 3 Primo Controllo qualità
 - 4 Primo trattamento con componente silconico
 - 5 Vulcanizzazione: asciugatura lenta in forno a temperatura costante per 2/5gg
 - 6 Trattamento silconico manuale
 - 7 Controllo qualità finale
- Trattamento silconico. Il silicone penetra e si consolida sulla superficie formando una barriera protettiva contro raggi UV ed agenti esterni
- Per aumentare l'efficienza del prodotto si consiglia di proteggere l'elastico trattandolo con silicone liquido, periodicamente
- BOX garantito 15mt in continuo

- 100% Malaysian latex
- Mixture with added anti-ageing additive to provide greater durability
- The production process includes:
 - 1 drawing: this technology guarantees a constant diameter and therefore ensures consistency of performance
 - 2 processing in the Pre-Vulcanisation tunnel
 - 3 First Quality Control
 - 4 First treatment with silicone component
 - 5 Vulcanization: slow drying in oven at constant temperature for 2/5 days
 - 6 Manual silicone treatment
 - 7 Final quality check
- Silicone treatment. The silicone penetrates and consolidates on the surface forming a protective barrier against UV rays and external agents.
- To increase the efficiency of the product it is recommended to protect the rubber by treating it with liquid silicone periodically recommended
- BOX guaranteed 15mt continuously



FLUO RED
Ø 15 mm
Ø 17 mm



BLACK
Ø 14 mm
Ø 16 mm
Ø 18 mm



ACID GREEN
Ø 14 mm
Ø 16 mm



SHINING BLU
Ø 16 mm



DIAMETER Ø	COLOR	PACK	COD.
14 mm	black	15m	500100/Z
14 mm	acid green	15m	500100/ZG
16 mm	black	15m	500100/A
16 mm	acid green	15m	500100/AGS
16 mm	shining blu	15m	500100/SB

DIAMETER Ø	COLOR	PACK	COD.
14 mm	black	1,5m	500100/Z1
14 mm	acid green	1,5m	500100/ZG1
15 mm	fluor red	1,5m	500100/FR1
16 mm	black	1,5m	500100/A1
16 mm	acid green	1,5m	500100/AGS1
16 mm	shining blu	1,5m	500100/SB1

EPTAGUM S600

- EPTAGUM S600: nuovo esclusivo elastico a sezione eptagonale e spigoli smussati
- 100% Lattice naturale malese
- Produzione ricerca e sviluppo italiani
- Disponibile in due sezioni con diametro inscritto 14 e 16 mm, e due colorazioni.


La nuova mescola S600 frutto dello studio del R&D Salvimar, ottimizzata per avere migliori prestazioni di carico sia istantanee che, grazie alle sue specifiche proprietà di memoria, dopo periodi prolungati di stress. Test prestazionali hanno evidenziato un incremento generale delle prestazioni di oltre il 10% rispetto ad una mescola tradizionale. Particolarmente evidente è l'incremento ottenuto in termini di velocità di contrazione dell'elastico, frutto dell'esplosività ottenuta senza pregiudicare la tradizionale fluidità delle mescole Salvimar.

- EPTAGUM S600 new exclusive rubber with heptagonal section with rounded edges
- 100% Malaysian natural latex
- Italian R&D production
- Available in two sections with inscribed diameter 14 and 16 mm, and two colours

The new S600 compound, the result of the Salvimar R&D study, optimised for improved load performance both instantaneously and, thanks to its specific memory properties, after prolonged periods of stress, performance tests have shown a general increase in performance of over 10% compared to a traditional compound. Particularly evident is the increase obtained in terms of the contraction rate of the rubber, the result of the explosiveness obtained without affecting the traditional fluidity of Salvimar compounds.



	COLOR	PACK	COD.
SMTP145	lime	1,5m	500100/E14/1
SMTP160	lime	1,5m	500100/E16/1
SMTP145	black	1,5m	500100/EB14/1
SMTP160	black	1,5m	500100/EB16/1





400 PAIRS RUBBER WITH SCREWS

- Coppie di elastici imboccolati

- Pairs of rubbers

Ø	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
14,00mm	black	12cm	40cm	1pair	500120/Z
14,00mm	black	14cm	50cm	1pair	500140/Z
14,00mm	black	16cm	60cm	1pair	500160/Z
14,00mm	black	20cm	75cm	1pair	500200/Z
16,00mm	black	10cm	35cm	1pair	500110/A
16,00mm	black	12cm	40cm	1pair	500120/A
16,00mm	black	14cm	55cm	1pair	500140/A
16,00mm	black	16cm	60cm	1pair	500160/A
16,00mm	black	18cm	70cm	1pair	500180/A
16,00mm	black	20cm	75cm	1pair	500200/A
16,00mm	black	22cm	80cm	1pair	500220/A
16,00mm	black	24cm	85cm	1pair	500240/A
16,00mm	black	26cm	90cm	1pair	500260/A
16,00mm	black	28cm	100cm	1pair	500280/A
17,50mm	black	14cm	55cm	1 pair	500140/B
17,50mm	black	18cm	60cm	1pair	500180/B
17,50mm	black	20cm	65cm	1pair	500200/B
17,50mm	black	22cm	75cm	1pair	500220/B
17,50mm	black	24cm	85cm	1pair	500240/B
17,50mm	black	26cm	95cm	1pair	500260/B
17,50mm	black	28cm	100cm	1pair	500280/B
17,50mm	black	30cm	105cm	1pair	500300/B



400 PAIRS RUBBER WITH SCREWS ACID GREEN

Ø	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
14,00mm	acid green	12cm	40cm	1pair	500120/ZG
14,00mm	acid green	14cm	50cm	1pair	500140/ZG
14,00mm	acid green	16cm	60cm	1pair	500160/ZG
14,00mm	acid green	20cm	75cm	1pair	500200/ZG
16,00mm	acid green	14cm	55cm	1pair	500140/AG
16,00mm	acid green	16cm	60cm	1pair	500160/AG
16,00mm	acid green	18cm	70cm	1pair	500180/AG
16,00mm	acid green	20cm	75cm	1pair	500200/AG
16,00mm	acid green	22cm	80cm	1pair	500220/AG
16,00mm	acid green	24cm	85cm	1pair	500240/AG
16,00mm	acid green	26cm	90cm	1pair	500260/AG



400 CIRCULAR RUBBER WITH SCREWS

- Elastico circolare imboccolato

- Rubbers with screws

Ø	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
14,00mm	black	28cm	40cm	1pz	510280/Z
14,00mm	black	32cm	50cm	1pz	510320/Z
14,00mm	black	37cm	60cm	1pz	510370/Z
14,00mm	black	46cm	75cm	1pz	510460/Z
16,00mm	black	28cm	50cm	1pz	510280/A
16,00mm	black	32cm	55cm	1pz	510320/A
16,00mm	black	37cm	60 cm	1pz	510370/A
16,00mm	black	40cm	65cm	1pz	510400/A
16,00mm	black	43cm	70cm	1pz	510430/A
16,00mm	black	46cm	75cm	1pz	510460/A
16,00mm	black	50cm	85cm	1pz	510500/A
16,00mm	black	56cm	95cm	1pz	510560/A
16,00mm	black	60cm	105cm	1pz	510600/A
17,50mm	black	33cm	50cm	1pz	510330/B
17,50mm	black	40cm	60cm	1pz	510400/B
17,50mm	black	43cm	65cm	1pz	510430/B
17,50mm	black	45cm	70cm	1pz	510450/B
17,50mm	black	48cm	75cm	1pz	510480/B
17,50mm	black	52cm	80cm	1pz	510520/B
17,50mm	black	55cm	85cm	1pz	510550/B
17,50mm	black	58cm	90cm	1pz	510580/B
17,50mm	black	65cm	95cm	1pz	510650/B



400 CIRCULAR RUBBER WITH SCREWS ACID GREEN

Ø	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
14,00mm	acid green	28cm	40cm	1pz	510280/ZG
14,00mm	acid green	32cm	50cm	1pz	510320/ZG
14,00mm	acid green	37cm	60cm	1pz	510370/ZG
14,00mm	acid green	46cm	75cm	1pz	510460/ZG

SALVIMAR *by Primeline* WISHBONE

- Elastici legati

- Rubber dyneema wishbone



ID	Ø	COLOR	COMPODS	RUBBER LENGTH	SPEARGUN	PACK	COD.
3,2	14,50mm	black	PRIME	44cm	60cm	1pz	E1452G44
3,2	14,50mm	black	PRIME	48cm	75cm	1pz	E1452G48
3,2	14,50mm	black	PRIME	54cm	85cm	1pz	E1452G54
3,2	14,50mm	black	PRIME	60cm	95cm	1pz	E1452G60
3,2	14,50mm	black	PRIME	64cm	105cm	1pz	E1452G64
3,2	14,50mm	black	PRIME	70cm	115cm	1pz	E1452G70
3,2	14,50mm	black	PRIME	75cm	125cm	1pz	E1452G75
3,2	16,00mm	black	PRIME	48cm	60cm	1pz	E1602G48
3,2	16,00mm	black	PRIME	54cm	75cm	1pz	E1602G54
3,2	16,00mm	black	PRIME	60cm	85cm	1pz	E1602G60
3,2	16,00mm	black	PRIME	64cm	95cm	1pz	E1602G64
3,2	16,00mm	black	PRIME	70cm	105cm	1pz	E1602G70
3,2	16,00mm	black	PRIME	75cm	115cm	1pz	E1602G75
3,2	16,00mm	black	PRIME	80cm	125cm	1pz	E1602G80
3,2	14,50mm	black	OPTIMUS	44cm	60cm	1pz	E1451BG44
3,2	14,50mm	black	OPTIMUS	48cm	75cm	1pz	E1451BG48
3,2	14,50mm	black	OPTIMUS	54cm	85cm	1pz	E1451BG54
3,2	14,50mm	black	OPTIMUS	60cm	95cm	1pz	E1451BG60
3,2	14,50mm	black	OPTIMUS	64cm	105cm	1pz	E1451BG64
3,2	14,50mm	black	OPTIMUS	70cm	115cm	1pz	E1451BG70
3,2	14,50mm	black	OPTIMUS	75cm	125cm	1pz	E1451BG75
3,2	14,50mm	black	OPTIMUS	80cm	135cm	1pz	E1451BG80
3,2	16,00mm	black	OPTIMUS	48cm	75cm	1pz	E1601BG48
3,2	16,00mm	black	OPTIMUS	54cm	85cm	1pz	E1601BG54
3,2	16,00mm	black	OPTIMUS	60cm	95cm	1pz	E1601BG60
3,2	16,00mm	black	OPTIMUS	64cm	105cm	1pz	E1601BG64
3,2	16,00mm	black	OPTIMUS	70cm	115cm	1pz	E1601BG70
3,2	16,00mm	black	OPTIMUS	75cm	125cm	1pz	E1601BG75
3,2	16,00mm	black	OPTIMUS	80cm	135cm	1pz	E1601BG80

400 DYNEEMA WISHBONE

- Elastici legati

- Rubber dyneema wishbone



Ø	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
14,00mm	black	48cm	75cm	1pz	511010Z48
14,00mm	black	54cm	85cm	1pz	511010Z54
14,00mm	black	60cm	95cm	1pz	511010Z60
14,00mm	black	64cm	105cm	1pz	511010Z64
14,00mm	black	70cm	115cm	1pz	511010Z70
14,00mm	black	75cm	125cm	1pz	511010Z75
14,00mm	black	85cm	145cm	1pz	511010Z85
16,00mm	black	44cm	60cm	1pz	511010A44
16,00mm	black	48cm	75cm	1pz	511010A48
16,00mm	black	54cm	85cm	1pz	511010A54
16,00mm	black	60cm	95cm	1pz	511010A60
16,00mm	black	64cm	105cm	1pz	511010A64
16,00mm	black	70cm	115cm	1pz	511010A70
16,00mm	black	75cm	125cm	1pz	511010A75
16,00mm	black	80cm	135cm	1pz	511010A80
14,00mm	acid green	44cm	60cm	1pz	511010Z44G
14,00mm	acid green	48cm	75cm	1pz	511010Z48G
14,00mm	acid green	54cm	85cm	1pz	511010Z54G
14,00mm	acid green	60cm	95cm	1pz	511010Z60G
14,00mm	acid green	64cm	105cm	1pz	511010Z64G
16,00mm	shining blu	54cm	85cm	1pz	511010A54SB
16,00mm	shining blu	60cm	95cm	1pz	511010A60SB
16,00mm	shining blu	64cm	105cm	1pz	511010A64SB
16,00mm	shining blu	70cm	115cm	1pz	511010A70SB

MADE IN ITALY



■ ■ EPTAGUM S600 SMTP165 DYNEEMA WISHBONE

- Elastici legati

- Rubber dyneema wishbone

	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
SMTP165	black	48cm	75cm	1pz	51E165B48
SMTP165	black	54cm	85cm	1pz	51E165B54
SMTP165	black	60cm	95cm	1pz	51E165B60
SMTP165	black	64cm	105cm	1pz	51E165B64



■ ■ EPTAGUM S600 SMTP145 DYNEEMA WISHBONE

	COLOR	RUBBER LENGTH	SPEARGUN	PACK	COD.
SMTP145	lime	44cm	60cm	1pz	51E145L44
SMTP145	lime	48cm	75cm	1pz	51E145L48
SMTP145	lime	54cm	85cm	1pz	51E145L54
SMTP145	lime	60cm	95cm	1pz	51E145L60
SMTP145	lime	64cm	105cm	1pz	51E145L64
SMTP145	lime	70cm	115cm	1pz	51E145L70
SMTP145	black	48cm	75cm	1pz	51E145B48
SMTP145	black	54cm	85cm	1pz	51E145B54
SMTP145	black	60cm	95cm	1pz	51E145B60
SMTP145	black	64cm	105cm	1pz	51E145B64



■ ■ PARASTRAPPI

- Elastico cavo in puro lattice, per parastrappi ed ammortizzatori

- Pure latex tubing to make shock absorber and bungee

Ø	KIT	COD.
9mm	15mt	400261
9mm	15mt	400261R
12mm	15mt	400266
12mm	15mt	400266R



■ ■ KIT RUBBER TOMAHAWK

- Elastici superiori S400 Ø 16mm con anima interna in sagola Dyneema® per un controllo preciso dell'allungamento.
 - Capacità di carico di rottura di 250kg.
 - Compresi 4 elastici supplementari in linea S400R Ø15mm

- Upper rubber band S400 Ø 16mm with Dyneema® inner sagola core for precise elongation control
 - 250kg tensile strength capacity
 - Includes 4 additional in-line rubber bands S400R Ø15mm

SIZE	RUBBER LENGTH	COD.
65cm	2 black Ø16mmx22cm + 4 red Ø15mmx18cm	512T065
75cm	2 black Ø16mmx24cm + 4 red Ø15mmx20cm	512T075
85cm	2 black Ø16mmx27cm + 4 red Ø15mmx23cm	512T085
95cm	2 black Ø16mmx30cm + 4 red Ø15mmx26cm	512T095
105cm	2 black Ø16mmx33cm + 4 red Ø15mmx28cm	512T105
115cm	2 black Ø16mmx35cm + 4 red Ø15mmx31cm	512T115
125cm	2 black Ø16mmx38cm + 4 red Ø15mmx34cm	512T125
135cm	2 black Ø16mmx41cm + 4 red Ø15mmx37cm	512T135



■ ■ LOADING ASSIST BAND

- Elastico facilitatore
 - Rubber band for loading support

COD.

303010



■ ■ SHOCK ABSORBER

COLOR	COD.
RED	400263R
BLACK	400263

■ ■ TENDISAGOLA

KIT
10pzCOD.
400262

■ ■ TENDISAGOLA ALLESTITO

COD.
LNEN400262

LEGATI OPTIMUS**OPTIMUS DYNEEMA WISHBONE**

CODE	Ø (mm)	LENGTH (cm)	SPEARGUNS MODELS
E1451BG44	14,5	44	ARES 60 - METAL 60 - V-PRO 60
E1451BG48	14,5	48	ARES 75 - ARES NIGHTMARE 75 - METAL 75 - V-PRO 075
E1451BG54	14,5	54	ARES 85 - ARES CARBO 85 - ARES NIGHTMARE 85 - METAL 85 - V-PRO 85
E1451BG60	14,5	60	ARES 95 - ARES CARBO 95 - ARES - NIGHTMARE 95 - METAL 95 - V-PRO 95
E1451BG64	14,5	64	ARES 105 - ARES CARBO 105 - ARES NIGHTMARE 105 - METAL 105 - V-PRO 105
E1451BG70	14,5	70	ARES CARBO 115 - METAL 115
E1451BG75	14,5	75	HERO 125 - METAL 125
E1451BG80	14,5	80	HERO 135
E1601BG48	16	48	WILD CARBO OPEN 60 - HERO 65 - METAL CARBO ROLLER 60
E1601BG54	16	54	WILD CARBO OPEN 75 - HERO 75 - HERO NIGHTMARE 75 - METAL CARBO ROLLER 75
E1601BG60	16	60	WILD CARBO OPEN 85 - HERO 85 - HERO NIGHTMARE 85 - METAL CARBO ROLLER 85
E1601BG64	16	64	HERO 95 - HERO NIGHTMARE 95 - METAL CARBO ROLLER 95
E1601BG70	16	70	HERO 105 - HERO NIGHTMARE 105 - METAL CARBO ROLLER 105
E1601BG75	16	75	HERO 115 - HERO NIGHTMARE 115 - METAL CARBO ROLLER 115
E1601BG80	16	80	HERO NIGHTMARE 125

LEGATI S400**S400 DYNEEMA WISHBONE**

CODE	Ø (mm)	LENGTH (cm)	SPEARGUNS MODELS
511010A54SB	16	54	HERO STORM 085 BLUE
511010A60SB	16	60	HERO STORM 095 BLUE
511010A64SB	16	64	HERO STORM 105 BLUE
511010A70SB	16	70	HERO STORM 115 BLUE

LEGATO EPTAGUM S600**EPTAGUM S600 DYNEEMA WISHBONE**


CODE	Ø (mm)	LENGTH (cm)	SPEARGUNS MODELS
51E165B48	16	48	ARES STONE 60
51E165B54	16	54	ARES STONE 75

CIRCOLARE IMBOCCOLATO**SINGLE BAND WITH SCREWS**

CODE	Ø (mm)	LENGTH (cm)	SPEARGUNS MODELS
510280/Z	14	28	WILD 40
510320/Z	14	32	PULSE 50 - WILD 50
510370/Z	14	37	PULSE 60 - WILD 60
510460/Z	14	46	PULSE 75 - WILD 75
510500/Z	14	50	PULSE 85
510560/Z	14	56	PULSE 95

COPPIE IMBOCCOLATI**PAIRS WITH SCREW**

CODE	Ø (mm)	LENGTH (cm)	SPEARGUNS MODELS
500120/Z	14	12	WILD PRO 40
500140/Z	14	14	WILD PRO 50
500160/Z	14	16	WILD PRO 60
500200/Z	14	20	WILD PRO 75
500120/A	16	12	WILD CARBO 40 STONE
500140/A	16	14	WILD CARBO 50 STONE
500180/A	16	18	VOODOO 60 - WILD CARBO 60 STONE
500200/A	16	20	VOODOO 75 - WILD CARBO 75 STONE
500240/A	16	24	VOODOO 85
500260/A	16	26	VOODOO 95
500280/A	16	28	VOODOO 105

The image features a minimalist design on a black background. A vertical grey band runs down the center. On the right side, there are two parallel yellow lines that curve upwards and then turn right to become horizontal. On the left side, there are two parallel yellow lines that start as horizontal and then curve downwards and to the left. The word 'PNEUMATICS' is written in white, uppercase, sans-serif font, centered horizontally between the two main yellow line structures.

PNEUMATICS



DARK SIDE 99.9



EP 2.202.477 B1 | 100% CARBONIO

DARK SIDE



EP 2.202.477 B1 | 100% CARBONIO

- Testata "Vuoto"
- Serbatoio cilindrico in fibra di carbonio ad alto modulo Pre-Peg TW-K03
- Canna interna ø 13mm
- Kit Race di serie
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso nei modelli superiori a 75mm
- Predisposizione per mulinello Salvimar Predathor 70 e Micro Predathor
- Iniettore incluso

- Vacuum muzzle
- Round high-modulus carbon fiber Pre-Peg TW-K03
- Inner ø 13mm barrel
- Kit race as standard
- Fiberglass nylon handle
- Power regulator included in models over 75mm
- Suitable for Salvimar Predathor 70 and Micro Predathor reel
- Pump included



POWER REGULATOR



KIT RACE PREDATHOR

SIZE	SHAFT Ø	SHAFT LENGTH	TAHITIANA 17-4PH	SCREWED	PWR	COD.
55cm	7,0mm	512mm		✓		306055C
65cm	7,0mm	662mm		✓		306065C
75cm	7,0mm	870mm	✓		✓	306075C
85cm	7,0mm	970mm	✓		✓	306085C
99.9cm	7,5mm	1120mm	✓		✓	306099C
115cm	7,5mm	1270mm	✓		✓	306115C
130cm	7,5mm	1420mm	✓		✓	306130C

WETSUIT: SEA WALKER BLACK
GLOVES: DROP PLUS
WATCH: FREEDIVE
PNEUMATIC: DARK SIDE 99.9

YOUR WAY. YOUR SPEARFISHING.

IL TUO STILE. LA TUA PESCA IN APNEA.

SALVIMAR

FOR SPEARFISHING



EP 2.202.477 B1

PREDATHOR VUOTO

- Testata "Vuoto"
- Serbatoio cilindrico in alluminio
- Canna interna $\varnothing$ 13mm
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso nei modelli superiori a 75mm
- Mulinello incluso nei modelli da 85mm a 130mm
- Predisposizione per mulinello Salvimar Predathor 70 e Micro Predathor
- Iniettore incluso
- Vacuum muzzle
- Round aluminum barrel
- Internal $\varnothing$ 13mm barrel
- Fiberglass nylon handle
- Power regulator included in models above 75mm
- Reel included in models 85mm to 130mm
- Suitable for Salvimar Predathor 70 and Micro Predathor reel
- Pump included




PREDATHOR REEL 70



MICRO PREDATHOR REEL

SIZE	SHAFT $\varnothing$	SHAFT LENGTH	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm	7,0mm	350mm		✓			306040S
55cm	7,0mm	512mm		✓			306055S
65cm	7,0mm	662mm		✓			306065S
75cm	7,0mm	870mm	✓		✓		306075V
85cm	7,0mm	970mm	✓		✓	MICRO	306085V
100cm	7,0mm	1120mm	✓		✓	REEL 70	306100V
115cm	7,5mm	1270mm	✓		✓	REEL 70	306115V
130cm	7,5mm	1420mm	✓		✓	REEL 70	306130V

PREDATHOR PLUS




- Testata con fori maggiorati
- Canna interna Ø 13mm
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso
- Predisposizione per mulinello Predathor Reel 70 e Micro Predathor Reel
- NUOVO ALLESTIMENTO ASTA: codolo con smusso a 45° per misure 100 - 115 - 130

- Widened port holes muzzle
- Inner shaft Ø 13mm
- Fiberglass loaded nylon handle
- High/low power regulator included
- Suitable for Predathor Reel 70 and Micro Predathor Reel
- NEW FITTING SHAFT: TAIL with 45° cut for sized 100 - 115 - 130

SIZE	SHAFT Ø	SHAFT LENGTH	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
55cm	8,0mm	500mm		✓	✓		306055P
65cm	8,0mm	650mm		✓	✓		306065P
75cm	8,0mm	750mm		✓	✓		306075P
85cm	8,0mm	850mm		✓	✓		306085P
100cm	7,5mm	1120mm	✓		✓		306100P
115cm	7,5mm	1270mm	✓		✓		306115P
130cm	7,5mm	1420mm	✓		✓		306130P

PREDATHOR



- Testata con fori maggiorati
- Canna interna Ø 13mm
- Impugnatura in nylon caricato vetro
- Sgancia sagola laterale "Dynamic Four"
- Predisposizione per mulinello Predathor reel 70 e Micro Predathor reel

- Widened port holes muzzle
- Inner barrel Ø 13mm
- Fiberglass loaded nylon handle
- Dynamic Four side line release
- Suitable for Predathor reel 70 and Micro Predathor reel

SIZE	SHAFT Ø	SHAFT LENGTH	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm	8mm	350mm		✓			306040
55cm	8mm	500mm		✓			306055
65cm	8mm	650mm		✓			306065
75cm	8mm	750mm		✓			306075

PREDATHOR ROCK



- Testata con fori maggiorati
- Canna interna Ø 13mm
- Impugnatura in nylon caricato vetro
- Predisposizione per mulinello Predathor reel 70 e Micro Predathor reel
- Iniettore non incluso

- Widened port holes muzzle
- Inner barrel Ø 13mm
- Fiberglass loaded nylon handle
- Suitable for Predathor reel 70 and Micro Predathor reel
- Pump not included

SIZE	SHAFT Ø	SHAFT LENGTH	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm		350mm		✓			306040R
55cm		500mm		✓			306055R
65cm		650mm		✓			306065R



■■ PREDATHOR REEL 70

- Mulinello verticale per pneumatico Predathor
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti i Predathor Salvimar
- Componenti per l'assemblaggio inclusi
- "Disegno e Concetto Tecnico sviluppato in Salvimar"

- Vertical reel for Predathor pneumatic gun
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar Predathors
- Included assembly components
- Salvimar-developed Technical Design and Concept

COLOR	CAPACITY	COD.
BLACK	70m x 1,5mm	301005/FP



STAFFA IN ALLUMINIO
ANODIZZATO NERO

■■ MICRO PREDATHOR REEL

- Mulinello verticale per pneumatico Predathor
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti i Predathor Salvimar
- Componenti per l'assemblaggio inclusi
- "Disegno e Concetto Tecnico sviluppato in Salvimar"

- Vertical reel for Predathor pneumatic gun
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar Predathors
- Included assembly components
- Salvimar-developed Technical Design and Concept

COLOR	CAPACITY	COD.
BLACK	50m x 1,2mm	301005/CP

■■ TESTATA VUOTO



EP 2.202.477 B1

20mm
EVO

SIZE	COD.
13	302000A
11	302000B
11 evolution	302000C

- Testata sottovuoto in alluminio alleggerito
- Componenti: ogiva - guarnizione di tenuta corpo - boccola di ammortizzo
- Alta resistenza

- Lightweight aluminum vacuum muzzle
- Components: wishbone - stopper with shock
- shock-absorbing bushing
- High strength



■■ SPARE PARTS

- Boccola di ammortizzo testata VUOTO

SHAFT	TANG/CODOLO	BARREL/CANNA	COD.
7,00mm	8,00mm	11,00mm	302001

- VUOTO vacuum muzzle bushing

SHAFT	TANG/CODOLO	BARREL/CANNA	COD.
8,00mm	9,00mm	13,00mm	302001B

- Guarnizione testata sottovuoto unica per aste Ømm 6,5 / 7 / 7,5 / 8

- One vacuum Gasket for shaft Ømm 6,5 / 7 / 7,5 / 8

KIT	COD.
3 pieces	LFUCPNEUM24



KIT RACE

- Pistone alleggerito ad alta scorrevolezza
- Grilletto sensitive
- Sgancia sagola e sicura acid green
- High-smoothness lightweight piston
- Sensitive trigger
- Line release and acid green safety

COLOR	COD.
ACID GREEN/BLACK	306000



UTENSILE / TOOL PREDATHOR

- Utensile per lo smontaggio della valvola di ricarica del fucile Predathor
- Design ergonomico per una presa comoda e sicura durante l'operazione di smontaggi
- Tool for dismantling the Predathor charging valve
- Ergonomic design for comfortable and secure grip during disassembly operation

COD.
AE123

CARICHINO SCALETTA PNEUMATIC SPEARGUN LADDER LOADER

- Scaletta per caricamento fucile pneumatico
- 5 carichini in nylon caricato vetro 30% collegati con sagola da Ø 2mm
- Adatto a tutti i modelli con asta Tahitiana o arpione
- Ladder for pneumatic gun loading
- 5 30% glass-filled nylon loaders connected to each other with a Ø 2mm line
- Suitable for all models with Tahitian shaft or harpoon

COD.
AE066



MANOMETRO PREDATHOR PRO PRESSURE GAUGE PREDATHOR PRO

- Manometro con valvola di ricarica integrata per il fucile Predathor Salvimar
- Consente la visualizzazione della pressione interna durante la carica
- Pressure gauge with refill valve for Predathor pneumatic gun
- Allows air to be injected into the pneumatic gun by displaying the internal pressure

COD.
AE124/A



MANOMETRO STEN - PRESSURE GAUGE SL

- Manometro con valvola di ricarica per fucile pneumatico
- Consente d'immettere aria nel pneumatico visualizzando la pressione interna
- Disponibile in versione Cyrano/Sten o SL
- Pressure gauge with refill valve for pneumatic gun
- Allows air to be injected into the pneumatic gun by displaying the internal pressure
- Available in Cyrano/Sten or SL series

	COD.
CYRANO/STEN	AE124/B
SL	AE124/C



CYRANO/STEN: AE124/B

MANOMETRO - PRESSURE GAUGE

- Manometro per fucili pneumatici
- Scala 0/40 bar

- Pressure gauge, pneumatic spearguns
- 0/40 bar

PRESSURE GAUGE	COD.
VINTAIR	AE122/A
CYRANO/STEN	AE122/B
SL	AE122/C
PREDATHOR	AE122/D



KIT: AE120

AIR PRESSURE - MEASURING KIT

AE120/B
CYRANO/
STEN AdaptorAE120/D
PREDATHOR
AdaptorAE120/C
SL Adaptor

KIT	COD.
GAUGE + 3 ADAPTORS	AE120

ADAPTORS	COD.
CYRANO/STEN	AE120/B
SL	AE120/C
PREDATHOR	AE120/D



CRESSI

MARES

ADATTATORI INIETTORI / INJECTOR ADAPTERS

- Adattatori iniettori Cressi / Mares per valvola finale SALVIMAR

- Cressi / Mares injector adapters for SALVIMAR end valve

COD.	
AE125	ADATTATORE PER INIETTORE CRESSI
AE126	ADATTATORE PER INIETTORE MARES

QUANTITÀ DI OLIO PREDATHOR
OIL QUANTITY OREDATHOR

MODEL	ml
40cm	10
55cm	15
65cm	18
75cm	21
85cm	25
100cm	28
115cm	33
130cm	37

GREEN 32

- Olio per fucili pneumatici
- Formula extra-fluida
- Basso indice di viscosità
- Proprietà antiusura e antiossidanti
- Confezione da 100ml

- Pneumatic gun oil
- Extra-fluid formula
- Low viscosity index
- Anti-wear and antioxidant properties
- 100ml pack

KIT	COD.
kit 4 pieces	306001

STEN SERIES

DESCRIPTION	COD.
STEN PISTONE / PISTON	302040A
STEN KIT BOCCOLA DI AMMORTIZZO STEN BUSHING DAMPING KIT	LFUCPNEU- MKITO2
STEN VALVOLA / VALVE	302040D

CYRANO SERIES


DESCRIPTION	COD.
CYRANO PISTONE / PISTON	302042A
CYRANO KIT TESTATA COMPLETO CYRANO COMPLETE MUZZLE KIT	302042B
CYRANO KIT BOCCOLA DI AMMORTIZZO CYRANO BUSHING DAMPING KIT	302042C
CYRANO VALVOLA / VALVE	302042D

SL SERIES

DESCRIPTION	COD.
SL PISTONE / PISTON	302044A
SL VALVOLA / VALVE	302044D

PREDATHOR VUOTO - PREDATHOR PLUS - PREDATHOR - DARK SIDE - ROCK

DESCRIPTION	LEGEND	COD.
KIT O-RING VINTAIR E VINTAIR PLUS/PREDATHOR KIT O-RING VINTAIR AND VINTAIR PLUS/PREDATHOR	15	LFUCPNEUMKIT01
KIT DENTE DI SGANCIO VINTAIR / PREDATHOR	6	LFUCPNEUMKIT03
MOLLETTA ESTRAZIONE TAPPO PREDATHOR AISI 302 2MM CAP CLIP PREDATHOR	1	LFUCPR020
TAPPO COPRIVALVOLA PREDATHOR BIANCO VALVE CAP PREDATHOR WHITE	2	LFUCPR003A
TAPPO COPRIVALVOLA PREDATHOR VERDE VALVE CAP PREDATHOR ACID GREEN	2	LFUCPR003B
TAPPO COPRIVALVOLA PREDATHOR ARANCIONE VALVE CAP PREDATHOR ORANGE	2	LFUCPR003C
VALVOLA RICARICA PREDATHOR REFILL VALVE PREDATHOR	3	LFUCPR004
SICURA PREDATHOR SAFE PREDATHOR	5	LFUCPR005
KIT GRILLETTO PREDATHOR TRIGGER MECHANISM KIT	7 + 8	LFUCPR008
IMPUGNATURA PREDATHOR NERA CON REGOLATORE HANDLE PREDATHOR PLUS BLACK WITH PWR	9A	LFUCPR001
IMPUGNATURA PREDATHOR NERA (SENZA REGOLATORE) HANDLE PREDATHOR BLACK (WITHOUT POWER REGULATOR)	9B	LFUCPR001B
KIT SGANGIA SAGOLA PREDATHOR LINE RELEASE KIT	10	LFUCPR009
PISTONE VINTAIR - PREDATHOR VINTAIR PISTON - PREDATHOR	13	LFUCPNEUMKIT101
KIT BOLCCHETTO REGOLAZIONE COMPLETA DI ASTINA POWER ADJUSTMENT BLOCK KIT	14	LFUCPRKIT03
OGIVA PREDATHOR OGIVE PREDATHOR	19	LFUCPRKIT01
TESTATA PREDATHOR COMPLETA COMPLETE MUZZLE KIT	20	LFUCPRKIT02
CANNA PREDATHOR ALLESTITA 40 BARREL PREDATHOR 40	21	LFUCPR010A
CANNA PREDATHOR ALLESTITA 55 BARREL PREDATHOR 55	21	LFUCPR010B
CANNA PREDATHOR ALLESTITA 65 BARREL PREDATHOR 65	21	LFUCPR010C
CANNA PREDATHOR ALLESTITA 75 BARREL PREDATHOR 75	21	LFUCPR010D
CANNA PREDATHOR ALLESTITA 85 BARREL PREDATHOR 85	21	LFUCPR010E
CANNA PREDATHOR ALLESTITA 100 BARREL PREDATHOR 100	21	LFUCPR010F
CANNA PREDATHOR ALLESTITA 115 BARREL PREDATHOR 115	21	LFUCPR010G
CANNA PREDATHOR ALLESTITA 130 BARREL PREDATHOR 130	21	LFUCPR010H
SERBATOIO PREDATHOR 40 TANK FOR PREDATHOR 40	22	LFUCPR011A
SERBATOIO PREDATHOR 55 TANK FOR PREDATHOR 55	22	LFUCPR011B
SERBATOIO PREDATHOR 65 TANK FOR PREDATHOR 65	22	LFUCPR011C
SERBATOIO PREDATHOR 75 TANK FOR PREDATHOR 75	22	LFUCPR011D
SERBATOIO PREDATHOR 85 TANK FOR PREDATHOR 85	22	LFUCPR011E
SERBATOIO PREDATHOR 100 TANK FOR PREDATHOR 100	22	LFUCPR011F
SERBATOIO PREDATHOR 115 TANK FOR PREDATHOR 115	22	LFUCPR011G
SERBATOIO PREDATHOR 130 TANK FOR PREDATHOR 130	22	LFUCPR011H
INIETTORE VINTAIR - PREDATHOR PUMP VINTAIR - PREDATHOR	23	LFUCPNEUM100
KIT REVISIONE PREDATHOR SERVICE KIT PREDATHOR		302051A
KIT REVISIONE PREDATHOR PLUS SERVICE KIT PREDATHOR PLUS		302051B
KIT REVISIONE PREDATHOR VUOTO SERVICE KIT PREDATHOR VUOTO		302051C





KIT MONO

KIT Sagole MONO composto da:

- n° 16 rocchetti di sagola da 50 mt
- Ø1,00mm - Ø1,20mm - Ø1,50mm - 1,80mm
- Colori: Rosso - Arancione - Acid Green - Blu
- Espositore in cartonato

MONO Lines KIT consisting of:

- 16 reels of 50m line
- Ø1.00mm - Ø1.20mm - Ø1.50mm - 1.80mm
- Colours: Red - Orange - Acid Green - Blue
- Cardboard display

COD

KIT40037 50mt x16pz +espositore


SAGOLA MONO

- La sagola SAGOLA MONO è stata progettata per essere un unica linea tra muli nello e asta, eliminando l'utilizzo del terminale di collegamento
- Mantiene invariato il carico di rottura fino all'asta
- Anima interna in HMPE ad alto modulo polietilene
- Calza esterna in HMPE rivestita in PU (Poliuretano)
- Il rivestimento in PU impedisce la formazione delle "cocche"
- Altissima resistenza all'usura e all'abrasione
- Elevato carico di rottura
- Resistente ai raggi UV
- Galleggiante

- The SAGOLA MONO line has been designed to be a single line between reel and shaft, eliminating the use of the connection end
- Keeps the breaking load unchanged up to the shaft
- High modulus polyethylene HMPE inner core
- PU (Polyurethane) coated HMPE outer liner
- The PU coating prevents the formation of "kinks"
- Very high wear and abrasion resistance
- High breaking strength
- UV resistant
- Buoyant

BLUE 50m		ORANGE 50m		ACID GREEN 50m - 100m		RED 50m - 100m - 400m	
							
DIAMETER		ULTIMATES STRENGTH		MONO 1,00mm		COLOR	
				LENGTH		COD.	
1,00mm		150kg		50m		Blue	
1,00mm		150kg		50m		Orange	
1,00mm		150kg		50m		Acid Green	
1,00mm		150kg		100m		Acid Green	
1,00mm		150kg		50m		Red	
1,00mm		150kg		100m		Red	
1,00mm		150kg		400m		Red	
DIAMETER		ULTIMATES STRENGTH		MONO 1,20mm		COLOR	
				LENGTH		COD.	
1,20mm		210kg		50m		Blue	
1,20mm		210kg		50m		Orange	
1,20mm		210kg		50m		Acid Green	
1,20mm		210kg		100m		Acid Green	
1,20mm		210kg		50m		Red	
1,20mm		210kg		100m		Red	
1,00mm		210kg		400m		Red	
DIAMETER		ULTIMATES STRENGTH		MONO 1,50mm		COLOR	
				LENGTH		COD.	
1,50mm		245kg		50m		Blue	
1,50mm		245kg		50m		Orange	
1,50mm		245kg		50m		Acid Green	
1,50mm		245kg		100m		Acid Green	
1,50mm		245kg		50m		Red	
1,50mm		245kg		100m		Red	
DIAMETER		ULTIMATES STRENGTH		MONO 1,80mm		COLOR	
				LENGTH		COD.	
1,80mm		310kg		50m		Blue	
1,80mm		310kg		50m		Orange	
1,80mm		310kg		50m		Acid Green	
1,80mm		310kg		100m		Acid Green	
1,80mm		310kg		50m		Red	
1,80mm		310kg		100m		Red	

CYMAX (CLIMAX® Material)



Package in 50 m reels,
until 100 m in continuous

- Rapporto di rottura/diametro elevatissimo
- Resistente ai raggi UV
- Sagola galleggiante resistente all'usura dell'acqua di mare
- Very high tensile strength/diameter ratio
- UV resistant
- Buoyant line resistant to seawater abrasion

DIAMETER	ULTIMATES STRENGTH	LENGTH	COD.
Ø1,05 mm	155kg	50m	400316
Ø1,25 mm	210kg	50m	400317
Ø1,70 mm	350kg	50m	400320

ACIDYNE




Package in 50 m reels,
until 100 m in continuous

Package in 400 m

- Rapporto carico di rottura/diametro elevatissimo
- Nuova colorazione Acid Green per favorire la visibilità
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare
- Very high tensile strength/diameter ratio
- UV resistant
- Buoyant line resistant to seawater abrasion
- New Acid Green color-ring to enhance visibility.

	DIAMETER	ULTIMATES STRENGTH	LENGTH	COD.
NEW	Ø1,3 mm	140kg	5m	400335/5
	Ø1,3 mm	140kg	50m	400335
	Ø1,3 mm	140kg	400m	400335/400
	Ø1,5 mm	180kg	50m	400340

DYNEEMA



Package in 50 m reels,
until 100 m in continuous

Package in 400 m

- Anima in Dyneema® SK75
- Copertura in poliestere rigida
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare
- Dyneema® SK75 core
- Rigid polyester cover
- UV-resistant

DIAMETER	COLOR	ULTIMATES STRENGTH	LENGTH	COD.
Ø1,5mm	BLACK	120kg	50m	400360/B
Ø1,5mm	BLACK	120kg	400m	400323/400B
Ø2,0mm	BLACK	240kg	50m	400345/B
Ø1,5mm	GREEN-BLACK	120kg	50m	400360
Ø1,5mm	GREEN-BLACK	120kg	400m	400323/400G
Ø2,0mm	GREEN-BLACK	240kg	5m	400365
Ø2,0mm	GREEN-BLACK	240kg	50m	400345
Ø2,0mm	GREEN-BLACK	240kg	400m	400326/400G
Ø1,5mm	WHITE-BLACK	120 kg	100m	400323
Ø2,0mm	WHITE-BLACK	240kg	100m	400326

POLYESTER



Package in 50 m reels,
until 100 m in continuous

Package in 400 m

- Carico di rottura 90 kg
- Ideale per legature elastici
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare

- Breaking load 90 kg
- Ideal for binding rubbers
- UV resistant

DIAMETER	COLOR	ULTIMATES STRENGTH	LENGTH	COD.
Ø1,7mm	BLACK-GREEN	90kg	50m	400333
Ø1,7mm	BLACK-GREEN	90Kg	400m	400330/400
Ø1,7mm	ACID GREEN	90Kg	50m	400333/G
Ø1,7mm	ACID GREEN	90Kg	400m	400330/400G



PINZA / PLIERS SLEEVES

- Pinza serra sleeves in acciaio con impugnatura in gomma
- Fori dimensionati al serraggio degli sleeves sul monofilo dedicato
- Taglia sagola laterale
- Perno scorrevole di serraggio a riposo

- Steel sleeve clamp pliers with rubber grip
- Holes sized to the clamping of sleeves on dedicated monofilament
- Side line cutter
- Sliding clamping pin at rest

COD.

ACC0010



NYLON

- Terminale monofilo Nylon, morbido trasparente Ø1,60mm, rotolo da 2Kg
- In versione colore trasparente e acid green ad alta visibilità

- Nylon monofilament end, soft transparent Ø1.60mm, 2Kg roll
- In transparent and acid green high-visibility color version D1

DIAMETER	COLOR	COD.	LENGTH
Ø1,5mm	TRANSPARENT	L11CAV04	766mt
Ø1,6mm	ACID GREEN	L11CAV05	766mt



- Monofilo ad alta visibilità.

- High-visibility monofilament

DIAMETER	COD.	LENGTH
Ø1,6mm	400352	15mt
Ø2,0mm	400353	15mt



- Monofilo Nylon ad alta resistenza Ø1,47mm
- Lunghezza 6mt
- Carico di rottura elevatissimo Kg 151 - Lb 332,8
- Massima resistenza all'abrasione

- High-strength Nylon monofilament Ø1.47mm
- LENGTH 6mt
- Very high breaking load Kg 151 - Lb 332.8
- Maximum abrasion resistance

COD.	LENGTH
400355	6m



- Terminale monofilo Nylon, morbido trasparente Ø1,50mm
- Lunghezza 6m


- Soft transparent nylon monofilament end - Ø1.50mm
- LENGTH 6m

COD.	LENGTH
400350	6mt

SHAFTS



ESPOSITORE ASTE / SHAFTS DISPLAY



Per il tuo negozio, espositore da terra aste Salvimar.
Robusto e compatto, può contenere oltre 800 pz
Design by Salvimar

Salvimar Shafts floor-display for your shop
Sturdy and solid, able to hold up to 800 pcs
Design by Salvimar

SIZES

L 70 cm x P 50 cm x H 50 cm

SHAFTS QUANTITY

OVER 800 pz.

COD.

IMBSAL050

CAPTURE

Ø 6,25mm - Ø 6,50mm - Ø 7,00mm

SINGOLA ALETTA CAPTURE
CAPTURE SINGLE FLOPPER

- Materiale: Acciaio inossidabile 17-4PH - Tecnologia MIM - Saldatura al laser con isola robotizzata dedicata
- Trattamento termico - Aletta a profilo scalato, disponibile in versione mono e doppia
- Material 174PH stainless steel- Shark fin: MIM technology with laser welding - Thermal treatment
- Flopper with scaled profile - Available with single or double flopper

CAPTURE SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,25mm	950mm	901008B
Ø 6,25mm	1050mm	901008C
Ø 6,25mm	1100mm	901008C1
Ø 6,25mm	1150mm	901008D
Ø 6,25mm	1200mm	901008E
Ø 6,25mm	1250mm	901008EY
Ø 6,25mm	1300mm	901008F
Ø 6,25mm	1350mm	901008FY
Ø 6,25mm	1400mm	901008G
Ø 6,25mm	1500mm	901008I
DIAMETER	LENGTH	COD.
NEW Ø 6,5mm	850mm	901009AW
Ø 6,5mm	950mm	901009AY
Ø 6,5mm	1050mm	901009B
Ø 6,5mm	1100mm	901009C
Ø 6,5mm	1150mm	901009D
Ø 6,5mm	1200mm	901009E
Ø 6,5mm	1250mm	901009E1
Ø 6,5mm	1300mm	901009F
Ø 6,5mm	1350mm	901009F1
Ø 6,5mm	1400mm	901009G
Ø 6,5mm	1500mm	901009H
Ø 6,5mm	1600mm	901009I
DIAMETER	LENGTH	COD.
Ø 7,0mm	1050mm	901010C
Ø 7,0mm	1150mm	901010D
Ø 7,0mm	1200mm	901010E
Ø 7,0mm	1300mm	901010F
Ø 7,0mm	1400mm	901010G
Ø 7,0mm	1500mm	901010H
Ø 7,0mm	1600mm	901010I

CAPTURE SHAFT DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,25mm	1050mm	901008CX
Ø 6,25mm	1150mm	901008DX
Ø 6,25mm	1200mm	901008EX
Ø 6,25mm	1250mm	901008EXY
Ø 6,25mm	1300mm	901008FX
Ø 6,25mm	1400mm	901008GX
DIAMETER	LENGTH	COD.
Ø 6,5mm	950mm	901009AX
Ø 6,5mm	1050mm	901009BX
Ø 6,5mm	1100mm	901009CX
Ø 6,5mm	1150mm	901009DX
Ø 6,5mm	1200mm	901009EX
Ø 6,5mm	1250mm	901009E1X
Ø 6,5mm	1300mm	901009FX
Ø 6,5mm	1350mm	901009F1X
Ø 6,5mm	1400mm	901009GX
Ø 6,5mm	1500mm	901009HX
DIAMETER	LENGTH	COD.
Ø 7,0mm	1050mm	901010CX
Ø 7,0mm	1150mm	901010DX
Ø 7,0mm	1200mm	901010EX
Ø 7,0mm	1300mm	901010FX
Ø 7,0mm	1400mm	901010GX
Ø 7,0mm	1500mm	901010HX
Ø 7,0mm	1600mm	901010IX

DOPPIA ALETTA CAPTURE
CAPTURE DOUBLE FLOPPER

FOLGORE



- Materiale: Acciaio inossidabile 17-4PH - Tecnologia MIM - Saldatura al laser con isola robotizzata dedicata
- Trattamento termico - Disponibile monoletta a profilo scalato - Aletta non incassata.

- Material 174PH stainless steel - Shark fin: MIM technology with laser welding - Thermal treatment
- Flopper with scaled profile - Available with NOT seattled single flopper

FOLGORE SHAFT SINGLE BOTTOM FLOPPER - 17-4PH



DIAMETER	LENGTH	COD.
Ø 6,50mm	1050mm	901011B
Ø 6,50mm	1150mm	901011D
Ø 6,50mm	1200mm	901011E
Ø 6,50mm	1250mm	901011E1
Ø 6,50mm	1300mm	901011F
Ø 6,50mm	1400mm	901011G
Ø 6,50mm	1500mm	901011H

CAPTURE FILETTATA

FILETTATA
SCREWED

- Asta INOX 17-4PH - Pinnette realizzate in tecnologia M.I.M. (Metal Injection Molding) - Applicate con saldatura laser - Terminale filettato M7

- 17-4PH stainless steel shaft - Shark fins made with M.I.M. Technology (Metal Injection Molding) - Applied by laser welding - M7 threaded end

BOLT SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,50mm	720mm	AAF65072
Ø 6,50mm	820mm	AAF65082
Ø 6,50mm	970mm	AAF65097

BOLT (Asta esclusiva per arbalete ARES / Exclusive shaft for ARES arbalete)



- Asta Bolt con sistema di collimazione della linea di vista brevettato - Accoppiamento preciso con il castello di sgancio dell'arbalet Ares - Allineamento costante dell'asta al guida asta, minimizzando i movimenti laterali
- Materiale: 17-4PH - Pinnetta: Tecnologia MIM con saldatura laser - Aletta: Capture

- Shaft Bolt with patented line of sight collimation system - Perfect fit with the release mechanism box of the Ares speargun - A perfect aligned shaft with the shaft guide, prevents lateral movements - Material: 174PH
- Shark fin: MIM technology with laser welding - Flopper: Capture

BOLT SHAFT SINGLE BOTTOM FLOPPER - 17-4PH



DIAMETER	LENGTH	COD.
Ø 6,5 mm	900mm	AA165090
Ø 6,5 mm	1050mm	AA165105
Ø 6,5 mm	1150mm	AA165115
Ø 6,5 mm	1250mm	AA165125
Ø 6,5 mm	1350mm	AA165135
DIAMETER	LENGTH	COD.
Ø7,0 mm	1050mm	AA170105
Ø7,0 mm	1150mm	AA170115
Ø7,0 mm	1250mm	AA170125
Ø7,0 mm	1350mm	AA170135
Ø7,0 mm	1450mm	AA170145

CAPTURE TRICUSPIDE SANDVIK



- Materiale: Acciaio Sandvik - Pinnette: Tecnologia MIM, saldatura laser - Trattamento termico post-lavorazione
- Punta tricuspid per perforazione precisa - Aletta Capture con profilo scalato

- Material: Sandvik stainless steel - Pinnette: Tecnologia MIM, saldatura laser - Trattamento termico post lavorazione - Tricuspid tip for perfect penetration - Capture flopper scaled profile



SINGOLA ALETTA CAPTURE
CAPTURE SINGLE FLOPPER

CAPTURE TRICUSPIDE SHAFT SINGLE BOTTOM FLOPPER - SANDVIK

DIAMETER	LENGTH	COD.
Ø 6,5mm	1050mm	908010D
Ø 6,5mm	1150mm	908010F
Ø 6,5mm	1200mm	908010H
Ø 6,5mm	1250mm	908010L
Ø 6,5mm	1300mm	908010N
Ø 6,5mm	1400mm	908010P
Ø 6,5mm	1500mm	908010R

PACIFIC

Ø 7,00mm



Ø 7,50mm - Ø 8,00mm



- Materiale: Acciaio inossidabile 17-4PH - Pinnette: Tecnologia MIM (Metal Injection Molding), saldatura laser con isola robotizzata - Trattamento termico post-lavorazione per ottimizzare le proprietà meccaniche - Elevata resistenza alla corrosione e alle sollecitazioni meccaniche - Aletta rinforzata

- Material: 174PH - Shark fin: MIM technology with laser welding - Thermal treatment - Pacific reinforced flopper - Made In Italy by Salvimar



SINGOLA ALETTA PACIFIC
PACIFIC SINGLE FLOPPER


PACIFIC SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGTH	COD.
Ø 7,0mm	1100mm	901005D
Ø 7,0mm	1200mm	901005E
Ø 7,0mm	1250mm	901005E1
Ø 7,0mm	1300mm	901005F
Ø 7,0mm	1400mm	901005G
Ø 7,0mm	1500mm	901005H
Ø 7,0mm	1600mm	901005I
Ø 7,0mm	1700mm	901005L

DIAMETER	LENGTH	COD.
Ø 7,5mm	1300mm	901006F
Ø 7,5mm	1400mm	901006G
Ø 7,5mm	1500mm	901006H
Ø 7,5mm	1600mm	901006I
Ø 7,5mm	1700mm	901006L
Ø 7,5mm	1800mm	901006M

DIAMETER	LENGTH	COD.
Ø 8,0mm	1300mm	901007F
Ø 8,0mm	1400mm	901007G
Ø 8,0mm	1500mm	901007H
Ø 8,0mm	1600mm	901007I
Ø 8,0mm	1700mm	901007L
Ø 8,0mm	1800mm	901007M

PACIFIC SFALSATA



PACIFIC SFALSATA SHAFT DOUBLE FLOPPER - 17-4PH

- Materiale: Acciaio inossidabile 17-4PH
- Pinnette: Tecnologia MIM (Metal Injection Molding),
- Trattamento termico post-lavorazione per ottimizzare le proprietà meccaniche
- Elevata resistenza alla corrosione e alle sollecitazioni meccaniche
- 2 Alette rinforzate sfalsate

- Material: 174PH
- Shark fin: MIM technology with laser welding
- Thermal treatment
- 2 staggered Pacific reinforced floppers
- Perfect for big catches
- Made In Italy by Salvimar

DIAMETER	LENGTH	COD.
Ø 7,5 mm	1600mm	AA275160
Ø 7,5 mm	1700mm	AA275170
Ø 7,5 mm	1800mm	AA275180

DIAMETER	LENGTH	COD.
Ø 8,0 mm	1500mm	AA280150
Ø 8,0 mm	1600mm	AA280160
Ø 8,0 mm	1700mm	AA280170
Ø 8,0 mm	1800mm	AA280180

PACIFIC FILETTATA Ø 7mm



- Materiale: Acciaio inossidabile 17-4PH - Pinnette: Tecnologia MIM, saldatura laser, terminale filettato M7x1
- Trattamento termico post-lavorazione
- Material: 174PH - Shark fin: MIM technology with laser welding
- Thermal treatment - M7X1 threaded tip - Made In Italy by Salvimar

PACIFIC SHAFT FILETTATA 17-4PH - M7

FILETTATA M7
M7 SCREWED

DIAMETER	LENGTH	COD.
Ø 7,0mm	1250mm	905125P
Ø 7,0mm	1350mm	905135P
Ø 7,0mm	1450mm	905145P
Ø 7,0mm	1550mm	905155P

PACIFIC FILETTATA Ø 8mm



PACIFIC SHAFT FILETTATA 17-4PH - M7

FILETTATA M7
M7 SCREWED

DIAMETER	LENGTH	COD.
Ø 8,0mm	1400mm	AAF80140
Ø 8,0mm	1500mm	AAF80150
Ø 8,0mm	1600mm	AAF80160
Ø 8,0mm	1700mm	AAF80170

TAHITIANA TACCHE




SINGOLA ALETTA TAHITIANA
TAHITIANA SINGLE FLOPPER



DOPPIA ALETTA TAHITIANA
TAHITIANA DOUBLE FLOPPER



FILETTATA
SCREWED



SINGOLA ALETTA RAPTOR
RAPTOR SINGLE FLOPPER



SINGOLA ALETTA FOLGORE
FOLGORE SINGLE FLOPPER

TAHITIANA TACCHE SHAFT SINGLE FLOPPER ON TOP - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,0mm	850mm	AH098/SP05
Ø 6,0mm	950mm	AH098/SP06
Ø 6,0mm	1050mm	AH098/SP07
Ø 6,0mm	1100mm	AH098/SP09
Ø 6,0mm	1150mm	AH098/SP10
Ø 6,0mm	1200mm	AH098/SP12
Ø 6,0mm	1250mm	AH098/SP14
Ø 6,0mm	1300mm	AH098/SP15
Ø 6,0mm	1350mm	AH098/SP16
Ø 6,0mm	1400mm	AH098/SP20
Ø 6,0mm	1450mm	AH098/SP21
Ø 6,0mm	1500mm	AH098/SP25
Ø 6,0mm	1600mm	AH0987sp30

DIAMETER	LENGTH	COD.
Ø 6,25mm	850mm	AH099/SP05
Ø 6,25mm	950mm	AH099/SP06
Ø 6,25mm	1050mm	AH099/SP07
Ø 6,25mm	1100mm	AH099/SP08
Ø 6,25mm	1150mm	AH099/SP10
Ø 6,25mm	1200mm	AH099/SP12
Ø 6,25mm	1250mm	AH099/SP13
Ø 6,25mm	1300mm	AH099/SP15
Ø 6,25mm	1400mm	AH099/SP20
Ø 6,25mm	1450mm	AH099/SP21
Ø 6,25mm	1500mm	AH099/SP25
Ø 6,25mm	1600mm	AH099/SP25/1

DIAMETER	LENGTH	COD.
Ø 6,5mm	700mm	AH178
Ø 6,5mm	850mm	AH180
Ø 6,5mm	950mm	AH181
Ø 6,5mm	1050mm	AH182
Ø 6,5mm	1100mm	AH184
Ø 6,5mm	1150mm	AH195
Ø 6,5mm	1200mm	AH195/1
Ø 6,5mm	1250mm	AH195/2
Ø 6,5mm	1300mm	AH196
Ø 6,5mm	1350mm	AH196/1
Ø 6,5mm	1400mm	AH197
Ø 6,5mm	1450mm	AH197/1
Ø 6,5mm	1500mm	AH198
Ø 6,5mm	1600mm	AH200

TAHITIANA TACCHE SHAFT DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,5mm	850mm	AH150
Ø 6,5mm	950mm	AH151
Ø 6,5mm	1050mm	AH152
Ø 6,5mm	1100mm	AH154
Ø 6,5mm	1150mm	AH160
Ø 6,5mm	1200mm	AH162
Ø 6,5mm	1300mm	AH165
Ø 6,5mm	1400mm	AH170
Ø 6,5mm	1500mm	AH175

TAHITIANA TACCHE SHAFT FILETTATA - 17 4PH

DIAMETER	LENGTH	COD.
Ø 6,5mm	600mm	AG879
Ø 6,5mm	620mm	AG879/1
Ø 6,5mm	680mm	AG880
Ø 6,5mm	720mm	AG881
Ø 6,5mm	750mm	AG882
Ø 6,5mm	800mm	AG885
Ø 6,5mm	820mm	AG885/1
Ø 6,5mm	850mm	AG886
Ø 6,5mm	970mm	AG887
Ø 6,5mm	1100mm	AG890
Ø 6,5mm	1250mm	AG892
Ø 6,5mm	1350mm	AG894

TAHITIANA 6.5 ALETTA RAPTOR NON INCASSATA - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,5mm	1100mm	AA1N65110
Ø 6,5mm	1150mm	AA1N65115

TAHITIANA 6.5 ALETTA FOLGORE NON INCASSATA - 17-4PH

DIAMETER	LENGTH	COD.
Ø 6,5mm	1200mm	AA1N65120
Ø 6,5mm	1250mm	AA1N65125
Ø 6,5mm	1300mm	AA1N65130

TAHITIANA TACCHE

SINGOLA ALETTA TAHITIANA
TAHITIANA SINGLE FLOPPERFILETTATA
SCREWED

TAHITIANA TACCHE BLACK SHAFT GALVANIZZATA SINGLE FLOPPER ON TOP

DIAMETER	LENGTH	COD.
Ø 6,5mm	750mm	AG856
Ø 6,5mm	850mm	AG861
Ø 6,5mm	950mm	AG866
Ø 6,5mm	1150mm	AG871

TAHITIANA TACCHE BLACK SHAFT GALVANIZZATA FILETTATA

DIAMETER	LENGTH	COD.
Ø 6,5mm	620mm	AG835
Ø 6,5mm	720mm	AG840
Ø 6,5mm	820mm	AG842
Ø 6,5mm	970mm	AG844

PACIFIC FILETTATA Ø 8mm - FILETTO 5/16




PACIFIC SHAFT FILETTATA 17-4PH - 5/16



DIAMETER	LENGTH	COD.
Ø 8,0mm	1500mm	MA901007A-5/16
Ø 8,0mm	1600mm	MA901007B-5/16
Ø 8,0mm	1700mm	MA901007C-5/16
Ø 8,0mm	1300mm	MA901007Y-5/16
Ø 8,0mm	1400mm	MA901007Z-5/16

NEW

PACIFIC USA NOTCH Ø 7mm - Ø 8mm



PACIFIC USA NOTCH TANG SHAFT TANG SINGLE FLOPPER 17-4PH



	DIAMETER	LENGTH	COD.
NEW	Ø 7,0mm	1000mm	MA739
NEW	Ø 7,0mm	1100mm	MA734
NEW	Ø 7,0mm	1200mm	MA747
NEW	Ø 7,0mm	1300mm	MA751
NEW	Ø 7,0mm	1400mm	MA755
NEW	Ø 7,0mm	1500mm	MA759

	DIAMETER	LENGTH	COD.
NEW	Ø 8,0mm	1300mm	MA851
NEW	Ø 8,0mm	1400mm	MA855
NEW	Ø 8,0mm	1500mm	MA859
NEW	Ø 8,0mm	1600mm	MA863
NEW	Ø 8,0mm	1700mm	MA867
NEW	Ø 8,0mm	1800mm	MA871

ASTE ARBALETE / SUGGESTED SHAFTS

ARBALETE SPEARGUNS	SHAFTS DESCRIPTION	COD.
ARES CARBO 85	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1150 mm	ARB07085
ARES CARBO 95	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1250 mm	ARB07095
ARES CARBO 105	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1350 mm	ARB07105
ARES CARBO 115	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1450 mm	ARB07115
ARES 60	Asta/Shaft BOLT mono aletta ø 6,50 mm - 900 mm	AA165090
ARES 75	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1050 mm	AA165105
ARES 85	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1150 mm	AA165115
ARES 95	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1250 mm	AA165125
ARES 105	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1350 mm	AA165135
ARES NIGHTMARE 75	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1050 mm	AA170105
ARES NIGHTMARE 85	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1150 mm	AA170115
ARES NIGHTMARE 95	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1250 mm	AA170125
ARES NIGHTMARE 105	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1350 mm	AA170135
METAL 60/METAL ROLLER 60/METAL CARBO ROLLER/METAL KRYPSIS 60/V-PRO 60/WILD CARBO OPEN 60	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 950 mm	901009AY
METAL 75/METAL ROLLER 75/METAL CARBO ROLLER/METAL KRYPSIS 75/V-PRO 75/WILD CARBO OPEN 75	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1100 mm	901009C
METAL 85/METAL ROLLER 85/METAL CARBO ROLLER/METAL KRYPSIS 85/V-PRO 85/WILD CARBO OPEN 85	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1200 mm	901009E
METAL 95 / METAL CARBO OPEN 95 / METAL ROLLER 95 / METAL KRYPSIS 95 / V-PRO 95	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1300 mm	901009F
METAL 105 / METAL CARBO OPEN 105 / METAL ROLLER 105 / METAL KRYPSIS 105 / V-PRO 105	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1400 mm	901009G
METAL CARBO OPEN 115 / METAL ROLLER 115	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1500 mm	901009H
METAL ROLLER 125	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1600 mm	901009I
METAL CARBO ROLLER 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
METAL CARBO ROLLER 105	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1400 mm	901010G
METAL 115/ METAL KRYPSIS 115 / METAL CARBO ROLLER 115	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1500 mm	901010H
METAL 125	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1600 mm	901010I
WILD CARBO 60 / VOODOO 60	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 950 mm	AH181
WILD CARBO 75 / VOODOO 75	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1100 mm	AH184
WILD CARBO 85 / VOODOO 85	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1200 mm	AH195/1
VOODOO 95	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1300 mm	AH196
VOODOO 105	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1400 mm	AH197
HERO 65 / HERO TOMAHAWK 65	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1050 mm	901010C
HERO 75 / HERO TOMAHAWK 75 / HERO NIGHTMARE 75	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1150 mm	901010D
HERO 85 / HERO TOMAHAWK 85 / HERO NIGHTMARE 85 / HERO STORM 85	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1200 mm	901010E
HERO 95 / HERO NIGHTMARE 95 / HERO STORM 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
TOMAHAWK 95	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1300 mm	901006F
HERO 105 / HERO TOMAHAWK 105 / HERO NIGHTMARE 105 / HERO STORM 105	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1400 mm	901006G
HERO 115 / HERO TOMAHAWK 115 / HERO NIGHTMARE 115 / HERO STORM 115	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1500 mm	901006H
HERO 125 / HERO TOMAHAWK 125 / HERO NIGHTMARE 125	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1700 mm	901006L
HERO 135 / HERO TOMAHAWK 135	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1800 mm	901006M
HERO ROLLER 65	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1050 mm	901010C
HERO ROLLER 75	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1150 mm	901010D
HERO ROLLER 85	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1200 mm	901010E
HERO ROLLER 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
HERO ROLLER 105	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1400 mm	901006G
HERO ROLLER 115	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1500 mm	901006H
HERO ROLLER 125	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1700 mm	901006L
HERO ROLLER 135	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1800 mm	901006M
WILD CARBO STONE 40	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 620 mm	AG879/1
WILD CARBO STONE 50	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 720 mm	AG881
WILD CARBO STONE 60	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 820 mm	AG885/1
WILD CARBO STONE 75	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 970 mm	AG887
WILD 40	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 620 mm	AG835
WILD 50	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 720 mm	AG840
WILD 60	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 820 mm	AG842
WILD 75	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 970 mm	AG844
WILD PRO 40	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 750 mm	AG856
WILD PRO 50	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 850 mm	AG861
WILD PRO 60	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 950 mm	AG866
WILD PRO 75	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1150 mm	AG871
METAL MONO 60 / MONO RAIL 60	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 950 mm	901008B
METAL MONO 75 / MONO RAIL 75	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 1100 mm	901008C1
METAL MONO 85 / MONO RAIL 85	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 1200 mm	901008E

ASTA PNEUMATICA PER SISTEMA VUOTO SALVIMAR PNEUMATIC SHAFT FOR SALVIMAR VACUUM SYSTEM



Codolo con profilo inclinato a 45° che riduce sensibilmente l'impatto sulla guarnizione di tenuta della testata Vuoto migliorandone le performance e allungandone la vita utile
45-degree angle shank profile that significantly reduces the impact on the vacuum muzzle seal, improving its performance and extending its life



ALETTA CAPTURE INCASSATA
DOUBLE FLOPPER EMBEDDED



DOPPIA ALETTA
DOUBLE FLOPPER



FILETTATA M7
M7 SCREWED

PNEUMATIC SHAFT Ø 7,0 SINGLE FLOPPER - 17-4PH - 45° ANGLE TILT


DIAMETER	LENGTH*		COD.
Ø 7,0mm	870mm	Salvimar 75	APNE170087
Ø 7,0mm	970mm	Salvimar 85	APNE170097
Ø 7,0mm	1120mm	Salvimar 100	APNE170112

PNEUMATIC SHAFT Ø 7,0 DOUBLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGTH*		COD.
Ø 7,0mm	870mm	Salvimar 75	APNE270087
Ø 7,0mm	970mm	Salvimar 85	APNE270097
Ø 7,0mm	1120mm	Salvimar 100	APNE2700112

PNEUMATIC SHAFT Ø 7,0 17-4PH - 45° ANGLE TILT

DIAMETER	LENGTH*		COD.
Ø 7,0mm	350mm	Salvimar 40	APNE070035
Ø 7,0mm	512mm	Salvimar 55	APNE070051
Ø 7,0mm	662mm	Salvimar 65	APNE070066



ALETTA PACIFIC NON INCASSATA
PACIFIC FLOPPER NOT EMBEDDED



DOPPIA ALETTA
DOUBLE FLOPPER



FILETTATA M7
M7 SCREWED

PNEUMATIC SHAFT Ø 7,5 SINGLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGTH*		COD.
Ø 7,5mm	985mm	Salvimar 85	907202D
Ø 7,5mm	1135mm	Salvimar 100	907202F
Ø 7,5mm	1285mm	Salvimar 115	907202H
Ø 7,5mm	1435mm	Salvimar 130	907202L

PNEUMATIC SHAFT Ø 7,5 DOUBLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGTH*		COD.
Ø 7,5mm	970mm	Salvimar 85	907204D
Ø 7,5mm	1120mm	Salvimar 100	907204F
Ø 7,5mm	1270mm	Salvimar 115	907204H
Ø 7,5mm	1420mm	Salvimar 130	907204L

PNEUMATIC SHAFT Ø 7,5 17-4PH - 45° ANGLE TILT

DIAMETER	LENGTH*		COD.
Ø 7,5mm	350mm	Salvimar 40	APNE075035
Ø 7,5mm	500mm	Salvimar 55	APNE075050
Ø 7,5mm	650mm	Salvimar 65	APNE075065
Ø 7,5mm	750mm	Salvimar 75	APNE075075

NB.: Misure riferite ad asta senza codolo - Sizes refer to the shafts with no tail

ASTA PNEUMATICA 17-4PH CON ALETTA

17-4PH PNEUMATIC SHAFTS WITH FLOPPER



Asta per fucili pneumatici Salvimar e Cyrano, fornita con rondella e scorri sagola
Salvimar and Cyrano shaft for pneumatic guns, supplied with washer and line slider



PNEUMATIC SHAFT Ø 7,0 SINGLE FLOPPER - 17-4PH

DIAMETER	LENGTH*		COD.
Ø 7,0mm	620mm	Salvimar 55 - Cyrano 550	AG305
Ø 7,0mm	770mm	Salvimar 65 - Cyrano 700	AG315
Ø 7,0mm	870mm	Salvimar 75	AG317
Ø 7,0mm	900mm	Cyrano 850	AG330
Ø 7,0mm	970mm	Salvimar 85	AG334
Ø 7,0mm	1050mm	Cyrano 970	AG340
Ø 7,0mm	1120mm	Salvimar 100	AG341
Ø 7,0mm	1200mm	Cyrano 1100	AG350
Ø 7,0mm	1270mm	Salvimar 115	AG352
Ø 7,0mm	1420mm	Salvimar 130	AG355



PNEUMATIC SHAFT Ø 7,0 DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGTH*		COD.
Ø 7,0mm	620mm	Salvimar 55 - Cyrano 550	AG305B
Ø 7,0mm	770mm	Salvimar 65 - Cyrano 700	AG315B
Ø 7,0mm	870mm	Salvimar 75	AG317B
Ø 7,0mm	900mm	Cyrano 850	AG330B
Ø 7,0mm	970mm	Salvimar 85	AG334B
Ø 7,0mm	1050mm	Cyrano 970	AG340B
Ø 7,0mm	1120mm	Salvimar 100	AG341B
Ø 7,0mm	1200mm	Cyrano 1100	AG350B
Ø 7,0mm	1270mm	Salvimar 115	AG352B
Ø 7,0mm	1420mm	Salvimar 130	AG355B



PNEUMATIC SHAFT Ø 8,0 SINGLE FLOPPER - 17-4PH

DIAMETER	LENGTH*		COD.
Ø 8,0mm	1135mm	Salvimar 100	907200/L
Ø 8,0mm	1285mm	Salvimar 115	907200/M
Ø 8,0mm	1435mm	Salvimar 130	907200/N

ASTA PNEUMATICA FILETTATA M7

PNEUMATIC SHAFTS M7 SCREWED



FILETTATA M7
M7 SCREWED

17-4PH - PNEUMATIC SCREWED SHAFT Ø 7,0

DIAMETER	LENGTH*		COD.
Ø 7,0mm	350mm	Salvimar 40 - Cyrano/Sten	AG190/174PH
Ø 7,0mm	512mm	Salvimar 55 - Cyrano/Sten	AG200/174PH
Ø 7,0mm	662mm	Salvimar 65 - Cyrano/Sten	AG210/174PH
Ø 7,0mm	750mm	Salvimar 75 - Cyrano/Sten	AG218/174PH
Ø 7,0mm	812mm	Cyrano/Sten	AG220/174PH
Ø 7,0mm	850mm	Salvimar 100	AG228/174PH
Ø 7,0mm	932mm	Salvimar	AG229/174PH



FILETTATA M7
M7 SCREWED

INOX - PNEUMATIC SCREWED SHAFT

DIAMETER	LENGTH*		COD.
Ø 7,0mm	1082mm	Salvimar 100 - Cyrano 1100	AG245

DIAMETER	LENGTH*		COD.
Ø 8,0mm	350mm	Salvimar 40 - Miniministen	AG003
Ø 8,0mm	500mm	Salvimar 55 - Ministen	AG007
Ø 8,0mm	650mm	Salvimar 65 - Ministen	AG011
Ø 8,0mm	750mm	Salvimar 75 - Mirage	AG015
Ø 8,0mm	850mm	Salvimar 85 - Sten	AG019
Ø 8,0mm	970mm	Salvimar 100 - Supersten	AG023
Ø 8,0mm	1070mm	Sten 115	AG027

DIAMETER	LENGTH*		COD.
Ø 8,0mm	220mm	Asso30	AG055
Ø 8,0mm	350mm	Asso40 - SL40	AG065
Ø 8,0mm	500mm	Asso50 - SL55	AG075
Ø 8,0mm	650mm	Asso65 - SL70	AG085
Ø 8,0mm	750mm	Asso75	AG095
Ø 8,0mm	850mm	Asso90	AG105
Ø 8,0mm	950mm	SL100	AG086




FILETTATA M7
M7 SCREWED

GALVANIZED - PNEUMATIC SCREWED SHAFT

DIAMETER	LENGTH*		COD.
Ø 7,0mm	812mm	Salvimar 75 - Cyrano 850	AG220
Ø 7,0mm	932mm	Salvimar 85 - Cyrano 970	AG230
Ø 7,0mm	1082mm	Salvimar 100 - Cyrano 1100	AG240

DIAMETER	LENGTH*		COD.
Ø 8,0mm	350mm	Salvimar 40 - Miniministen	AG001
Ø 8,0mm	500mm	Salvimar 55 - Ministen	AG005
Ø 8,0mm	650mm	Salvimar 65 - Medisten	AG009
Ø 8,0mm	750mm	Salvimar 75 - Mirage	AG013
Ø 8,0mm	850mm	Salvimar 85 - Sten	AG017
Ø 8,0mm	970mm	Salvimar 100 - Supersten	AG021

DIAMETER	LENGTH*		COD.
Ø 8,0mm	350mm	Asso40 - SL40	AG060
Ø 8,0mm	500mm	Asso50 - SL55	AG070
Ø 8,0mm	650mm	Asso65 - SL70	AG080
Ø 8,0mm	750mm	Asso75	AG090
Ø 8,0mm	850mm	Asso90	AG100
Ø 8,0mm	1150mm	Asso115	AG110
Ø 8,0mm	950mm	SL100	AG170



SLIP TIP Ø8,5 mm

- Punta a sgancio rapido in acciaio inox 17-4 ph trattato termicamente
- Dotato di ardiglione posteriore integrato realizzato in fase di lavorazione meccanica
- Profilo idrodinamico con sede di fissaggio sagola ribassata con angoli smussati
- Fresatura inferiore dedicata al diametro della sagola di ritenuta
- Sistema di rilascio rapido, testa sferica calibrata compatibile con aste filettate M7
- Scorri asta in acciaio inox compatibile con aste diametro 7, 7,5 e 8mm
- In dotazione sagola rivestita in PU Mono Green da 1,8mm carico di rottura 350Kg

- Heat-treated 17-4 ph stainless steel quick-release tip
- Integrated rear barb
- Hydrodynamic profile
- Lowered line-fixing seat
- Compatible with M7 threaded rods
- Shaft slide compatible with 7, 7.5 and 8mm diameter shafts
- 1.8mm Mono Green PU-coated line, 350Kg breaking load.

KIT	COD.
1 Kit	AC065

- Raccordo filettato 5/16 - M6
- Adapter thread 5/16 - M6



KIT	TREAD	COD.
Kit 2 pz	5/16	AC060/C
Kit 2 pz	M6	AC060/D
Kit 2 pz	M7	AC060/B

- Scorriasta ad anello, ferma cavetto Slip-Tip per asta Ø 6,5/7,0 - 7,5 - 8 mm

- Ring shaft slider, Slip-Tip cable retainer for Ø 6.5/7.0 - 7.5 - 8 mm rod



KIT	Ø	COD.
Kit 2 pz	6,5mm	AC060/I
Kit 2 pz	7mm	AC060/F
Kit 2 pz	7,5mm	AC060/G
Kit 2 pz	8mm	AC060/H

- Cavetto acciaio inox testato 270 kg
- Stainless steel tested cable 270 kg
- 2 pieces



KIT	COD.
Kit 2 pz	AE083


- Cono in acciaio inox 17-4PH
- Progettato per asta Tahitiana
- Resistente alla corrosione
- Ø 6,5mm - Ø 7mm - Ø 7,5mm

- 17-4PH stainless steel cone
- Designed for Tahitian shaft
- Corrosion resistant
- Ø 6,5mm - Ø 7mm - Ø 7,5mm



DIAMETER	KIT	COD.
Ø 6,5mm	Kit 5 pz	AE034/A
Ø 7,0mm	Kit 5 pz	AE034/B
Ø 7,5mm	Kit 5 pz	AE034/C

SCORRISAGOLA LINE SLIDER



- Scorrisagola in nylon caricato vetro
- Sede per la sagola
- Maggiore trazione a forte carico

- Fiberglass loaded nylon line slider
- Line seat
- Increased traction under heavy load

mm	COD.
Ø 7,0mm	AE025/B
Ø 8,0mm	AE025/D

SCORRISAGOLA MIM + RONDELLA MIM LINE SLIDER + WASHER

- Scorrisagola MIM in INOX 17.4PH
- Disponibile nei diametri: 7mm / 7,5mm

- MIM line slider in 17.4PH STAINLESS STEEL
- Available in diameters: 7mm / 7.5mm



MM	CONF.	COD.
1) 7,0mm	5pz	AE027/B
2) 7,5mm	5pz	AE027/C

SCORRISAGOLA + CODOLO 45° + RONDELLA LINE SLIDER + 45° SHANK + WASHER

- Scorrisagola MIM in 17.4PH
- Codolo 45°
- Disponibile nei diametri: 7mm / 7,5mm
- Ideale per sistema VUOTO

- MIM line slider in 17.4PH
- 45° angle shank
- Available in Ø: 7mm / 7.5mm
- Ideal for VACUUM system



KIT	COD.
1) SC. MIM 7,0mm + Cod. 45°	AE027/B45
2) SC. MIM 7,5mm + Cod. 45°	AE027/C45

- 1 - cod. AE035 Ø 8 Asso/SL
- 2 - cod. AE039 Ø 7 Vintair Predathor Cyrano
- 3 - cod. AE033 Ø 8 Vintair PredathorSten

- Codolo asta
- Shaft tang



KIT	COD.
1) 10pz	AE035
2) 10pz	AE039
3) 10pz	AE033

KIT45

- 1 - cod. AE036KIT Ø 7,0 Testata Vuoto
- 2 - cod. AE037KIT Ø 7,5 Testata Vuoto

- Codolo e rondella con angolo a 45°, da usare con boccia di ammortizzo Ø 9mm interno

- 45° angle shank and washer



KIT	COD.
1) 5pz	AE036KIT
2) 5pz	AE037KIT

- Scorrisagola e rondella
- Per asta Ø 7 mm
- Line slider and washer
- For Ø 7 mm shafts



COD.
AE022

- Scorrisagola, rondella e molla
- Per asta Ø 8 mm
- Line slider, washer and spring
- For Ø 8 mm shafts



COD.
AE020

STRONG BOCCOLE



- Ogiva articolata STRONG Boccole in Delrin
- STRONG articulated wishbone Delrin bushings

COD.

AP045



- Ogiva articolata con boccole in nylon
- Articulated wishbone with nylon threaded plugs

COD.

AP041



- Ogiva SMALL boccole nylon
- Wishbone SMALL, nylon threaded plugs

COD.

AP047/09



- Ogiva BIG boccole nylon
- Wishbone BIG with nylon threaded plugs

COD.

AP047/06

K-VELOX



- Ogiva snodata, archetto Velox
- Articulated Velox

COD.

400408

TESSILE DYNEEMA



- Ogiva tessile DYNEEMA con Sfere INOX
- Zona di aggancio rinforzata
- DYNEEMA Textile Wishbone with stainless steel spheres
- Reinforced coupling area

COD.

AP043X



- Sfere ergonomiche per archetti tessili
- Ergonomic spheres for textile wishbones

KIT

COD.

Kit 10 pz

400436


EUREKA EASY DYNEEMA



- Braccetti in metallo
- Ogive in Dyneema ad alta resistenza
- Metal arms
- High-strength Dyneema wishbones

COD.

400402




- Ogiva DYNEEMA con braccetti
- Wishbone DYNEEMA with arms

COD.

AP044


EUREKA KIT



- Adattatori per montare elastici al metro su testate filetate
- Adaptors to set rubbers in metres on threaded muzzles

COD.

400401



- Ogiva snodata con archetto ø 2mm removibile
- Articulated removable wishbones ø 2mm

COD.

400406



- Ogiva articolata con sfere per legature
- Articulated wishbone with spheres

COD.

AP042



- Kit Ogive TWIN con sfere
- Wishbone kit TWIN with spheres

COD.

AP047/18



- Ogiva BIG con sfere
- Wishbone BIG with spheres

COD.

AP047/24



- Ogiva SMALL con sfere
- Wishbone SMALL with spheres

COD.

AP047/27



- Kit Ogive TWIN con boccole in nylon
- Wishbone kit TWIN/B, nylon threaded plugs

COD.

AP047



- Archetto Velox
- Velox wishbone

KIT

Kit 5 pz

COD.

400431



- Porta fiocina e porta arpione per boa
- Harpoon and prongs holder for buoy

COD.

AP081




PARALYZER

- Paralyzer INOX 3 punt
- Lunghezza 24cm M7
- Paralyzer stainless 3 prongs
- LENGTH 24cm M7

COD.

AA006/B

SPEED MUSTAD




- Fiocina base nylon 4 punte originali Mustad
- 4 Mustad prongs
- Nylon body

COD.

AA008/M

JET 3 PUNTE MUSTAD




- Fiocina base nylon 3 punte originali Mustad
- 3 Mustad prongs
- Nylon body

COD.

AA021M

JET 5 PUNTE MUSTAD



- Fiocina base nylon 5 punte originali Mustad
- 5 Mustad prongs
- Nylon body

COD.

AA023M

SPEED



- Fiocina nylon 4 punte
- In acciaio temperato zincato - Ø 4
- Nylon 4-tip prong
- Made of galvanized tempered steel - Ø 4

COD.

AA008

JET 3




- Fiocina 3 punte in acciaio temperato zincato - Ø 4
- 3 prongs - Nylon body
- Tempered and galvanized steel - Ø 4

COD.

AA013

JET 5




- Fiocina 5 punte in acciaio temperato zincato - Ø 4
- 5 prongs - Nylon body
- Tempered and galvanized steel - Ø 4

COD.

AA015

SPEED INOX



- Fiocina Inox base nylon 4 punte
- In acciaio inossidabile temperato - Ø 4
- 4 stainless prongs
- Nylon body
- Tempered stainless steel - Ø 4

COD.

AA008/S

JET 3 INOX




- Fiocina Inox base nylon 3 punte
- In acciaio inossidabile temperato Ø 4
- 3 stainless prongs - Nylon body
- Tempered stainless steel - Ø 4

COD.

AA025

JET 5 INOX




- Fiocina Inox base nylon 5 punte
- In acciaio inossidabile temperato Ø 4
- 5 stainless prongs - Nylon body
- Tempered stainless steel - Ø 4

COD.

AA027

MARTIN 3 PUNTE / PRONGS

- Martin base nylon 3 punte coniche in acciaio temperato zincato nero Ø 5
- Martin 3 heavy conic prongs
- Nylon body
- Tempered and black galvanized steel
- Ø 5




COD.

AA009N

MARTIN 5 PUNTE / PRONGS

- Martin base nylon a 5 punte coniche in acciaio temperato zincato nero Ø 5
- Martin 5 heavy conic prongs
- Nylon body
- Tempered and black galvanized steel
- Ø 6



COD.

AA011N

FIOCINA ALETTE MOBILI
PRONGED HEAD WITH MOVABLE BARBS

- Fiocina inox base nylon 3 punte inox con 2 alette mobili sulla parte esterna. Parte interna con ardiglione
- 3 Stainless prongs, Ø 5
- 2 movable floppers
- Nylon body
- Stainless steel



COD.

AA031N

FIOCINA / PRONGED HEAD
BIG

- Fiocina Big inox 3 punte con 3 alette mobili
- In acciaio inossidabile Ø 5
- Big 3 Stainless prongs
- 3 movable floppers in stainless steel
- Ø 5




COD.

AA040

3 PUNTE PESANTE / HEAVY PRONGS

- Fiocina base nylon 3 punte pesanti in acciaio temperato zincato Ø 4.5

- 3 heavy prongs
- Nylon body
- Tempered and galvanized steel
- Ø 4.5




KIT	COD.
1pz	AA005
20pz	AA005N

4 PUNTE PESANTE / HEAVY PRONGS

- Fiocina base nylon 4 punte pesanti in acciaio temperato zincato Ø 4.5

- 4 heavy prongs
- Nylon body
- Tempered and galvanized steel
- Ø 4.5




KIT	COD.
1pz	AA007
15pz	AA007N

3 PUNTE LEGGERA / LIGHT PRONGS

- Fiocina base nylon 3 punte leggere in acciaio temperato zincato Ø 3.5

- 3 light prongs
- Nylon body
- Tempered and galvanized steel
- Ø 3.5




KIT	COD.
1pz	AA001
30pz	AA001N

4 PUNTE LEGGERA / LIGHT PRONGS

- Fiocina base nylon 4 punte leggere in acciaio temperato zincato Ø 3.5

- 4 light prongs
- Nylon body
- Tempered and galvanized steel
- Ø 3.5



KIT	COD.
1pz	AA003
25pz	AA003N

3 PUNTE PESANTI INOX / INOX HEAVY PRONGS

- Fiocina base nylon 3 punte pesanti in acciaio temperato Ø 4.5

- 3 heavy prongs
- Nylon body
- Tempered and steel
- Ø 4.5



COD.
AA033N

4 PUNTE PESANTI INOX / INOX HEAVY PRONGS


- Fiocina base nylon 4 punte pesanti in acciaio temperato Ø 4.5

- 4 heavy prongs
- Nylon body
- Tempered and steel
- Ø 4.5



COD.
AA035N

ARPIONE HARPOON T-REX




- Arpione doppia aletta folgore L 160mm
- Materiale: Acciaio inossidabile 174Ph; Durezza 45 HRC
- Cono integrato atto a ridurre l'attrito
- Doppia aletta dall'apertura di 130mm per una maggiore trattenuta
- Filettatura interna M7

- Folgore double flopper harpoon - L: 160mm
- Material: 174Ph stainless steel - Hardness 45 HRC
- Integrated friction-reducing cone
- Double flopper with a 130mm opening
- M7 internal threading

COD.

AC048

ARPIONE HARPOON RAPTOR



- Arpione doppia aletta concorde L 126mm
- Materiale: Acciaio inossidabile 174Ph; Durezza 45 HRC
- zavorra invernale
- Cono integrato atto a ridurre l'attrito
- Doppia aletta dall'apertura di 100mm per una maggiore trattenuta
- Filettatura interna M7

- Folgore double flopper harpoon - L: 126mm
- Material: 174Ph stainless steel - Hardness 45 HRC
- Integrated friction-reducing cone
- Double flopper with a 100mm opening
- M7 internal threading

COD.

AC047

MOBY




- Arpione in acciaio 174 ph inossidabile temperato
- 2 alette

- Tempered 174 ph stainless steel harpoon
- 2 floppers

COD.

AC050

K9




- Arpione Ø9mm.
- In acciaio inossidabile 17-4Ph
- Aletta incassata

- Harpoon Ø9mm.
- 17-4Ph stainless steel
- Embedded flopper

COD.

AC010A

K9 TRICUSPIDE



- Arpione Ø9mm.
- In acciaio inossidabile 17-4Ph
- Aletta incassata
- Punta tricuspid

- Harpoon Ø9mm.
- 17-4Ph stainless steel
- Embedded flopper
- Tricuspid tip

COD.

AC010B

PORTOGHESE



- Arpione in acciaio inossidabile
- 2 alette lunghe

- Stainless steel harpoon
- 2 long floppers

KIT**COD.**


1pz

AC029S

5pz

AC029

PORTOGHESE 1 ALETTA / FLOPPER



- Arpione in acciaio inossidabile
- 1 aletta lunga

- Stainless steel harpoon
- 1 long flopper

KIT**COD.**


1pz

AC029/1S

5pz

AC029/1

MARTIN



- Arpione in acciaio inossidabile
- Punta tricuspid
- 2 alette lunghe

- Stainless steel harpoon
- Tricuspid tip
- 2 long floppers

COD.

AC040

MARTIN TRICUSPIDE

AC045




- Arpione in acciaio inossidabile, punta tricuspid temperata intercambiabile con 2 alette lunghe

- Stainless steel harpoon
- Interchangeable tempered tricuspid tip. 2 long barbs

COD.

AC043

AC045

MEDIO
ALETTE SFASATE
STAGGERED FLOPPERS

- Arpione con alette sfasate corte in acciaio inossidabile


- Staggered short floppers harpoon stainless steel

KIT **COD.**

1pz AC033S

5pz AC033

MEDIO



- Arpione medio in acciaio inossidabile con 2 alette corte

- Medio harpoon stainless steel with 2 short floppers

KIT **COD.**

1pz AC031S

5pz AC031

LAZIO



- Arpione con 2 alette

- Harpoon 2 short floppers

KIT **COD.**

1pz AC005S

5pz AC005

LAZIO INOX



- Arpione in acciaio inossidabile con 2 alette


- Harpoon in stainless steel
- 2 floppers

KIT **COD.**

1pz AC015S

5pz AC015

MINICONCORDE



- Arpione in acciaio inossidabile con 2 alette corte


- Harpoon in stainless steel
- 2 short floppers

KIT **COD.**

1pz AC025S

5pz AC025

CORTO



- Arpione corto in acciaio inossidabile con 2 alette corte

- Short harpoon in stainless steel
- 2 short floppers

KIT **COD.**

1pz AC035S

5pz AC035

CONCORDE



- Arpione in acciaio inossidabile con 2 alette lunghe


- Harpoon stainless steel with 2 long floppers

KIT **COD.**

1pz AC023S

5pz AC023


ALETTA CAPTURE



- Aletta a profilo scalato
- Per aste monoaletta incassata da Ø 6,25mm / Ø 6,5mm / Ø 7mm
- Lunghezza: 79mm; Spessore: 1mm
- Scaled profile barb
- For Ø 6.25mm / Ø 6.5mm / Ø 7mm shafts with single embedded barb
- Length: 79mm; Thickness: 1mm

SHAFT	KIT	COD.
Ø6,25mm	5pz	AE026/A
Ø6,50mm		
Ø7,00mm		

ALETTA FOLGORE




- Aletta a profilo scalato
- Per aste monoaletta da Ø 6,25mm / Ø 6,5mm non incassata
- Per aste doppia aletta Ø 6,25mm / Ø 6,5mm / Ø 7mm / Ø 7,5mm
- Lunghezza: 71; Spessore: 0,6/0,7mm

- Scaled profile barb
- For Ø 6.25mm / Ø 6.5mm single barb shafts not embedded
- For Ø 6.25mm / Ø 6.5mm / Ø 7mm / Ø 7.5mm double barb shafts
- Length: 71; Thickness: 0,6/0,7 mm

SHAFT	KIT	COD.
Ø6,25mm	4pz	AE026/C
Ø6,50mm		
Ø7,00mm		
Ø7,50mm		

ALETTA RAPTOR



- Aletta acciaio inox Aisi 304
- Lunghezza 54mm
- Spessore 0,8 mm

- Aisi 304 stainless steel barb
- Length 54mm
- Thickness 0.8 mm

SHAFT	KIT	COD.
Ø6,25mm	5pz	AE026/E
Ø6,50mm		
Ø7,00mm		

ALETTA PACIFIC



- Aletta Pacific da 85mm di lunghezza x 1,2mm di spessore
- Per aste monoaletta da Ø 7mm / Ø 7,5mm / Ø 8mm non incassata
- Kit composto da 3 pezzi

- 85mm long x 1.2mm thick Pacific Shaft
- For Ø 7mm / Ø 7.5mm / Ø 8mm single embedded barb shafts
- 3-pieces kit

SHAFT	KIT	COD.
Ø7,00mm	3pz	400275
Ø7,50mm		
Ø8,00mm		

RETE PORTAPESCI LARGE FISH HOLDER NET LARGE

Robusta rete di nylon portapesce,
con fibbia a sgancio rapido

Strong nylon net for fish,
with quick unfastening
buckle


COD.

AE081L

RETE PORTAPESCI FISH HOLDER NET

Robusta rete di nylon portapesce,
con fibbia a sgancio rapido

Strong nylon net for fish,
with quick unfastening buckle


COD.

AE081

KIT O-RING

- O-ring silicone
- Disponibile nelle dimensioni
SMALL e LARGE

- Silicone O-rings
- Available in SMALL and
LARGE sizes



SHAFT	KIT	COD.
Ø 7mm	10pz	AE054/7
Ø 8mm	10pz	AE054/8

PROTEZIONE PALE IN FIBRA PROTECTION FOR FIBER BLADE



- Protezione in gomma a T per pale in fibra
- T shape rubber protection for fiber blade

KIT	COD.
10mt	AP060

CARICHINI / LOADERS



Carichino per arpioni
Universal harpoon loader

cod. AE065



Carichino universale
Universal loader

cod. AE067

KIT	COD.
10pz	AE065
10pz	AE067

COPRIPUNTA PER FIOCINE COVER FOR PRONGED HEAD



LENGTH	KIT	COD.
4,5 cm	10pz	AE057
5,5 cm	10pz	AE059
7 cm	10pz	AE060
8 cm	10pz	AE061
9 cm	10pz	AE062

PROTEZIONE PER PUNTA SPEAR TIP PROTECTOR

Protezione per punta asta tahitiana
Black protector for tahitian shaft prong

AE063 - GREEN --> Ø 6,00 - 6,25 - 6,50 mm

IMB070/7BL - BLUE --> Ø 7,50 - 8,00 mm



KIT	COD.
10pz	AE063
10pz	IMB070/7BL


PUNTA PORTAPESCI PRO PRO FISH HOLDER PRONG



- Fuso portapesci in INOX 174Ph
- Godronatura esterna antiscivolo
- Foro centrale da 2,5mm
- Fresatura posteriore con perno ribattuto per consentire il passaggio di sagola con Ø 3,5mm
- Stainless steel fish holder 174Ph
- Non-slip outer knurling
- 2.5mm central hole
- Rear-milled with riveted pin for Ø3.5 mm line

COD.	KIT
AE085	6pz

ANELLO PORTAPESCI FISH HOLDER RING



- Filo in acciaio inossidabile Ø 3mm, aggancio rapido
- Stainless steel wire Ø 3mm, quick coupling

COD.
AE082

PORTAPESCI CON PORTAFUSO FISH HOLDER AND KNUCKLE



- Portapesci cavetto nylon e portafuso

- Nylon fish holder and knuckle belt per cintura



COD.	COLOR
AE078	Black
AE078G	Acid Green
AE078MG	Military Green
AE078R	Red
AE078W	White

MULTITOOL



- Multitool per assemblaggio ogive su elastico
- Multitool to assemble wishbones on slings

COD.
AP040


CARICHINO MULTILOADER



- Carichino Multiloader
- Multiloader

COD.
AE068

PORTAPESCI / FISH HOLDER




150mm

AE080

- Portapesci con cavetto in nylon
- Fish holder with nylon line

KIT	COD.
6pz	AE079
	AE080

NETTUNO




- Asta fiocinata Nettuno
- 4 punte leggere, acciaio temperato zincato, Ø 3.5 mm
- Corpo: Nylon PA6
- Configurazioni: 1 tubo da 80 cm o 2 tubi da 60 cm, rivestiti con guaina in plastica nera
- Inserto filettato maschio: M7x1

- Nettuno shaft with prong
- 4 light prongs, galvanized tempered steel, Ø 3.5 mm
- Body: Nylon PA6
- 1 tube 80 cm, coated with black plastic cover
- Male threaded insert: M7x1

STAFF LENGTH	COD.
80cm	AE001
60cm x 2	AE007

80cm	AE001
60cm x 2	AE007

HUNT



- Asta Hunt con fiocina
- Fiocina: 4 punte leggere, acciaio temperato zincato, Ø 3.5 mm
- Corpo: Nylon PA6
- Asta: Acciaio inox o acciaio zincato, Ø 8 mm
- Lunghezza totale: 75 cm
- Attacco filettato maschio: M7x1

- Hunt shaft with prong
- 4 light prongs, galvanized tempered steel, Ø 3.5 mm
- Body: Nylon PA6
- Shaft: Galvanized steel, Ø 8 mm
- Total length: 75 cm
- Male threaded connection: M7x1

STAFF LENGTH	PROCESSING	COD.
75cm	GALVANIZED	AE010
75cm	INOX	AE012

75cm	GALVANIZED	AE010
75cm	INOX	AE012


RAFFIO / GAFF



- Raffio tana in acciaio inox
- Diametro del raffio Ø 6 mm
- Lunghezza 70cm
- Larghezza 3,5cm
- Stainless steel gaff
- Diameter of the gaff Ø 6 mm
- Length 70cm


DIAMETER	LENGTH	COD.
6,00 mm	70cm	AE100

RAFFIO / GAFF




- Raffio tana in acciaio inox
- Diametro del raffio Ø 6 mm
- Lunghezza 50cm
- Larghezza 3,5cm
- Stainless steel gaff
- Diameter of the gaff Ø 6 mm
- Length 50cm

DIAMETER	LENGTH	COD.
6,00 mm	50cm	AE095



- Raffio tana in acciaio inox
- Diametro del raffio Ø 8 mm
- Lunghezza 70cm
- Larghezza 7,0cm
- Stainless steel gaff
- Diameter of the gaff Ø 8 mm
- Length 70cm

DIAMETER	LENGTH	COD.
8,00 mm	70cm	AE110



- Raffio tana in acciaio inox
- Diametro del raffio Ø 8 mm
- Lunghezza 70cm
- Larghezza 8,0cm
- Stainless steel gaff
- Diameter of the gaff Ø 8 mm
- Length 70cm

DIAMETER	LENGTH	COD.
8,00 mm	50cm	AE105

SPEARFISHING WETSUITS





SALVIMAR



SPEARFISHING 101



- Muta due pezzi con fodera esterna ultra elastica Spandex
- Materiale interno neoprene spaccato open cell YAMAMOTO 39
- Doppia cucitura interna non passante con sistema GBS (GLUED BLIND STITCHING) e incollaggio centrale bi-componente
- Rinforzo sul torace per agevolare il caricamento degli Arbalette
- Rinforzo ABRASION RESISTANT CM501 su ginocchia e seduta
- Rifiniture di tenuta in RSS su polsi, caviglie, viso e girovita
- Coda di castoreo con doppio bottone di chiusura

- Two-piece wetsuit with ultra elastic Spandex outer lining
- YAMAMOTO 39 open cell split neoprene inner material
- Double non-pass-through inner stitching with GBS (GLUED BLIND STITCHING) system and bi-component central bonding
- Chest reinforcement to facilitate loading of Arbalette
- Reinforcement ABRASION RESISTANT CM501 on knees and seat
- RSS (Round Seal System) sealing trim on wrists, ankles, face and waistband
- Beavertail seal with double button closure



SPEARFISHING JACKET 7,0mm

SIZE	THICKNESS	COD.
S	7,0mm	MUT009220G
M	7,0mm	MUT009230G
L	7,0mm	MUT009240G
XL	7,0mm	MUT009250G
XXL	7,0mm	MUT009260G
XXXL	7,0mm	MUT009270G

SPEARFISHING 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	MUT009020
M	3,5mm	MUT009030
L	3,5mm	MUT009040
XL	3,5mm	MUT009050
XXL	3,5mm	MUT009060
XXXL	3,5mm	MUT009070

SPEARFISHING JACKET 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	MUT009020G
M	3,5mm	MUT009030G
L	3,5mm	MUT009040G
XL	3,5mm	MUT009050G
XXL	3,5mm	MUT009060G
XXXL	3,5mm	MUT009070G

SPEARFISHING TROUSERS 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	MUT009020P
M	3,5mm	MUT009030P
L	3,5mm	MUT009040P
XL	3,5mm	MUT009050P
XXL	3,5mm	MUT009060P
XXXL	3,5mm	MUT009070P

SPEARFISHING 5,0mm

SIZE	THICKNESS	COD.
S	5,0mm	MUT009120
M	5,0mm	MUT009130
L	5,0mm	MUT009140
XL	5,0mm	MUT009150
XXL	5,0mm	MUT009160
XXXL	5,0mm	MUT009170

SPEARFISHING JACKET 5,0mm

SIZE	THICKNESS	COD.
S	5,0mm	MUT009120G
M	5,0mm	MUT009130G
L	5,0mm	MUT009140G
XL	5,0mm	MUT009150G
XXL	5,0mm	MUT009160G
XXXL	5,0mm	MUT009170G

SPEARFISHING TROUSERS 5,0mm

SIZE	THICKNESS	COD.
S	5,0mm	MUT009120P
M	5,0mm	MUT009130P
L	5,0mm	MUT009140P
XL	5,0mm	MUT009150P
XXL	5,0mm	MUT009160P
XXXL	5,0mm	MUT009170P

SPEARFISHING 7,0mm

SIZE	THICKNESS	COD.
S	7,0mm	MUT009220
M	7,0mm	MUT009230
L	7,0mm	MUT009240
XL	7,0mm	MUT009250
XXL	7,0mm	MUT009260
XXXL	7,0mm	MUT009270

SPEARFISHING TROUSERS 7,0mm

SIZE	THICKNESS	COD.
S	7,0mm	MUT009220P
M	7,0mm	MUT009230P
L	7,0mm	MUT009240P
XL	7,0mm	MUT009250P
XXL	7,0mm	MUT009260P
XXXL	7,0mm	MUT009270P

KRYPSIS 101

CERTIFIED BY



- Materiale esterno: fodera ultra-elastica Salvimar Camo
- Materiale interno: neoprene SHEICO-L FOAM medium density a cellula aperta
- Pantalone a spessore differenziato
- Protezioni e rinforzi su torace e ginocchia
- Doppia cucitura GBS ad incrocio
- Chiusura con coda di castoreo a doppio bottone Salvimar
- Bordi di finitura in CRSS (Camo Round Seal System)

- Outer material: Salvimar Camo ultra-elastic liner
- Inner material: SHEICO-L FOAM medium density open cell neoprene
- Differentiated thickness pant
- Chest and knee protectors and reinforcements
- Double GBS cross seam
- Salvimar double button beavertail closure
- CRSS (Camo Round Seal System) external trims



KRYPSIS 101 - 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	101350A
M	3,5mm	101350B
L	3,5mm	101350C
XL	3,5mm	101350D
XXL	3,5mm	101350E
XXXL	3,5mm	101350F

KRYPSIS 101 JACKET 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	101350A/G
M	3,5mm	101350B/G
L	3,5mm	101350C/G
XL	3,5mm	101350D/G
XXL	3,5mm	101350E/G

KRYPSIS 101 TROUSERS 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	101350A/P
M	3,5mm	101350B/P
L	3,5mm	101350C/P
XL	3,5mm	101350D/P
XXL	3,5mm	101350E/P

KRYPSIS 101 - 5,5mm

SIZE	THICKNESS	COD.
S	5,5mm	101550A
M	5,5mm	101550B
L	5,5mm	101550C
XL	5,5mm	101550D
XXL	5,5mm	101550E
XXXL	5,5mm	101550F

KRYPSIS 101 JACKET 5,5mm

SIZE	THICKNESS	COD.
S	5,5mm	101550A/G
M	5,5mm	101550B/G
L	5,5mm	101550C/G
XL	5,5mm	101550D/G
XXL	5,5mm	101550E/G

KRYPSIS 101 TROUSERS 5,5mm

SIZE	THICKNESS	COD.
S	5,5mm	101550A/P
M	5,5mm	101550B/P
L	5,5mm	101550C/P
XL	5,5mm	101550D/P
XXL	5,5mm	101550E/P

KRYPSIS 101 - 7,0mm

SIZE	THICKNESS	COD.
S	7mm	101700A
M	7mm	101700B
L	7mm	101700C
XL	7mm	101700D
XXL	7mm	101700E
XXXL	7mm	101700F

KRYPSIS 101 JACKET 7,0mm

SIZE	THICKNESS	COD.
S	7mm	101700A/G
M	7mm	101700B/G
L	7mm	101700C/G
XL	7mm	101700D/G
XXL	7mm	101700E/G

KRYPSIS 101 TROUSERS 7,0mm

SIZE	THICKNESS	COD.
S	7mm	101700A/P
M	7mm	101700B/P
L	7mm	101700C/P
XL	7mm	101700D/P
XXL	7mm	101700E/P

KRYPSIS OCEAN 101



- Muta due pezzi con giacca e pantalone
 - Fodera ultra-elastica SPANDEX Salvimar Camo
 - Materiale interno: neoprene JAKO a cellula aperta
 - Protezioni e rinforzi su torace e ginocchia
 - Doppia cucitura GBS ad incrocio
 - Chiusura con coda di castoreo a doppio bottone Salvimar
 - Bordi esterni in CRSS su polsi, caviglie, viso e bordo vita
 - Pantalone a spessore differenziato
- Two-piece wetsuit with jacket and pants
 - SPANDEX Salvimar Camo ultra-elastic SPANDEX lining
 - Inner material: JAKO open cell neoprene
 - Protectors and reinforcements on chest and knees
 - Double GBS cross seam
 - Salvimar double button beavertail closure
 - CRSS external trims on wrists, ankles, face and waistband
 - Differentiated thickness pants



SIZE	THICKNESS	COD.
S	1,5mm	MUT006020
M	1,5mm	MUT006030
L	1,5mm	MUT006040
XL	1,5mm	MUT006050
XXL	1,5mm	MUT006060
XXXL	1,5mm	MUT006070

SIZE	THICKNESS	COD.
S	3,0mm	MUT006120
M	3,0mm	MUT006130
L	3,0mm	MUT006140
XL	3,0mm	MUT006150
XXL	3,0mm	MUT006160
XXXL	3,0mm	MUT006170


N.A.T. 101

CERTIFIED BY



- Muta due pezzi
- Materiale esterno: fodera ultra elastica Spandex
- Materiale interno: Neoprene spaccato open cell Q-FOAM
- Texture fodera: Salvimar N.A.T Camo
- Rinforzi su sterno e ginocchia
- Cuciture esterne
- Chiusura con bottone regolabile
- Finiture caviglie e polsi in OVERLOCK

- Two-piece wetsuit
- Outer material: ultra elastic Spandex lining
- Inner material: Q-FOAM open cell split neoprene
- Liner texture: Salvimar N.A.T Camo
- Reinforcements on sternum and knees
- External seams
- Adjustable button closure
- OVERLOCK ankle and wrist finishes



SIZE	THICKNESS	COD.
S	3,5mm	101101A
M	3,5mm	101101B
L	3,5mm	101101C
XL	3,5mm	101101D
XXL	3,5mm	101101E

SIZE	THICKNESS	COD.
S	5,5mm	101102A
M	5,5mm	101102B
L	5,5mm	101102C
XL	5,5mm	101102D
XXL	5,5mm	101102E

SIZE	THICKNESS	COD.
S	7,0mm	101103A
M	7,0mm	101103B
L	7,0mm	101103C
XL	7,0mm	101103D
XXL	7,0mm	101103E



DROP CELL RACE

- Muta due pezzi con cappuccio integrato
- Materiale esterno: Fodera Camo in nylon resistente alle abrasioni
- Materiale interno: neoprene "Q - FOAM" a cellula aperta "Open Cell"
- Rinforzo su Torace con inserto "Open Cell Padded" per aumentare il comfort
- Ampie protezioni alle ginocchia
- Cucitura GBS esterna con doppio filo incrociato
- Chiusura con bottone regolabile
- Finiture caviglie e polsi in OVERLOCK

- Two-piece wetsuit with integrated hood
- Outer material: abrasion-resistant nylon camo lining
- Inner material: "Q-FOAM" open-cell neoprene
- Chest reinforcement with "Open Cell Padded" insert for enhanced comfort
- Large knee protection pads
- External GBS stitching with double cross-thread construction
- Adjustable button closure
- Ankle and wrist finishes with OVERLOCK stitching



SIZE	THICKNESS	COD.
S	3,0mm	MUT008320
M	3,0mm	MUT008330
L	3,0mm	MUT008340
XL	3,0mm	MUT008350
XXL	3,0mm	MUT008360

SIZE	THICKNESS	COD.
S	5,0mm	MUT008420
M	5,0mm	MUT008430
L	5,0mm	MUT008440
XL	5,0mm	MUT008450
XXL	5,0mm	MUT008460



WET DROP CELL PLUS

- Muta due pezzi
- Materiale esterno: fodera in Nylon
- Materiale interno: neoprene spaccato open cell "Q - FOAM"
- Rinforzi su sterno e ginocchia
- Cuciture esterne
- Chiusura con bottone regolabile
- Finiture caviglie e polsi in OVERLOCK

- Two-piece
- External: Nylon lined
- Internal: "Q - FOAM" Open cell
- Reinforcements in the chest and knees
- External stitching
- Closure: Beavertail adjustable clip
- OVERLOCK finishes on wrists and ankles



SIZE	THICKNESS	COD.
S	3,0mm	MUT008020
M	3,0mm	MUT008030
L	3,0mm	MUT008040
XL	3,0mm	MUT008050
XXL	3,0mm	MUT008060
XXXL	3,0mm	MUT008070

SIZE	THICKNESS	COD.
S	5,0mm	MUT008120
M	5,0mm	MUT008130
L	5,0mm	MUT008140
XL	5,0mm	MUT008150
XXL	5,0mm	MUT008160
XXXL	5,0mm	MUT008170

SIZE	THICKNESS	COD.
S	7,0mm	MUT008220
M	7,0mm	MUT008230
L	7,0mm	MUT008240
XL	7,0mm	MUT008250
XXL	7,0mm	MUT008260
XXXL	7,0mm	MUT008270



COMFORTY BIFODERATA/DOUBLE NYLON

- Muta Apnea due pezzi con neoprene CR doppia fodera Nylon stretch
 - Taglio anatomico con compressione orizzontale/graduale per facilitare i movimenti e la respirazione
 - Doppia cucitura interna/esterna non passante con sistema GBS e incollaggio centrale bi-componente
 - A.R.I.S (Abrasion Resistant Ink System) al centro del torace e alle ginocchia per aumentare la protezione nei punti di maggior contatto
 - Rifinitura OVERLOCK su polsi, caviglie, giro vita e giro faccia
 - Coda di Castoreo con singolo bottone di chiusura SALVIMAR a sgancio rapido
- Two-piece Apnea Wetsuit with CR neoprene double Nylon stretch lining
 - Anatomical cut with horizontal/gradual compression to facilitate movement and breathing
 - Double inner/outer non-pass-through stitching with GBS system and bi-component center bonding
 - A.R.I.S (Abrasion Resistant Ink System) at the center chest and knees to increase protection at the points of greatest contact
 - OVERLOCK finishes on wrists, ankles, waist and face
 - Beavertail with single SALVIMAR quick-release fastening button



SIZE	THICKNESS	COD.
S	3,0mm	MUT004020
M	3,0mm	MUT004030
L	3,0mm	MUT004040
XL	3,0mm	MUT004050
XXL	3,0mm	MUT004060

SIZE	THICKNESS	COD.
S	5,0mm	MUT004120
M	5,0mm	MUT004130
L	5,0mm	MUT004140
XL	5,0mm	MUT004150
XXL	5,0mm	MUT004160



ABYSS RASH GUARD

- Rash Guard due pezzi con cappuccio per acque temperate
- Materiale: super elastico 230 gr
- Texture fodera: Salvimar Camo
- Chiusura con bottone regolabile
- Cuciture Flat-lock
- Protezione UV e da animali urticanti
- Supporto sternale
- Sottopiede di fissaggio

- Two-piece hooded rash guard for temperate waters
- Material: super elastic 230 gr
- Texture lining: Salvimar Camo
- Adjustable button closure
- Flat-lock seams
- UV and animal protection
- Sternal support
- Fixing insole



SIZE	COD.
S	100500A
M	100500B
L	100500C
XL	100500D
XXL	100500E



SCALES LADY

- Muta Apnea due pezzi
- Fodera esterna ultra elastica Spandex Mimetico con tecnologia di sublimazione
- Applicazione di squame trasparenti per mimetizzare con l'ambiente circostante
- Taglio anatomico con compressione orizzontale/graduale per facilitare i movimenti e la respirazione
- Protezione al torace e alle ginocchia con il sistema A.R.I.S (Abrasion Resistant Ink System)
- Rifiniture di tenuta in CRSS (Camo Scales Round Seal System) su polsi, caviglie, viso e girovita
- Chiusura con coda di castoreo e singolo bottone

- Two-piece Apnea Wetsuit
- Ultra elastic Spandex Camouflage outer lining with sublimation technology
- Application of transparent scales to camouflage with surroundings
- Anatomical cut with horizontal/gradual compression for ease of movement and breathing
- Protection at chest and knees with system A.R.I.S (Abrasion Resistant Ink System)
- CRSS (Camo Scales Round Seal System) sealing finishes on wrists, ankles, face and waist
- Beavertail and single button closure



SIZE	THICKNESS	COD.
XS	5,0mm	MUT003010
S	5,0mm	MUT003020
M	5,0mm	MUT003030
L	5,0mm	MUT003040
XL	5,0mm	MUT003050
XXL	5,0mm	MUT003060



CERTIFIED BY



SEAWALKER LADY



- Muta due pezzi
- Realizzata con materiali specifici per le esigenze dello spearfishing femminile
- Materiale esterno: fodera ultra-elastica SPANDEX Salvimar Camo
- Materiale interno: neoprene Q-FOAM a cellula aperta
- Protezioni e rinforzi su torace e ginocchia
- Doppia cucitura GBS ad incrocio per una massima resistenza e tenuta
- Chiusura con coda di castoro
- Bordi esterni in CRSS (Camo Round Seal System) su polsi, caviglie, ovale volto e bordo vita

- Two-piece wetsuit
- Made with materials specifically for the needs of women's spearfishing
- Outer material: SPANDEX Salvimar Camo ultra-elastic lining
- Inner material: Q-FOAM open cell neoprene
- Protections and reinforcements on chest and knees
- Double GBS cross seam for maximum strength and hold
- Beavertail closure
- CRSS (Camo Round Seal System) external trims on wrists, ankles, face and waistline



SIZE	THICKNESS	COD.
XS	1,5mm	100710A
S	1,5mm	100710B
M	1,5mm	100710C
L	1,5mm	100710D
XL	1,5mm	100710E
XXL	1,5mm	100710F

SIZE	THICKNESS	COD.
XS	3,5mm	100711A
S	3,5mm	100711B
M	3,5mm	100711C
L	3,5mm	100711D
XL	3,5mm	100711E
XXL	3,5mm	100711F

SIZE	THICKNESS	COD.
XS	5,5mm	100712A
S	5,5mm	100712B
M	5,5mm	100712C
L	5,5mm	100712D
XL	5,5mm	100712E
XXL	5,5mm	100712F



SEAWALKER BLACK LADY

- Muta due pezzi
- Realizzata in tessuto ultra elastico Spandex e neoprene Q Foam a cellule aperte
- Taglio anatomico con compressione orizzontale/graduale
- A.R.I.S (Abrasion Resistant Ink System) al centro del torace e alle ginocchia
- Anelli di tenuta in neoprene Black Spandex/Open Cell
- Chiusura con coda di castoreo e singolo bottone di chiusura SALVIMAR a sgancio rapido

- Two-piece wetsuit
- Made of ultra elastic Spandex fabric and open-cell Q Foam neoprene
- Anatomical cut with horizontal/gradual compression
- A.R.I.S (Abrasion Resistant Ink System) at center chest and knees
- Black Spandex/Open Cell neoprene rings
- Beavertail and single SALVIMAR quick-release fastening button.



SIZE	THICKNESS	COD.
XS	3,5mm	MUT005010
S	3,5mm	MUT005020
M	3,5mm	MUT005030
L	3,5mm	MUT005040
XL	3,5mm	MUT005050
XXL	3,5mm	MUT005060

SIZE	THICKNESS	COD.
XS	5,0mm	MUT005110
S	5,0mm	MUT005120
M	5,0mm	MUT005130
L	5,0mm	MUT005140
XL	5,0mm	MUT005150
XXL	5,0mm	MUT005160



B . C . D .

SCUBA
WATERSPORTS
SNORKELING
WETSUITS

V-BALANCE



- **Valvole low profile**
Due valvole di scarico meccaniche a profilo ribassato, posizionate sulla spalla e in zona lombare per lo sgonfiaggio in qualunque assetto
- **Inflator con sistema REV**
Gruppo comando tradizionale con scarico rapido a trazione del corrugato
- **Zavorra integrata a sgancio rapido**
Due tasche porta-zavorra con fibbia a sgancio rapido, carico massimo 4,0 kg per tasca
- **Tasche autodrenanti**
Due ampie tasche con chiusura a zip e occhielli di drenaggio per evacuare l'acqua imprigionata
- **6 D-ring in acciaio inox**
Quattro D-ring da 38 mm e due da 25 mm per la gestione completa degli accessori
- **Schienale rigido con maniglia**
Schienale in tecnopolimero con maniglia di trasporto e controschienale con inserti super-grip

- **Low-profile dump valves**
Two low-profile mechanical dump valves, positioned at the shoulder and lower back, allow deflation in any diving position.
- **Inflator with REV system**
Traditional power inflator assembly with rapid exhaust activated by pulling the corrugated hose
- **Integrated quick-release weight system**
Two integrated weight pockets with quick-release buckles, maximum load capacity 4.0 kg per pocket
- **Self-draining pockets**
Two large zippered pockets with drainage grommets to evacuate trapped water
- **6 stainless steel D-rings**
Four 38 mm D-rings and two 25 mm D-rings for complete accessory management
- **Rigid backplate with carry handle**
Technopolymer backplate with integrated carry handle and padded backpack featuring super-grip inserts

SCHEDA TECNICA- TECHNICAL DATA SHEET

Tipologia - Type	Monosacco tradizionale - Traditional single-bladder
Involucro interno/esterno - Inner/outer shell	NYLON 420 DEN PU - 420 DEN PU nylon
Gruppo comando Control unit	Inflator tradizionale con sistema REV - low profile Traditional inflator with REV system - low profile
Frusta LP - LP hose	Rubber hose 75 cm - 75 cm rubber hose
Valvole di scarico rapido Quick dump valves	2 valvole di scarico meccaniche a profilo ribassato + scarico a trazione del corrugato Two low-profile mechanical dump valves, plus a pull-dump system operated via the corrugated hose
Tasche Pockets	2 autodrenanti con chiusura a zip e alloggiamento oggetti 2 self-draining zippered utility pockets
Sistema zavorra integrata Integrated weight system	2 tasche a sgancio rapido - max 4,0 kg per tasca 2 quick-release weight pockets - max. 4.0 kg per pocket
D-ring D-rings	6 in acciaio inox (4 x 38 mm + 2 x 25 mm) 6 stainless steel D-rings (4 x 38 mm + 2 x 25 mm)
Schienale Backplate	Rigido in tecnopolimero con maniglia + controschienale super-grip Rigid technopolymer backplate with handle + super-grip back padding
Bombola max - Maximum tank capacity	Mono 18 L - Single 18 L cylinder
Certificazione Certification	EN 1809:2014+A1:2016 - DPI Cat. II (Reg. UE 2016/425) EN 1809:2014+A1:2016 - PPE Category II (EU Regulation 2016/425)

V-BALANCE

Equilibrio e controllo in immersione.

V-Balance è un giubbetto equilibratore monosacco tradizionale, avvolgente nella zona lombare, pensato per il subacqueo ricreativo che cerca un jacket bilanciato, affidabile, con componenti di alta qualità.

Involucro in NYLON 420 DEN PU saldato ad alta frequenza, bardatura morbida con fascione regolabile per una vestizione rapida, schienale in tecnopolimero con maniglia di trasporto e controschienale con inserti super-grip per il fissaggio sicuro della bombola: una piattaforma collaudata, dimensionata su cinque taglie, dalla XS alla XL.


Le valvole sovrapressione a profilo ribassato, riducono gli ingombri e migliorano l'idrodinamicità. Il gruppo comando con sistema REV (Rapid Exhaust Valve) garantisce uno scarico rapido azionando il corrugato verso l'alto, in linea con le procedure didattiche delle principali agenzie.

Balance and control underwater.

V-Balance is a traditional single-bladder, jacket-style BCD with a wraparound design in the lower-back area. It is intended for recreational divers looking for a well-balanced, reliable BCD built with high-quality components.

The air cell is made from 420-denier PU-coated nylon with high-frequency welded seams. The soft harness features an adjustable cummerbund for quick and easy donning, while the technopolymer backpack incorporates a carry handle and Super-Grip inserts to ensure secure tank retention. This proven platform is available in five sizes, from XS to XL.

The low-profile overpressure valves reduce bulk and improve streamlining. The inflator assembly features the REV (Rapid Exhaust Valve) system, allowing air to be released quickly by pulling the corrugated hose upwards, in accordance with the training procedures taught by leading diving certification agencies.



	SIZE	COD.
NEW	XS	SJ001B
NEW	S	SJ001C
NEW	M	SJ001D
NEW	L	SJ001E
NEW	XL	SJ001F

SIZE	HEIGHT (cm)	WEIGHT (kg)	CHEST (cm)	HIPS (cm)	BUOYANCY
XS	150-165	45-60	75-95	65-88	XS 90N 9Kg
S	160-175	50-70	85-105	70-94	SM 100N 10Kg
M	165-180	60-80	95-115	85-112	MD 130N 13Kg
L	170-185	70-90	105-120	96-112	LG 150N 15Kg
XL	175-195	85-110	110-130	100-125	XL 160N 16Kg



CERTIFIED BY



MARINA MAN & LADY

- Muta monopezzo in neoprene Jako ad alta memoria elastica, garantisce eccellente elasticità
- Certificazione termica rilasciata da RINA: massima protezione e minima dispersione di calore
- Spalle, torace ed ascelle con fodera aqua-stretch ad alta elasticità: facilita la vestizione e migliora la mobilità
- Preformatura anatomica su braccia e gambe: per migliorare l'ergonomia e ridurre l'affaticamento muscolare durante la pinneggata
- Cerniera posteriore YKK con cursore in acciaio: robusta e durevole
- Shock Absorbing System: pannello lombare elastico e rinforzato che protegge la cerniera da tensioni e rotture
- Ginocchieri rinforzati in Supratex: elevata resistenza all'abrasione nei punti di maggior contatto
- Water Stop System su avambracci e polpacci: sigillatura efficace contro le infiltrazioni d'acqua

- One-piece wetsuit made of Jako neoprene with high elastic memory, ensuring excellent elasticity
- Thermal certification issued by RINA: maximum protection and minimal heat loss
- Shoulders, chest, and armpits lined with high-elasticity aqua-stretch fabric: facilitates dressing and improves mobility
- Anatomical pre-shaped arms and legs: improves ergonomics and reduces muscle fatigue during finning
- YKK rear zipper with steel slider: robust and durable
- Shock Absorbing System: elastic and reinforced lumbar panel that protects the zipper from tension and breakage
- Reinforced Supratex knee pads: high abrasion resistance in high-contact areas
- Water Stop System on forearms and calves: effective sealing against water infiltration



SIZE	THICKNESS	COD.
S	5,0mm	MD00102
M	5,0mm	MD00103
L	5,0mm	MD00104
XL	5,0mm	MD00105
XXL	5,0mm	MD00106
XXXL	5,0mm	MD00107

SIZE	THICKNESS	COD.
S	7,0mm	MD00121
M	7,0mm	MD00122
L	7,0mm	MD00123
XL	7,0mm	MD00124
XXL	7,0mm	MD00125
XXXL	7,0mm	MD00126





CERTIFIED BY



7,0mm

CE EN 14225-1: 2017

Muta Umida per immersioni con autorespiratore - SCUBA Diving wetsuit
Classe Termica/ Thermal **Class: A**
Utilizzo - Range of Use: From **7C° to 12C°**

5,0mm

CE EN 14225-1: 2017

Muta Umida per immersioni con autorespiratore - SCUBA Diving wetsuit
Classe Termica/ Thermal **Class: B**
Utilizzo - Range of Use: From **10C° to 16C°**



SIZE	THICKNESS	COD.
XS	5,0mm	MD00111
S	5,0mm	MD00112
M	5,0mm	MD00113
L	5,0mm	MD00114
XL	5,0mm	MD00115
XXL	5,0mm	MD00116

SIZE	THICKNESS	COD.
XS	7,0mm	MD00131
S	7,0mm	MD00132
M	7,0mm	MD00133
L	7,0mm	MD00134
XL	7,0mm	MD00135
XXL	7,0mm	MD00136

CARIBE

- Muta in Neoprene Q-FOAM da 3mm bifoderato mixed
- Fodera mixed Ultratender e Aquastretch per elasticità e comfort
- Monopozzo senza cappuccio
- Parte frontale torace in neoprene fine mesh per rapida asciugatura
- Cerniera posteriore con cursore in metallo anticorrosione
- Fodera superelastica zona toracica
- Chiusura collo regolabile con velcro
- Aquastretch su polsi e caviglie per facilitare la vestizione e prevenire infiltrazioni d'acqua
- Temperatura consigliata dell'acqua > 21°C (69,8°F)

- Q-FOAM 3mm Double-lined Mixed Neoprene Wetsuit
- Mixed Ultratender and Aquastretch lining
- One-piece without hood
- Fine mesh neoprene chest front for quick drying
- Back zipper with anti-corrosion metal slider
- Superelastic chest area lining
- Adjustable neck closure with Velcro
- Aquastretch on cuffs and ankles for easy donning and to prevent water seepage
- Recommended water temperature > 21°C (69.8°F)



CARIBE MAN BLUE

SIZE	THICKNESS	COD.
S	3,0 mm	MWS00302
M	3,0 mm	MWS00303
L	3,0 mm	MWS00304
XL	3,0 mm	MWS00305
XXL	3,0 mm	MWS00306
XXXL	3,0 mm	MWS00307

CARIBE LADY PURPLE

SIZE	THICKNESS	COD.
XS	3,0 mm	MWS00361
S	3,0 mm	MWS00362
M	3,0 mm	MWS00363
L	3,0 mm	MWS00364
XL	3,0 mm	MWS00365
XXL	3,0 mm	MWS00366

CARIBE 1,5mm

- Muta in Neoprene Q-FOAM da 1,5mm bifoderato mixed
- Fodera mixed Ultratender e Aquastretch per elasticità e comfort
- Monopezzo senza cappuccio
- Cerniera posteriore con cursore in metallo anticorrosione
- Fodera superelastica zona toracica
- Chiusura collo regolabile con velcro
- Aquastretch su polsi e caviglie per facilitare la vestizione e prevenire infiltrazioni d'acqua
- Temperatura consigliata dell'acqua > 24°C (75.20 °F)

- Q-FOAM 1,5 mm Double-lined Mixed Neoprene Wetsuit
- Mixed Ultratender and Aquastretch lining
- One-piece without hood
- Back zipper with anti-corrosion metal slider
- Superelastic chest area lining
- Adjustable neck closure with Velcro
- Aquastretch on cuffs and ankles for easy donning and to prevent water seepage
- Recommended water temperature > 24°C (75.20 °F)



CARIBE 1,5mm MAN

SIZE	THICKNESS	COD.
S	1,5 mm	MWS00322
M	1,5 mm	MWS00323
L	1,5 mm	MWS00324
XL	1,5 mm	MWS00325
XXL	1,5 mm	MWS00326
XXXL	1,5 mm	MWS00327

CARIBE 1,5mm LADY

SIZE	THICKNESS	COD.
XS	1,5 mm	MWS00371
S	1,5 mm	MWS00372
M	1,5 mm	MWS00373
L	1,5 mm	MWS00374
XL	1,5 mm	MWS00375
XXL	1,5 mm	MWS00376



ZEERO THERMO EVO

- Muta Monoprezzo spessore 1,5mm per Apnea
- Neoprene Smooth Skin YAMAMOTO di media densità con memoria elastica
- Trattamento esterno Black Coated per resistenza al contatto
- Fodera interna in U.T Super Stretch per massima compattezza ed elasticità
- Cerniera YKK Superior #5 resistente alla corrosione
- Raw Edge finiture polsi e caviglie per una tenuta ottimale senza rinforzi esterni

- One-piece wetsuit 1.5mm thick for Apnea
- YAMAMOTO Smooth Skin medium-density neoprene with elastic memory
- Black Coated external treatment for contact resistance
- U.T Super Stretch inner lining for maximum compactness and elasticity
- YKK Superior #5 corrosion-resistant zipper
- Raw Edge finishes on wrists and ankles with a raw cut system



MAN

SIZE	THICKNESS	COD.
S	1,5 mm	MWS00602
M	1,5 mm	MWS00603
L	1,5 mm	MWS00604
XL	1,5 mm	MWS00605
XXL	1,5 mm	MWS00606

LADY

SIZE	THICKNESS	COD.
XS	1,5 mm	MWS00611
S	1,5 mm	MWS00612
M	1,5 mm	MWS00613
L	1,5 mm	MWS00614
XL	1,5 mm	MWS00615



APNEA RISE

- Muta Monoprezzo spessore 1,5mm per Apnea
 - Neoprene Smoothly Skin YAMAMOTO di media densità con memoria elastica
 - Fodera interna in U.T Super Stretch per massima compattezza ed elasticità
 - Cerniera YKK Superior #5 resistente alla corrosione
 - Raw Edge finiture polsi e caviglie per una tenuta ottimale senza rinforzi esterni
- One-piece wetsuit 1.5mm thickness for Apnea
 - YAMAMOTO Smoothly Skin medium-density neoprene with elastic memory
 - U.T Super Stretch inner lining for maximum tightness and elasticity
 - YKK Superior #5 corrosion-resistant zipper
 - Raw Edge trim cuffs and ankles for optimal fit without external reinforcement



MAN

SIZE	THICKNESS	COD.
S	1,5mm	MWS00502
M	1,5mm	MWS00503
L	1,5mm	MWS00504
XL	1,5mm	MWS00505
XXL	1,5mm	MWS00506

LADY

SIZE	THICKNESS	COD.
XS	1,5mm	MWS00511
S	1,5mm	MWS00512
M	1,5mm	MWS00513
L	1,5mm	MWS00514
XL	1,5mm	MWS00515



SWIM PRO

- Muta monopezzo per nuoto in acque libere
- Spessore differenziato 1,5-3,0 mm
- Neoprene ad alte prestazioni YAMAMOTO 39
- Maggiore flottabilità e stabilità dell'assetto
- Comfort superiore e ampia libertà di movimento
- Ottima termoregolazione anche in acque fredde
- Prestazioni migliorate e minore affaticamento muscolare

- One-piece wetsuit for swimming and open water
- Varying thickness: 1.5 – 3.0 mm
- High-performance YAMAMOTO 39 neoprene
- Increased buoyancy and improved body position
- Superior comfort and full range of motion
- Excellent thermal regulation, even in cold water
- Enhanced performance and reduced muscular fatigue



MAN

SIZE	THICKNESS	COD.
S	1,5/3,0mm	MWS00802
M	1,5/3,0mm	MWS00803
L	1,5/3,0mm	MWS00804
XL	1,5/3,0mm	MWS00805
XXL	1,5/3,0mm	MWS00806


LADY

SIZE	THICKNESS	COD.
XS	1,5/3,0mm	MWS00811
S	1,5/3,0mm	MWS00812
M	1,5/3,0mm	MWS00813
L	1,5/3,0mm	MWS00814
XL	1,5/3,0mm	MWS00815



SWIM RISE

- Muta monopezzo per nuoto in acque libere
 - Neoprene ad alte prestazioni YAMAMOTO 39 spessore 2,0mm
 - Fodera interna mixed Ultratender e Aquastretch per massimo comfort ed elasticità
 - Polsi e caviglie in Smoothskin Ultratender per facilitare la vestizione ed impedire infiltrazioni d'acqua
 - Cucitura flatlock con filo super elastico
 - Cerniera con cursore in metallo resistente alla corrosione
- One-piece wetsuit for swimming and open water swimming
 - YAMAMOTO 39 high-performance neoprene 2.0mm thick
 - Mixed Ultratender and Aquastretch inner lining for maximum comfort and elasticity
 - Smoothskin Ultratender wrists and ankles for easy dressing and to prevent water infiltration
 - Flatlock stitching with super elastic thread
 - Zipper with corrosion-resistant metal slider



MAN

SIZE	THICKNESS	COD.
S	2,0mm	MWS00402
M	2,0mm	MWS00403
L	2,0mm	MWS00404
XL	2,0mm	MWS00405
XXL	2,0mm	MWS00406

LADY

SIZE	THICKNESS	COD.
XS	2,0mm	MWS00411
S	2,0mm	MWS00412
M	2,0mm	MWS00413
L	2,0mm	MWS00414
XL	2,0mm	MWS00415

SWIM SKIN



MAN

SIZE	THICKNESS	COD.
S	2,0mm	ACNEO0120
M	2,0mm	ACNEO0130
L	2,0mm	ACNEO0140
XL	2,0mm	ACNEO0150
XXL	2,0mm	ACNEO0160

SWIM SKIN Man

- Sottomuta performante con cappuccio, spessore 2,0 mm
- Smooth Skin esterno per facilitare la vestizione e la tenuta termica

SWIM SKIN Lady


- Sottomuta performante con cappuccio, spessore 2,0 mm
- Smooth Skin esterno per facilitare la vestizione e la tenuta termica
- Aggiunta di un taglio particolarmente performante, adatto alla figura femminile

SWIM SKIN Man


- Hooded high-performance undersuit, 2.0 mm thick
- Outer Smooth Skin for easy dressing and thermal tightness

SWIM SKIN Lady

- Hooded undersuit, 2.0 mm thick
- Outer Smooth Skin for easy dressing and thermal tightness
- Particularly high-performance cut, suitable for the female figure



LADY



SIZE	THICKNESS	COD.
XS	2,0mm	ACNEO0210
S	2,0mm	ACNEO0220
M	2,0mm	ACNEO0230
L	2,0mm	ACNEO0240
XL	2,0mm	ACNEO0250

HYDRO CAP



- Cuffia nuoto con sottotondo di tenuta
- Realizzata in neoprene 3,5 mm superelastico
- Ideale per nuoto in acque libere con temperature tra 10 e 22°C

- Swimming cap with under-chin seal
- Made of superelastic 3.5 mm neoprene
- Ideal for open water swimming in temperatures between 10 and 22°C

SIZE	THICKNESS	COD.
S	3,5mm	ACNEO0320
M	3,5mm	ACNEO0330
L	3,5mm	ACNEO0340



SURF SHELL

- Muta short in neoprene da 2 mm bifoderato in nylon superelastico
- Monopezzo senza cappuccio, maniche e pantaloni corti
- Parte frontale torace in neoprene fine mesh per una rapida asciugatura
- Cerniera posteriore
- Chiusura collo regolabile con velcro
- Temperatura consigliata dell'acqua > 22°C (71,6°F)
- 2 mm neoprene short wetsuit double-lined with superelastic nylon
- One-piece wetsuit without hood, sleeves and shorts
- Fine mesh neoprene chest front for quick drying
- Zipper on the back - Adjustable neck closure with Velcro
- Recommended water temperature > 22°C (71.6°F)



SURF SHELL MAN

SIZE	THICKNESS	COD.
S	2 mm	MWS00202
M	2 mm	MWS00203
L	2 mm	MWS00204
XL	2 mm	MWS00205
XXL	2 mm	MWS00206
XXXL	2 mm	MWS00207

SURF SHELL LADY

SIZE	THICKNESS	COD.
XS	2 mm	MWS00211
S	2 mm	MWS00212
M	2 mm	MWS00213
L	2 mm	MWS00214
XL	2 mm	MWS00215
XXL	2 mm	MWS00216



AQUATIC

- Muta short in neoprene 2mm bifoderato
- Monopiece senza cappuccio, maniche e pantaloni corti
- Cerniera frontale per una facile vestizione
- Temperatura acqua consigliata > 22°C – 71,6° F
- Double-lined 2mm neoprene short wetsuit
- One-piece without hood, sleeves and shorts
- Front zipper for easy fitting
- Recommended water temperature > 22°C - 71.6°



AQUATIC MAN

SIZE	THICKNESS	COD.
S	2 mm	MWS00102
M	2 mm	MWS00103
L	2 mm	MWS00104
XL	2 mm	MWS00105
XXL	2 mm	MWS00106
XXXL	2 mm	MWS00107

AQUATIC LADY

SIZE	THICKNESS	COD.
XS	2 mm	MWS00111
S	2 mm	MWS00112
M	2 mm	MWS00113
L	2 mm	MWS00114
XL	2 mm	MWS00115
XXL	2 mm	MWS00116



AQUATIC JR

- Muta short in neoprene 2mm bifoderato
- Taglio adeguato all'utilizzo del bambino
- Monopezzo senza cappuccio, maniche e pantaloni corti
- Cerniera frontale per una facile vestizione
- Temperatura acqua consigliata > 22°C – 71,6° F

- Appropriate cut for the child's use
- One-piece without hood, sleeves and short pants
- Front zipper for easy fitting
- Recommended water temperature > 22°C - 71.6° F

AQUATIC BOY

SIZE	THICKNESS	COD.
6-8Y	2,0mm	MWS00702
8-10Y	2,0mm	MWS00703
10-12Y	2,0mm	MWS00704
12-14Y	2,0mm	MWS00705

AQUATIC GIRL

SIZE	THICKNESS	COD.
6-8Y	2,0mm	MWS00712
8-10Y	2,0mm	MWS00713
10-12Y	2,0mm	MWS00714
12-14Y	2,0mm	MWS00715



SWIMMER - NEOPRENE

- Maglietta girocollo in neoprene da 2.0 mm
- Consigliata per attività marine di superficie e come sotto-muta
- Estremamente elastica "Hyper Stretch" e confortevole
- Fodera elastica in Ultra Tender – Neoprene CR /Q foam – Aqua stretch
- Striscia in neoprene liscio su bordo maglietta "Bottom Grip"
- Manica ripiegata "doppio-bordo"

- 2.0 mm neoprene crew-neck T-shirt
- Recommended for surface marine activities and as an under-suit
- Extremely elastic Hyper Stretch and comfortable
- Ultra Tender elastic lining
- Neoprene CR /Q foam
- Aqua stretch
- Smooth neoprene strip on shirt edge Bottom Grip
- Folded sleeve double-edge

SIZE	THICKNESS	COD.
S	2,0mm	MWS01102
M	2,0mm	MWS01103
L	2,0mm	MWS01104
XL	2,0mm	MWS01105
XXL	2,0mm	MWS01106



OASI RASH GUARD SHORT SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material



BLACK & BLUE - MAN

SIZE	COD.
S	ASN00112
M	ASN00113
L	ASN00114
XL	ASN00115
XXL	ASN00116



BLACK & WHITE - LADY

SIZE	COD.
XS	ASN00151
S	ASN00152
M	ASN00153
L	ASN00154
XL	ASN00155



BLACK & GREY - MAN

SIZE	COD.
S	ASN00122
M	ASN00123
L	ASN00124
XL	ASN00125
XXL	ASN00126



BLACK & PINK - LADY

SIZE	COD.
S	ASN00141
M	ASN00142
L	ASN00143
XL	ASN00144
XXL	ASN00145



OASI RASH GUARD LONG SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material

BLACK & BLUE
MAN

SIZE	COD.
S	ASN00102
M	ASN00103
L	ASN00104
XL	ASN00105
XXL	ASN00106

BLACK & PINK
LADY

SIZE	COD.
XS	ASN00131
S	ASN00132
M	ASN00133
L	ASN00134
XL	ASN00135



OASI RASH GUARD LONG SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material

WHITE & LIGHT BLUE BOY

SIZE	COD.
6 years	ASN00162
8 years	ASN00163
10 years	ASN00164
12 years	ASN00165

WHITE & PINK GIRL

SIZE	COD.
6 years	ASN00172
8 years	ASN00173
10 years	ASN00174
12 years	ASN00175



PONCHO

- Poncho impermeabile Salvimar
- Taglia unica
- Ampio cappuccio e tasche
- Realizzato con materiale a rapida asciugatura interna in spugna
- Materiale esterno waterproof/windproof

- Salvimar waterproof poncho
- One size fits all
- Large hood and pockets
- Made of quick-drying terrycloth material inside
- Waterproof/windproof outer material

COD.


ABB005




Materiale interno: spugna
Inside material: terrycloth



MAN



WOMAN



SPEARFISHING WETSUITS MAN

Spearfishing - Serie Krypsis 101 - N.A.T. 101 - Wet Drop Cell Plus - Comforty - Abyss

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
S	162/175	64/69	57/66	126/145	85/92	33/36
M	172/185	68/73	67/77	148/170	93/100	36/39
L	178/188	70/74	78/88	172/194	101/112	39/44
XL	182/193	72/76	85/95	187/209	110/120	43/47
XXL	185/196	73/77	93/110	205/242	115/125	45/49
XXXL	190/196	75/77	-	-	122/129	48/51

SPEARFISHING WETSUITS WOMAN

Scales Lady - Serie Sea Walker Lady

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
XS	150/163	59/64	46/53	101/117	78/83	31/33
S	162/172	64/68	54/61	119/134	83/90	33/35
M	165/175	65/69	60/67	132/148	88/95	35/37
L	167/177	66/70	65/72	143/159	94/99	37/39
XL	177/186	70/73	73/80	161/176	99/104	39/41
XXL	180/190	71/75	78/90	172/198	104/114	41/45

WATERSPORTS WETSUITS MAN

Zeero Thermo Evo - Apnea Rise - Serie Caribe - Swim Rise - Swim Pro - Swimmer Surf Shell - Aquatic - Oasi Rash Guard

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
S	162/172	64/68	60/66	132/145	90/95	35/37
M	167/177	66/70	67/74	148/163	95/99	37/39
L	173/187	68/74	75/82	165/181	98/105	39/41
XL	182/192	72/76	82/89	181/196	105/110	41/43
XXL	185/193	73/76	89/98	196/216	108/116	42/46
XXXL	190/196	75/77	-	-	122/129	48/51

WATERSPORTS WETSUITS WOMAN

Zeero Thermo Evo - Apnea Rise - Serie Caribe - Swim Rise - Swim Pro - Swimmer Surf Shell - Aquatic - Oasi Rash Guard

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
XS	145/160	57/63	46/53	101/117	78/83	31/33
S	160/168	63/66	54/61	119/134	83/90	32/35
M	165/177	65/70	60/67	132/148	88/95	35/37
L	170/185	67/73	65/72	143/159	94/99	37/39
XL	177/189	70/74	73/80	161/176	99/104	39/41
XXL	180/190	71/75	78/90	172/198	104/114	41/45

SCUBA DIVING WETSUITS MAN

Marina 5,0 / 7,0mm

SIZES	1) ALTEZZA/HEIGHT		3) TORACE/CHEST		4) VITA/WAIST		5) BACINO/HIP	
	cm	Inch	cm	Inch	cm.	Inch.	cm	Inch
S	165/171	64/67	95/102	37/40	76/82	30/32	91/98	36/38
M	170/176	67/69	100/107	39/42	79/87	31/34	95/103	37/40
L	175/181	68/71	104/111	41/44	84/91	33/36	100/107	39/42
XL	180/186	70/73	110/117	43/46	90/97	35/38	106/113	42/45
XXL	185/191	73/75	116/123	46/48	96/103	38/40	112/119	44/47
XXXL	190/196	75/77	122/129	48/51	102/109	40/43	118/125	46/49

SCUBA DIVING WETSUITS WOMAN

Marina 5,0 / 7,0mm

SIZES	1) ALTEZZA/HEIGHT		3) TORACE/CHEST		4) VITA/WAIST		5) BACINO/HIP	
	cm	Inch	cm	Inch	cm.	Inch.	cm	Inch
XS	154/160	61/63	83/90	33/35	68/75	27/30	91/98	36/39
S	159/165	63/65	88/95	35/37	72/79	28/31	95/102	37/40
M	164/170	65/67	93/100	37/39	76/83	30/33	99/106	39/42
L	169/175	67/69	98/105	39/41	80/87	32/34	103/110	41/43
XL	174/180	68/71	103/110	41/43	84/91	33/36	107/114	42/45
XXL	179/185	70/73	108/115	43/45	88/95	35/37	111/118	44/46

GLOVES
SOCKS



TENTACLE GLOVES



- Guanto performante super stretch, ottimo grip e comfort tattile unico
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico per un miglior movimento delle dita
- Spessore omogeneo garantito
- Comfort tattile unico
- Sistema di protezione del tessuto con trama lamellare in PU, per aumentare la resistenza all'abrasione senza rinunciare all'elasticità
- Fodera interna super elastica con trama tessuto con effetto "warm surface"
- Designed by Salvimar

- High performance glove super stretch, excellent grip and unique tactile comfort
- Tightly woven stitching with salt-resistant thread, ultra-resistant over time, compact and elastic for better finger movement.
- Homogeneous thickness guaranteed
- Unique tactile comfort for excellent grip sensitivity in all conditions.
- Fabric protection system with PU lamellar weave
- Super elastic inner lining with fabric texture with 'warm surface' effect.
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S	GUA001020
M	GUA001030
L	GUA001040
XL	GUA001050
XXL	GUA001060

THICKNESS 5,0mm

SIZE	COD.
S	GUA001120
M	GUA001130
L	GUA001140
XL	GUA001150
XXL	GUA001160

TENTACLE SOCKS



- Calzare elastico con ottimo grip sul plantare
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Sistema di protezione del tessuto con trama lamellare in PU, per aumentare la resistenza all'abrasione senza rinunciare all'elasticità
- Fodera interna super elastica con trama tessuto con effetto "warm surface"
- Designed by Salvimar

- Elastic shoe with excellent grip on the sole
- Tightly woven stitching with salt-resistant thread, ultra-resistant over time, compact and elastic
- Homogeneous thickness guaranteed
- Unique tactile comfort for excellent grip sensitivity in all conditions
- Fabric protection system with PU lamellar weave
- Super elastic inner lining with fabric texture with warm surface effect
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	CAL003020
M / 41-42	CAL003030
L / 43-44	CAL003040
XL / 45/46	CAL003050
XXL 47/49	CAL003060

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	CAL003120
M / 41-42	CAL003130
L / 43-44	CAL003140
XL / 45/46	CAL003150
XXL 47/49	CAL003160

DROP PLUS GLOVES



- Guanto performante con ottime caratteristiche di elasticità e comfort
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Materiale fodera interna: Nylon; Materiale fodera esterna: AQUASTRETCH
- Designed by Salvimar

- Performance glove with excellent elasticity and comfort characteristics
- Tightly weave stitching with saline-resistant thread, ultra-durable, compact and elastic
- Guaranteed homogeneous thickness
- Inner lining material: Nylon; Outer lining material: AQUASTRETCH
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S	GUA004020
M	GUA004030
L	GUA004040
XL	GUA004050
XXL	GUA004060

THICKNESS 5,0mm

SIZE	COD.
S	GUA004120
M	GUA004130
L	GUA004140
XL	GUA004150
XXL	GUA004160

DROP PLUS SOCKS



- Calzare performante con ottime caratteristiche di elasticità e comfort
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Materiale fodera interna: Nylon; Materiale fodera esterna: AQUASTRETCH
- Designed by Salvimar

- Performance socks with excellent elasticity and comfort characteristics
- Tightly weave stitching with saline-resistant thread, ultra-durable, compact and elastic
- Guaranteed homogeneous thickness
- Inner lining material: Nylon; Outer lining material: AQUASTRETCH
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	CAL004020
M / 41-42	CAL004030
L / 43-44	CAL004040
XL / 45/46	CAL004050
XXL 47/49	CAL004060

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	CAL004120
M / 41-42	CAL004130
L / 43-44	CAL004140
XL / 45/46	CAL004150
XXL 47/49	CAL004160

TACTILE GLOVES



- Guanti a tenuta stagna di nuova generazione
- Disponibili in spessori da 1.5mm, 3.0mm e 5.0mm
- Bandatura esterna in Heat Tape e neoprene CR Foam
- Tessuti in Ultra Stretch/Aqua-Stretch per massimo comfort e percezione tattile

- New generation of watertight gloves
- Thickness 1.5mm, 3.0mm e 5.0mm
- External banding in Heat Tape and neoprene CR Foam
- Ultra Stretch/Aqua-Stretch fabric



THICKNESS 1,5mm

SIZE	COD.
S / 7	200481A
M / 8	200481B
L / 9	200481C
XL / 10	200481D
XXL / 11	200481E

THICKNESS 3,0mm

SIZE	COD.
S / 7	200483A
M / 8	200483B
L / 9	200483C
XL / 10	200483D
XXL / 11	200483E

THICKNESS 5,0mm

SIZE	COD.
S / 7	200485A
M / 8	200485B
L / 9	200485C
XL / 10	200485D
XXL / 11	200485E

TACTILE SOCKS



- Calzari a tenuta stagna di nuova generazione
- Disponibili in spessori da 1.5mm, 3.0mm e 5.0mm
- Bandatura esterna in Heat Tape, suola protettiva e tessuto in nylon stretch
- Nuova forma anatomica per massimo comfort e protezione

- New generation of watertight socks
- Thickness 1.5mm, 3.0mm e 5.0mm
- External banding in Heat Tape and neoprene CR Foam
- Nylon Stretch fabric



THICKNESS 1,5mm

SIZE	COD.
S / 38-40	200581A
M / 41-42	200581B
L / 43-44	200581C
XL / 45/46	200581D
XXL 47/49	200581E

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	200583A
M / 41-42	200583B
L / 43-44	200583C
XL / 45/46	200583D
XXL 47/49	200583E

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	200585A
M / 41-42	200585B
L / 43-44	200585C
XL / 45/46	200585D
XXL 47/49	200585E

NEW SKINWIND35 GLOVES & SOCKS



- Guanti ergonomici con superficie liscia esternamente
- Materiale interno Ultrastretch
- Il neoprene liscio esterno garantisce una rapida asciugatura
- Palmo rinforzato con materiale antiabrasione
- Ergonomic gloves with smooth outer surface
- Ultrastretch inner material
- Smooth outer neoprene ensures quick drying
- Reinforced palm with abrasion resistant material

THICKNESS 3,5mm

SIZE	COD.
S / 7	200490A
M / 8	200490B
L / 9	200490C
XL / 10	200490D
XXL / 11	200490E

- Calzari ergonomici
- Materiale interno Ultrastretch
- Il neoprene liscio esterno garantisce una rapida asciugatura
- Pianta rinforzata in materiale antiabrasione
- Ergonomic socks
- Ultrastretch inner material
- Smooth outer neoprene ensures quick drying
- Reinforced sole made of abrasion-resistant material

THICKNESS 3,5mm

SIZE	COD.
S / 38-40	200590A
M / 41-42	200590B
L / 43-44	200590C
XL / 45-46	200590D
XXL / 47-49	200590E

DYMAX GLOVES



- Tessuto in filo continuo in Dy-max
- Nuovo robusto palmo in nitrile
- Polsino rinforzato
- The use of continuous thread of Dy-max line
- New robust palm impregnated in nitrile
- Tightest cuff

THICKNESS 0,8mm

SIZE	COD.
S / 7	200400
M / 8	200401
L / 9	200402
XL / 10	200403
XXL / 11	200404

FIT PRO SOCKS

2,0mm
FLAT LOCK stitching



4,0mm
GBS stitching

- Calzare sistema Fitting Pro con calzata differenziata Destro/Sinistro
- Zona frontale in tessuto super elastico evidenziato
- Suola in neoprene rinforzata con sistema Honey Comb PU
- Parte superiore del frontale dita in Supratex anti-abrasione
- Sistema di cucitura GBS con incollaggio e doppia cucitura

THICKNESS 2,0mm

SIZE	COD.
S / 38-40	200520A
M / 41-42	200520B
L / 43-44	200520C
XL / 45-46	200520D
XXL 47/49	200520E

- Socks with Fitting Pro system right left fit
- Front area with super elastic fabric
- Reinforced neoprene sole with Honey Comb PU system
- Abrasion resistant Supratex toe upper front area
- GBS stitching system with gluing and double stitching

THICKNESS 4,0mm

SIZE	COD.
S / 38-40	200521A
M / 41-42	200521B
L / 43-44	200521C
XL / 45-46	200521D
XXL 47/49	200521E

KRYPSIS GLOVES



GLOVES

- Potere termico elevato
- Super elastico
- Ottima vestibilità
- Palmo esterno con rinforzo

- High thermal power
- Super elastic
- excellent fit
- Reinforced palm outside
- Kryptis camo

KRYPSIS GLOVES
THICKNESS 3,0mm

SIZE	COD.
S / 7	200470A
M / 8	200470B
L / 9	200470C
XL / 10	200470D
XXL / 11	200470E

KRYPSIS GLOVES
THICKNESS 5,0mm

SIZE	COD.
S / 7	200475A
M / 8	200475B
L / 9	200475C
XL / 10	200475D
XXL / 11	200475E

KRYPSIS SOCKS



SOCKS

- Potere termico elevato
- Super elastico
- Plantare esterno allungato con rinforzo
- Open cell

- High thermal power
- Super elastic
- Elongated outer footbed with reinforcement
- Open cell

KRYPSIS SOCKS
THICKNESS 3,5mm

SIZE	COD.
S / 38-40	200560A
M / 41-42	200560B
L / 43-44	200560C
XL / 45-46	200560D
XXL 47/49	200560E

KRYPSIS SOCKS
THICKNESS 5,5mm

SIZE	COD.
S / 38-40	200565A
M / 41-42	200565B
L / 43-44	200565C
XL / 45-46	200565D
XXL 47/49	200565E

CASPER SOCKS



- Calzare corto con profilo destro e sinistro
- Parte anteriore in tessuto super elastico UT
- Suola rinforzata e antiscivolo in PU dots con disegno Honey Comb
- Puntale in Supratex per una migliore protezione e resistenza
- Cuciture passanti Flat-Lock a doppio filo rinforzato


- Short boot with right and left profile
- Front of foot made of UT super elastic fabric
- Reinforced, non-slip PU dots sole with Honey Comb design
- Supratex toe cap for better protection and added resistance
- Double-thread reinforced Flat-Lock pass-through seams.

THICKNESS 2,0mm

SIZE	COD.
S / 38-40	CAL00220
M / 41-42	CAL00230
L / 43-44	CAL00240
XL / 45-46	CAL00250
XXL 47/49	CAL00260

GLOVES & SOCKS SIZES

SALVIMAR BUYER'S GUIDE 2027




TAGLIE INDICATIVE:

S: adatta a donne con mani piccole.
M: adatta a donne o uomini con mani di dimensioni ridotte.
L / XL: adatta agli uomini.

APPROXIMATE SIZES:

S is suitable for women with small hands
M is suitable for women or men with smaller hands
L / XL for men

SIZE	S	M	L	XL
Lunghezza/Long	25cm	26cm	27cm	28cm
Larghezza/Wide	9cm	9,5cm	10cm	10,5cm



SUGGERIMENTO PER TROVARE LA TAGLIA:

Usa un righello per misurare la lunghezza dal tallone all'alluce e la tabella per determinare la tua taglia.

TIP TO GET THE SHOE SIZE:

Use a ruler to measure the heel to toe length and the chart to determine your shoe size.

SIZE	S	M	L	XL	XXL
Lunghezza/Long	24,6/25,4cm	26,2/27,1cm	27,9/28,8cm	28,8/29,6cm	30,5-->
Misura/Size EU	38/40	41/42	43/44	46/46	47/49
Misura/Size US MEN	7/8	9/10	11/12	12/13	14/14+
Misura/Size US LADY	8/9	10/11	12/13	13/14	14+

MARINA GLOVES



- Realizzati in Neoprene Jako con fodera esterna in black lycra superelastica per una perfetta aderenza alla mano e massima libertà di movimento
- Fodera interna in tessuto Acqua Stretch: elevato comfort, ottima elasticità unita ad un'asciugatura rapida dopo l'uso
- Protezione sul palmo con grip antiscivolo abbinato ad un ottimale comfort tattile
- Taglio anatomico preformato a palmo aperto: garantisce una vestibilità naturale e riduce l'affaticamento della mano
- Made of Jako neoprene with an outer lining in super-stretch black lycra for a perfect fit and maximum freedom of movement
- Inner lining in Acqua Stretch fabric: high comfort, excellent elasticity and quick drying after use
- Palm protection with non-slip grip and excellent tactile comfort
- Anatomical preformed open-palm cut: ensures a natural fit and reduces hand fatigue



THICKNESS 3,0mm

SIZE	COD.
XS	GUA005000
S	GUA005010
M	GUA005020
L	GUA005030
XL	GUA005040
XXL	GUA005050

THICKNESS 5,0mm


SIZE	COD.
XS	GUA005100
S	GUA005110
M	GUA005120
L	GUA005130
XL	GUA005140
XXL	GUA005150

MARINA BOOTS



- Suola antiscivolo in gomma vulcanizzata, ideale per muoversi su superfici sconnesse anche con attrezzatura indossata
- Talloniera preformata per una perfetta compatibilità con pinne a scarpetta aperta
- Rinforzi in gomma antiscivolo su punta e collo per maggiore protezione e durata
- Cerniera laterale interna con soffietto impermeabile, facilita la calzatura e limita le infiltrazioni

- Vulcanized rubber anti-slip sole, ideal for moving on uneven surfaces even with gear on
- Preformed heel for perfect compatibility with open-heel fins
- Non-slip rubber reinforcements on toe and instep for greater protection and durability
- Inner side zipper with waterproof gusset, facilitates donning and limits water intrusion



THICKNESS 5,0mm

SIZE	COD.
35/36	CALD0010
36/37	CALD0011
38/39	CALD0012
40/41	CALD0013
42/43	CALD0014
43/44	CALD0015
44/45	CALD0016
45/46	CALD0017
46/47	CALD0018

SUPERIOR HOOD




- Neoprene Jako con fodera esterna in lycra superelastica per un perfetto fitting
- Fodera interna in tessuto Acqua Stretch: comfort elevato ed eccellente elasticità
- Zona viso e collo in Smooth Skin per una tenuta stagna efficace
- Struttura a doppia camera con fori di scarico nella parte superiore per il rilascio controllato dell'aria in eccesso
- Taglio anatomico per migliorare il comfort e ridurre l'affaticamento cervicale
- Jako neoprene with outer lining in super-stretch lycra for a perfect fit
- Inner lining in Acqua Stretch fabric: high comfort and excellent elasticity
- Face and neck area in Smooth Skin for effective watertight sealing
- Double-layer structure with exhaust holes on top for controlled release of trapped air
- Anatomical cut to enhance comfort and reduce neck fatigue
- Designed for use with wetsuits without an integrated hood

THICKNESS 3,0mm

SIZE	COD.
S	ADNEO0030
M	ADNEO0031
L	ADNEO0032
XL	ADNEO0033

THICKNESS 5,0mm

SIZE	COD.
S	ADNEO0040
M	ADNEO0041
L	ADNEO0042
XL	ADNEO0043

TABELLA TAGLIE CAPPuccio
HOOD SIZE


SIZE	S	M	L	XL
1- Circonferenza Circumference	39,2 cm 15,4 inch	41,6 cm 16,4 inch	44,3 cm 17,4 inch	46,8 cm 18,4 inch
2- Lunghezza Length/Wide	55 cm 21,7 inch	57,3 cm 22,6 inch	59,9 cm 23,6 inch	62,5 cm 24,6 inch

TABELLE TAGLIE DA USARE SOLO COME RIFERIMENTO
TO BE USED AS A REFERENCE ONLY

KRYPSIS BACKPACK



LEAD ANKLE
PAG. 129



- Schienale ergonomico, spallacci in neoprene per il massimo comfort
- Nuove tasche porta piombi per un'ottima distribuzione dei pesi
- 6kg di cui n° 4 posteriori in linea e n° 2 anterior
- Ergonomic BACKPACK, neoprene shoulder straps for extreme comfort
- New optimal weight distribution
- 6kg of which 4 rear in line and 2 front

SIZE	COD.
M - L	200318B
XL - XXL	200318C

DROP BACKPACK



- Schienale ergonomico
- Materiale spallacci: Neoprene
- Peso: 6 kg
- Ergonomic backpack
- Shoulder strap material: Neoprene
- Weight: 6 kg.

SIZE	COD.
S - M	200310
L - XL	200312
XL - XXL	200315

BERMUDA



- Bermuda a vita alta
- Taglio: Preformato
- High-waisted Bermuda Shorts
- Cut: Preformed

THICKNESS 2,5mm

SIZE	COD.
M	200240
L	200241
XL	200242
XXL	200243

P.CHANNEL



- Materiale: Neoprene spaccato
- Spessore: 3,5 mm
- Estremamente elastico

- Material: split neoprene
- Thickness: 3.5 mm
- Extremely elastic

THICKNESS 2,5mm

COD.

BLACK ACNE00010

PIT STOP CR TROUSERS



- Pantalone con pissette assemblata
- Materiale esterno:
Fodera in nylon super elastico
- Materiale interno:
Neoprene spaccato
Q-FOAM open cell
- Cuciture:
Sistema GBS waterproof

- Pant with set up pissette
- Outer material:
Super stretch Nylon lining
- Inner material:
Q-FOAM Open cell
Neoprene
- Seams GBS waterproof system

THICKNESS 5,5mm

SIZE

COD.

S MUT001020

M MUT001030

L MUT001040

XL MUT001050

XXL MUT001060

PLASTIC SNAP BUTTON



- Clip di chiusura muta
3,5 - 5,5 - 7,0mm
- Sgancio rapido
- Viti di fissaggio in acciaio inox

- Wetsuit fastening clips
3.5 - 5.5 - 7.0mm
- Quick release
- Stainless steel fixing screws

PAIR

COD.

n° 1

200100

MASTICE PER MUTE
WETSUITS REPAIR GLUE

- Mastice per riparazioni mute - 30gr
- Wetsuit repair glue - 30gr

SUGGESTED PACK
15pz.

COD.

400600



SPEEDER Line

La pinna Speeder è frutto di un attento lavoro di ricerca sulla dinamica del movimento. L'innovativa scarpetta è rinforzata con una soletta rigida posta sotto la pianta del piede, questo consente un trasferimento di energia ottimale durante la pinneggiata. Angolo di 29 gradi, soletta rigida e longheroni laterali che girano sotto la pianta del piede conferiscono alla scarpetta una struttura meccanica senza uguali ma soprattutto la possibilità di utilizzare gomme anche molto morbide per un comfort eccezionale. Durante la fase di sviluppo oltre ad aver prestato particolare attenzione alle caratteristiche dei due componenti che costituiscono una pinna, scarpetta e pala, abbiamo implementato l'interazione fra di essi attraverso il perfezionamento del sistema di innesto, migliorando di fatto la funzionalità complessiva del prodotto.

The Speeder fin is the result of a careful research into the dynamics of movement. The innovative foot pocket is reinforced with a rigid insole placed under the sole of the foot; this allows optimal energy transfer during finning. 29-degree angle, rigid insole and side spars that turn under the sole of the foot give the foot pocket an unparalleled mechanical structure but above all the possibility of using even very soft rubbers for exceptional comfort. During the development phase, in addition to paying particular attention to the characteristics of the two components that make up a fin, foot pocket and blade, we implemented the interaction between them through the improvement of the coupling system, effectively improving the overall functionality of the product.

■ ■ SPEEDER

- Scarpetta rinforzata con soletta rigida sotto la pianta del piede
- Pala in polipropilene angolo 29 gradi
- Spessore differenziato della pala: 3,5 mm al tallone, 1,8 mm alla punta
- Pinneggiata con trasferimento di energia ottimale
- Scarpetta morbida per comfort eccellente

- Reinforced footpocket with rigid insole placed under the sole of the foot
- Polypropylene blade 29 degree angle
- Differentiated thickness blade: 3,5 mm heel, 1,8 mm toe
- Finning with optimal energy transfer
- Soft foot pocket for excellent comfort



SPEEDER

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN01039
41/42	8/8½	PIN01041
43/44	9½/10	PIN01043
45/46	11/12	PIN01045



SUGGESTED PACK

3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER	2pz	PPIN011

■ ■ SPEEDER CARBO

- Materiale: Fibra di carbonio TW-K03 Pre-Peg
- Processo di produzione: Realizzato in autoclave
- Modulo elastico: Elevato
- Struttura: Spessore differenziato per ottimizzare flessione e spinta
- Grazie al carbonio, offre una migliore resa a parità di sforzo applicato

- Material: Carbon fibre TW-K03 Pre-Peg
- Production process: Made in autoclave:
- Elastic modulus: High
- Structure: Differentiated thickness to optimize bending and thrust
- Thanks to carbon, it offers a better performance with the same effort applied



SPEEDER CARBO

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN02039
41/42	8/8½	PIN02041
43/44	9½/10	PIN02043
45/46	11/12	PIN02045



SUGGESTED PACK

3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER CARBO	2pz	PPIN021

SPEEDER HD Line

La pinna SpeederHD è pensata per apneisti più allenati, grazie alla combinazione di scarpetta strutturata e pala rigida. La soletta rigida sotto il piede migliora il trasferimento di energia durante la pinneggiata. L'angolo di 29°, i longheroni laterali e il sistema di innesto ottimizzato garantiscono comfort elevato, ottima reattività e massima efficienza.

The SpeederHD fin is designed for more trained divers, thanks to the combination of a structured foot pocket and a rigid blade. The rigid insole under the foot improves energy transfer during finning. The 29° angle, side rails and optimized coupling system ensure high comfort, excellent responsiveness and maximum efficiency.

■ ■ SPEEDER CARBO HD

- Materiale: Fibra di carbonio TW-K03 Pre-Peg
- Processo di produzione: Realizzato in autoclave
- Modulo elastico: Elevatissimo
- Struttura: Spessore differenziato per ottimizzare flessione e spinta
- Grazie al carbonio, offre una migliore resa a parità di sforzo applicato
- Scarpetta in elastomero ultra reattivo

- Material: Carbon fibre TW-K03 Pre-Peg
- Production process: Made in autoclave:
- Elastic modulus: very high
- Structure: Differentiated thickness to optimize bending and thrust
- Thanks to carbon, it offers a better performance with the same effort applied
- Ultra-responsive elastomer foot pocket



SPEEDER CARBO HD

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN02539
41/42	8/8½	PIN02541
43/44	9½/10	PIN02543
45/46	11/12	PIN02545



SUGGESTED PACK

3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER CARBO HD	2pz	PPIN027



FIBRA 151

- Scarpetta/pala angolo inclinato a 29°
- Materiale della pala: fibra di vetro
- La scarpetta è realizzata in gomma naturale 55 shore
- Spessori differenziati nella pala

- Footpocket blade angle 29 degrees
- Material: Fiber
- Construction: Blade with different thickness
- Footpocket material: natural rubber 55 shore



TURN 151

- Scarpetta/pala angolo inclinato a 29°
- Materiale della pala: Polipropilene
- Materiale della scarpetta: gomma naturale con una durezza di 55 shore
- Spessori differenziati nella pala per migliorare la risposta elastica

- Footpocket blade angle 29 degrees
- Material: Polypropylene
- Construction: Blade with different thickness
- Footpocket material: natural rubber 55 shore



FIBRA 151

SIZE EU	SIZE US	COD.
38/40	5½/7	000093A
41/42	8/8½	000093B
43/44	9½/10	000093C
45/46	11/12	000093D
47/49	13/14	000093E



SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
FIBRA 151	1pz	000093

BLACK TURN 151

SIZE EU	SIZE US	COD.
38/40	5½/7	600100A
41/42	8/8½	600100B
43/44	9½/10	600100C
45/46	11/12	600100D
47/49	13/14	600100E



SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
TURN151 BLADE	1pz	600100

REACT

- Pala amovibile in polipropilene
- Scarpetta realizzata in elastomero termoplastico
- Canalizzazione dell'acqua controllata per ottimizzare la spinta
- Terminale idrodinamico sulla pala per ridurre la resistenza
- Modular freediving fin with polypropylene interchangeable blade
- Foot pocket made from thermoplastic elastomer
- Controlled water channeling
- Blade with hydrodynamic terminal



SUGGESTED PACK
4pz.

REACT

SIZE EU	SIZE US	COD.
36/37	4/ 4½	600106/Y
38/39	5½/7	600106/Z
40/41	8/8½	600106/A
42/43	9½/10	600106/B
44/45	11/12	600106/C
46/47	13/14	600106/D

BLADE SPARE PARTS

MODEL	PACK	COD.
REACT BLADE	1pz	600206



COME SCEGLIERE LA MISURA DELLA SCARPETTA

HOW TO CHOOSE THE SIZE OF THE FOOT POCKET




- 1** Indossa il calzare dello spessore desiderato, appoggia il tallone alla parete e posa il piede sul foglio
Wear the sock of the desired thickness, lean your heel against the wall and place your foot on the sheet

- 2** Misura il disegno dal tallone al dito più lungo
Measure the design from the heel to the longest toe

- 3** Segna la lunghezza e la larghezza della pianta del piede
Mark the length and width of the sole of the foot

- 4** Confronta le misure con la tabella di riferimento sotto riportata e scegli la scarpetta corrispondente
Compare the measurements with the reference table below and choose the corresponding foot pocket

4



GUIDA ALLE TAGLIE/ SHOE SIZE

LENGTH	WIDTH	EU	UK	USA
26,7 cm	9,9 cm	39/40	6	7
28,1 cm	10,3 cm	41/42	7/8	8/9
29,5 cm	10,7 cm	43/44	9/10	10/11
30,9 cm	11,1 cm	45/46	11/12	12/13

FOOTPOCKET SPEEDER - 55 SHORE



- Migliorie sull'idrodinamica e l'efficienza del movimento
- Clip rigide costampate per connessione solida scarpetta-pala
- Soletta in polipropilene per rigidità e leggerezza
- Ottimizzazione peso e resistenza
- Design leggero senza compromettere la robustezza
- Parte anteriore chiusa per protezione delle dita
- Materiale: elastomero termoplastico 55 shore

- Maximum efficiency with every movement
- Co-moulded spare clips for a strong connection with the footpocket
- Co-moulded rigid insole
- Differentiated thickness footpocket -Light design without losing robustness
- Closed front piece to protect the toes
- Material: 55 Shore thermoplastic elastomer

BLADE SPARE PARTS: PLASTIC and CARBOON



MODEL	PACK	COD.
KIT FIXING PLASTIC BLADES	1pz	ACPIN050
KIT FIXING CARBOON	1pz	ACPIN060

SIZE EU	SIZE US	COD.
39/40	7/8	SPIN01039
41/42	9/10	SPIN01041
43/44	11/12	SPIN01043
45/46	13	SPIN01045


FOOTPOCKET SPEEDER MILITARY GREEN - 65 SHORE



- Migliorie sull'idrodinamica e l'efficienza del movimento
- Clip rigide costampate per connessione solida scarpetta-pala
- Soletta in polipropilene per rigidità e leggerezza
- Ottimizzazione peso e resistenza
- Design leggero senza compromettere la robustezza
- Parte anteriore chiusa per protezione delle dita
- Materiale: elastomero termoplastico 65 shore

- Maximum efficiency with every movement
- Co-moulded spare clips for a strong connection with the footpocket
- Co-moulded rigid insole
- Differentiated thickness footpocket -Light design without losing robustness
- Closed front piece to protect the toes
- Material: 65 Shore thermoplastic elastomer


BLADE SPARE PARTS: PLASTIC and CARBOON



MODEL	PACK	COD.
KIT FIXING PLASTIC BLADES	2pz	ACPIN050
KIT FIXING CARBOON	2pz	ACPIN060

SIZE EU	SIZE US	COD.
39/40	7/8	SPIN01539
41/42	9/10	SPIN01541
43/44	11/12	SPIN01543
45/46	13	SPIN01545

K-REINFORCED



- Scarpetta in gomma naturale con durezza Shore 55
- Design ottimizzato per garantire il massimo comfort e un'elevata resistenza
- Clip co-stampate per un fissaggio saldo alla pala
- Kit di fissaggio incluso

- Natural rubber foot pocket with a Shore 55 hardness
- Optimized design for maximum comfort and high durability
- Co-moulded clips for a secure connection to the blade
- Attachment kit included

BLADE SPARE PARTS



MODEL	PACK	COD.
BLADES FIXING KIT	1pz	AQ050

SIZE EU	SIZE US	COD.
38/40	5½/7	AQ005C
41/42	8/8½	AQ007C
43/44	9½/10	AQ009C
45/46	11/12	AQ011C
47/49	13/14	AQ013C

DIVE IN. BREATHE. EXPLORE.

TUFFATI. RESPIRA. ESPLORA.

SALVIMAR

FOR SNORKELING

NOBILIS

- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.



NOBILIS Blue

SIZE	COD.
34/35	WB0400/34BL
36/37	WB0400/36BL
38/39	WB0400/38BL
40/41	WB0400/40BL
42/43	WB0400/42BL
44/45	WB0400/44BL
46/47	WB0400/46BL



NOBILIS Black

SIZE	COD.
34/35	000099A
36/37	000099B
38/39	000099C
40/41	000099D
42/43	000099E
44/45	000099F
46/47	000099G



SUGGESTED PACK

6pz.

WATERSPORTS

TRAINING



- Pinna corta per il nuoto
- Pala reattiva e leggera
- Scarpetta: Thermoflex
- Short fin, specifically designed for swimming
- Reactive and light blade for quick strokes
- Footpocket: Thermoflex




SIZE	COD.
34/35	000096A
36/37	000096B
38/39	000096C
40/41	000096D
42/43	000096E
44/45	000096F
46/47	000096G



SUGGESTED PACK

6pz.

SCUBA DIVING . SPEARFISHING . SNORKELING MASKS






DRAKE DUAL ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG

>> Pag. 161 Lenti graduate Anti Fog - Anti Fog optical lenses



180 gr.



SUGGESTED PACK
12pz.



PACKAGING:
reusable plastic case



- Trattamento Salvimar Anti Fog integrato

- Doppia lente in vetro temperato
- Sostituzione lenti facilitata: sistema a clip con vite a brugola (chiave brugola in dotazione)
- Disponibili lenti ottiche (vendute separatamente) Anti Fog da -1 a -4 diottrie: esclusiva Salvimar che abbina per la prima volta correzione visiva e protezione anti-appannamento integrata nel vetro
- Telaio costampato al facciale in silicone anallergico ultra-morbido per eccellente aderenza e comfort
- Ampio campo visivo
- Doppia opzione di fissaggio: fascia elastica hair band design (non tira i capelli) oppure cinghiolo in silicone regolabile
- Versatile nell'uso: sviluppata per la subacquea ricreativa ma adatta anche allo snorkeling
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Dual tempered glass lenses
- Easy lens replacement: clip-and-screw system with hex key (hex key included)
- Anti-fog corrective lenses are available separately in prescriptions from -1 to -4 dioptres: a Salvimar exclusive that combines vision correction with anti-fog protection integrated directly into the lens for the first time
- Frame co-molded with ultra-soft hypoallergenic silicone skirt for excellent facial sealing and comfort
- Wide field of view
- Dual fastening option: hair band design elastic strap (no hair pulling) or adjustable silicone strap
- Versatile use: designed for recreational diving but also suitable for snorkeling
- Design and Technical Concept made in Salvimar



DRAKE DUAL ANTI FOG **SHINING GREY**



DRAKE DUAL ANTI FOG **BLACK - WHITE**



DRAKE DUAL ANTI FOG **SHINING BLUE**




	COD.	COLOR	STRAP
NEW	MS0030	BLACK	Black Silicone Strap
NEW	MS0040	BLACK - WHITE	Black Elastic Strap
NEW	MS0031	SHINING GREY	Black Silicone Strap
NEW	MS0032	SHINING BLUE	Black Silicone Strap

DRAKE ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



190 gr.



SUGGESTED PACK
12pz.



PACKAGING:
reusable plastic case



- Trattamento Salvimar Anti Fog integrato

- Monolente lente in vetro temperato
- Design monovetro "Frameless" con facciale in silicone costampato direttamente sulla lente in vetro temperato
- Ampio campo visivo per una visione panoramica ottimale
- Silicone anallergico e ultra-morbido per un'eccellente aderenza al viso
- Doppia opzione di fissaggio: versione con fascia elastica oppure cinghiolo in silicone regolabile
- Versatile nell'uso: sviluppata per la subacquea ricreativa ma adatta anche allo snorkeling
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Monocular tempered glass lens
- Frameless single-lens design with hypoallergenic silicone skirt co-molded directly onto the tempered glass
- Wide field of view for optimal panoramic vision
- Ultra-soft, hypoallergenic silicone for excellent facial sealing and comfort
- Dual fastening option: elastic strap or adjustable silicone strap version
- Versatile use: designed for recreational diving but also suitable for snorkeling
- Design e Technical Concept made in Salvimar


DRAKE ANTI FOG **GREY**DRAKE ANTI FOG **SHINING BLU**DRAKE ANTI FOG **WHITE**

COD.	COLOR	STRAP
MS0010	BLACK	Black Silicone Strap
MS0020	BLACK	Black Elastic Strap
MS0011	SHINING BLU	Shining Blu Silicone Strap
MS0021	SHINING BLU	Shining Blu Elastic Strap
MS0012	GREY	Grey Silicone Strap
MS0022	GREY	Grey Elastic Strap
MS0013	WHITE	White Silicone Strap
MS0023	WHITE	White Elastic Strap

NEO ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



170 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Trattamento Salvimar Anti Fog integrato**

- Monolente lente in vetro temperato
- Tecnologia co-stampaggio
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- **Integrated Salvimar anti-fog treatment**

- Monocular tempered glass lenses
- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Adjustable buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



BLACK



MILITARY GREEN



SHINING BLU



PETROL



WHITE



AQUAMARINE




PURPLE

COD.	COLOR
7300BAF	BLACK
7300GAF	MILITARY GREEN
7300SAF	SHINING BLU
SN051AF	PETROL
SN050AF	WHITE
SN053AF	AQUAMARINE
SN054AF	PURPLE

ENDLESS ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



160 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- Trattamento Salvimar Anti Fog integrato

- Monolente lente in vetro temperato
- Maschera di concezione Frameless
- Ridotto volume interno
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone ipoallergenico
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Monocular tempered glass lenses
- Co-molding technology
- Wide filed of view
- 3D comfort preformed nose
- Buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Tecnical Concept made in Salvimar



SHINING BLU



BLACK




PINK

COD.	COLOR
7200BBAF	BLACK
SN062AF	SHINING BLU
SN061AF	PINK

MORPHEUS ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



150 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

>> Pag. 161 Lenti graduate Anti Fog - Anti Fog optical lenses

- **Trattamento Salvimar Anti Fog integrato**

- Doppia lente in vetro temperato
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvimar

- **Integrated Salvimar anti-fog treatment**

- Dual tempered glass lenses
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvimar



BLACK - BLACK



BLACK - GREEN



BLACK - BLUE



BLACK - YELLOW



SHINING BLUE



PETROL - YELLOW



CLEAR - BLUE



CLEAR - BLACK



CLEAR - LIGHT BLUE

COD.	COLOR
7400BBAF	BLACK - BLACK
7400BGAF	BLACK - GREEN
000060BBAF	BLACK - BLUE
000060BYAF	BLACK - YELLOW
000060SBAF	SHINING BLU
000060PYAF	PETROL - YELLOW
000060BLAF	CLEAR - BLUE
000060CBAF	CLEAR - BLACK
000060CAAF	CLEAR - LIGHT BLUE

MORPHEUS MID ANTI FOG



BLACK - BLACK

Versione con fibbia in nylon regolabile
Version with adjustable nylon buckle




T. - PETROL / YELLOW



T. - AQUAMARINE / CLEAR

Versione con fascia elastica regolabile
Version with adjustable elastic band

HYDROPHOBIC
GLASS
ANTI
FOG



140 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Trattamento Salvimar Anti Fog integrato**
- Doppia lente in vetro temperato
- Facciale in 100% silicone anallergico
- Vetro temperato
- Design e Technical Concept made in Salvimar


- **Integrated Salvimar anti-fog treatment**
- Dual tempered glass lenses
- 100% hypoallergenic silicone skirt
- Tempered glass
- Design and Technical Concept made in Salvimar

COD.	COLOR
SN080AF	BLACK
SN082AF	TRANSP. - PETROL/YELLOW
SN083AF	TRANSP. - AQUAMARINE/CLEAR

TRINITY ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



172 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

>> Pag. 161 Lenti graduate Anti Fog - Anti Fog optical lenses

- **Trattamento Salvimar Anti Fog integrato**

- Doppia lente in vetro temperato
- Maschera in silicone con attacco Action Cam integrato
- Vetro temperato
- Silicone anallergico di alta qualità
- Volume interno ridotto
- Design e Technical Concept made in Salvimar

- **Integrated Salvimar anti-fog treatment**

- Dual tempered glass lenses
- Silicone mask with integrated Action Cam attachment
- Tempered glass
- High quality hypoallergenic silicone
- Low volume inside
- Design and Technical Concept made in Salvimar



BLACK - BLACK


COD.

7500BBAF

COLOR

BLACK - BLACK

HATHOR ANTI FOG



138 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

- Trattamento Salvimar Anti Fog integrato

- Doppia lente in vetro temperato
- Maschera per Pesca e Apnea con volume interno ridotto ed ampio campo visivo
- Fibbia in nylon regolabile con fissaggio millimetrico del cinturino
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Dual tempered glass lenses
- Low-volume spearfishing and freediving mask with a wide field of view
- Adjustable buckle with micrometrically adjustable strap attachment
- Matte inner silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



BLACK

COD.

7800BAF


COLOR

BLACK

NOAH ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



140 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Trattamento Salvimar Anti Fog integrato**
- Doppia lente in vetro temperato
- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio millimetrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- **Integrated Salvimar anti-fog treatment**
- Dual tempered glass lenses
- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



BLACK - BLACK



BLACK - ACID GREEN



BLACK - MILITARY GREEN



GREEN - BLACK



SHINING BLU - GREY

COD.	COLOR
7000BBAF	BLACK - BLACK
000053GAF	BLACK - ACID GREEN
7000BGAF	BLACK - MILITARY GREEN
7000GBAF	GREEN - BLACK
7000SGAF	SHINING BLUE - GREY



HYDROPHOBIC
GLASS
ANTI
FOG

MASK: NOAH ANTI FOG
WETSUIT: KRYPIS OCEAN 101
GLOVES: TACTILE 1,5MM
ARBALETE: HERO STORM

YOUR WAY. YOUR SPEARFISHING.

IL TUO STILE. LA TUA PESCA IN APNEA.


SALVIMAR

FOR SPEARFISHING

NOAH COMFORT FIT ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



140 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- Trattamento Salvimar Anti Fog integrato

- Doppia lente in vetro temperato
- Maschera con volume interno ridotto, ampio campo visivo
- Telaio realizzato tramite costampaggio integrato
- Fibbia regolabile con sistema di regolazione a scatti di precisione
- Finitura interna opaca anti riflesso
- Facciale 100% silicone anallergico
- Superficie di contatto ampliata per una migliore adattabilità a diverse conformazioni del viso
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Dual tempered glass lenses
- Low-volume mask with wide panoramic field of view
- One-piece frame made with integrated co-molding process
- Adjustable buckle with precision step-by-step regulation system
- Matte anti-reflective interior finish
- Skirt made of 100% hypoallergenic silicone
- Enlarged contact surface for better adaptability to different facial shapes
- Design and technical concept by Salvimar



BLACK - BLACK



SHINING BLU - GREY

COD.

COLOR

7100BB

BLACK - BLACK

7100SB

SHINING BLU - GREY

GOBLIN ANTI FOG


- Trattamento Salvimar Anti Fog integrato

- Doppia lente in vetro temperato
- Maschera realizzata con tecnologia MonoShell: costampaggio a 2 fasi di lenti, telaio in nylon e facciale in silicone
- Scelta dei materiali di alta qualità: silicone anallergico vetro temperato 3mm, nylon caricato vetro
- Ampio campo visivo
- 100% silicone anallergico
- Maschera a volume ridotto
- Ampio campo visivo
- Compensazione agevolata grazie all'ergonomia del naso.
- Cinghiolo regolabile tramite fissaggio millimetrico della fibbia
- Il Cinghiolo è dotato di un apertura posteriore che permette il fissaggio del boccaglio, riduce le vibrazioni della discesa e risalita

- Integrated Salvimar anti-fog treatment

- Dual tempered glass lenses
- Mask made with MonoShell technology: 2-phase co-molding of lenses, nylon frame and silicone facepiece
- Choice of high-quality materials: hypo-allergenic silicone 3mm tempered glass
- glass-filled nylon
- 100% hypoallergenic silicone
- Volume-reduced mask
- Wide field of view
- Easier compensation due to ergonomic nose.
- Adjustable strap via millimeter buckle attachment
- The rear part of the strap is enlarged to enable the mask to have a good seal



160 gr.


SUGGESTED PACK
12pz.


PACKAGING: Blister box



BLACK

COD.

7600BAF


COLOR

BLACK

OASIS ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



180 gr.



SUGGESTED PACK
12pz.



PACKAGING: Blister box

- Trattamento Salvimar Anti Fog integrato

- Ampia lente monovetro in vetro temperato per un campo visivo panoramico e privo di distorsioni
- Robusto telaio assemblato su facciale in silicone anallergico ultra-morbido: struttura solida, aderenza sicura e comfort elevato anche durante sessioni prolungate in superficie
- Doppia opzione di fissaggio: fascia elastica hair band design (non tira i capelli) oppure cinghiolo in silicone regolabile
- Taglia adulto
- Design e Technical Concept made in Salvimar

- Integrated Salvimar anti-fog treatment

- Wide single-lens design in tempered glass for a panoramic, distortion-free field of view
- Robust frame assembled on ultra-soft hypoallergenic silicone skirt: solid structure, secure seal and high comfort even during extended surface sessions
- Dual fastening option: hair band design elastic strap (no hair pulling) or adjustable silicone strap
- Adult size
- Design and Technical Concept made in Salvimar



CLEAR - BLUE



Versione con fascia elastica regolabile
Version with adjustable elastic band



BLACK



CLEAR - BLUE




CLEAR - BLACK

	COD.	COLOR	STRAP
NEW	SN100	CLEAR - BLUE	Elastic Strap
NEW	SN100A	CLEAR - BLUE	Silicone Strap
NEW	SN101A	CLEAR - BLACK	Silicone Strap
NEW	SN102A	BLACK	Silicone Strap

OASIS MID ANTI FOG



HYDROPHOBIC
GLASS
ANTI
FOG



153 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

- **Trattamento Salvimar Anti Fog integrato**

- Ampia lente monovetro in vetro temperato per un campo visivo panoramico e privo di distorsioni
- Robusto telaio assemblato su facciale in silicone anallergico ultra-morbido: struttura solida, aderenza sicura e comfort elevato anche durante sessioni prolungate in superficie
- Doppia opzione di fissaggio: fascia elastica hair band design (non tira i capelli) oppure cinghiolo in silicone regolabile
- Taglia ragazzo e adulti con viso sottile
- Design e Technical Concept made in Salvimar

- **Integrated Salvimar anti-fog treatment**

- Wide single tempered glass lens for a panoramic, distortion-free field of view
- Robust frame assembled on ultra-soft hypoallergenic silicone skirt: solid structure, secure seal and high comfort even during extended surface sessions
- Dual fastening option: hair band design elastic strap (no hair pulling) or adjustable silicone strap
- Youth size, also ideal for adults with a narrow face
- Design and Technical Concept made in Salvimar



CLEAR - LIGHT BLUE

Versione con fascia elastica regolabile
Version with adjustable elastic band

CLEAR - LIGHT BLUE



BLACK

	COD.	COLOR	STRAP
NEW	SN110	CLEAR - LIGHT BLUE	Elastic Strap
NEW	SN110A	CLEAR - LIGHT BLUE	Silicone Strap
NEW	SN111A	BLACK	Silicone Strap

FLY

- Maschera dal volume interno ridotto
- Fibbia regolabile, fissaggio millimetrico del cinturino
- Compensazione agevolata
- Tecnologia co-stampaggio di 3 materiali
- Forma lenti studiate per ottimo campo visivo
- Silicone interno ed esterno antiriflesso
- Materiale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask with low internal volume
- Adjustable buckle with micrometrically adjustable strap
- Facilitated compensation
- 3-material co-molding technology
- Lens shape designed for excellent field of vision
- Anti-reflective inner and outer silicone
- 100% hypoallergenic silicone material
- Design and Technical Concept made in Salvimar



138 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

7700B

BLACK

7700G

MILITARY GREEN



BLACK



MILITARY GREEN

MIMIC

- Volume estremamente ridotto
- Tecnologia innovativa con telaio co-stampato
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Vetro temperato ultra resistente
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Extremely low volume
- Innovative technology with co-molded frame
- 3D comfort preformed nose
- Micrometrically adjustable strap attachment xxbuckle
- Ultra-resistant tempered glass
- Opaque inner silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



130 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

7900B

BLACK

7900G

MILITARY GREEN



BLACK




MILITARY GREEN

NOAH

- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio millimetrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



140 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

000053WB

WHITE - BLUE



WHITE - BLUE

HATHOR

- Maschera per Pesca e Apnea con volume interno ridotto ed ampio campo visivo
- Fibbia in nylon regolabile con fissaggio millimetrico del cinturino
- Vetro temperato ultra resistente
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask for Spearfishing and Apnea with low internal volume and wide field of vision
- Nylon buckle with micrometrically adjustable strap
- Ultra-resistant tempered glass
- Opaque internal silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



138 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

7800SB

SHINING BLU

7800K

KRYPSIS



SHINING BLU



KRYPSIS

GOBLIN

- Maschera realizzata con tecnologia MonoShell: costampaggio a 2 fasi di lenti, telaio in nylon e facciale in silicone
- Scelta dei materiali di alta qualità: silicone anallergico vetro temperato 3mm, nylon caricato vetro
- Ampio campo visivo
- 100% silicone anallergico
- Maschera a volume ridotto
- Ampio campo visivo
- Compensazione agevolata grazie all'ergonomia del naso.
- Cinghiolo regolabile tramite fissaggio millimetrico della fibbia
- Il Cinghiolo è dotato di un apertura posteriore che permette il fissaggio del boccaglio, riduce le vibrazioni della discesa e risalita

- Mask made with MonoShell technology: 2-phase co-molding of lenses, nylon frame and silicone facepiece
- Choice of high-quality materials: hypo-allergenic silicone 3mm tempered glass - glass-filled nylon
- 100% hypoallergenic silicone
- Volume-reduced mask
- Wide field of view
- Easier compensation due to ergonomic nose.
- Adjustable strap via millimeter buckle attachment
- The rear part of the strap is enlarged to enable the mask to have a good seal



160 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.

7600B

COLOR

BLACK



BLACK

NEO

- Tecnologia co-stampaggio
- Lente monocolore realizzata in vetro temperato
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- 3D comfort preformed nose
- Adjustable silicone strap
- Millimeter buckle
- Design and Technical Concept made in Salvimar



170 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.

SN051

COLOR

PETROL

SN050

WHITE

SN052

YELLOW

SN053

AQUAMARINE

SN054

PURPLE



PETROL



WHITE



AQUAMARINE



YELLOW



PURPLE

ENDLESS

- Maschera di concezione Frameless
- Ridotto volume interno
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Vetro monoculare temperato ultraresistente
- Facciale 100% silicone ipoallergenico
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale conforme alla normativa D.P.I. EN 16805:2015
- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



160 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

SN060

WHITE

SN061

PINK



WHITE



PINK

MORPHEUS

- Maschera dal volume interno ridotto
- Facciale in 100% silicone anallergico
- Fibbia in nylon regolabile con fissaggio millimetrico del cinturino
- Vetro temperato
- Design e Technical Concept made in Salvimar
- Mask with low internal volume
- 100% hypoallergenic silicone skirt
- Nylon adjustable buckle with micrometrically adjustable strap attachment
- Tempered glass
- Design and Technical Concept made in Salvimar



>> Pag. 161 Lenti graduate - Prescription lenses



150 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

000060BL

BLUE - CLEAR

000060G

YELLOW - CLEAR



BLUE - CLEAR



YELLOW - CLEAR

MORPHEUS MID

- Facciale in 100% silicone anallergico
- Fibbia in nylon regolabile con fissaggio millimetrico del cinturino
- Vetro temperato
- Design e Technical Concept made in Salvimar
- 100% hypoallergenic silicone skirt
- Nylon adjustable buckle with micrometrically adjustable strap attachment
- Tempered glass
- Design and Technical Concept made in Salvimar



96 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

SN081

SHINING BLU - BLACK

SN084

PETROL - YELLOW



SHINING BLU / BLACK



PETROL / YELLOW

MORPHEUS MID

- Facciale in 100% silicone anallergico
- Fascia elastica regolabile
- Lenti con trattamento antiappannante in policarbonato
- Design e Technical Concept made in Salvimar
- 100% hypoallergenic silicone skirt
- Adjustable elastic band
- Lenses with polycarbonate anti-fog treatment
- Design and Technical Concept made in Salvimar



ANTI-FOG
SAFETY LENSES



96 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.

COLOR

SN082

TRANSP. - PETROL/YELLOW

SN083

TRANSP. - AQUAMARINE/CLEAR



T. - AQUAMARINE / CLEAR



T. - PETROL / YELLOW

TRINITY

- Maschera in silicone con attacco Action Cam integrato
- Vetro temperato
- Silicone anallergico di alta qualità
- Volume interno ridotto
- Design e Technical Concept made in Salvimar
- Silicone mask with integrated Action Cam attachment
- Tempered glass
- High quality hypoallergenic silicone
- Low volume inside
- Design and Technical Concept made in Salvimar



>> Pag. 161 Lenti graduate Anti Fog - Anti Fog optical lenses

	172 gr.
	SUGGESTED PACK 12pz.
	PACKAGING: Blister box
COD.	COLOR
000061BL	CLEAR - BLUE




CLEAR - BLUE

INCREDIBLE

- Maschera di concezione "Minimal" ultra compatta e leggera
- Facciale 100% silicone, ipoallergenico di alta qualità
- Lenti con trattamento antiappannante in policarbonato
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Ultra compact and lightweight "Minimal" concept mask
- 100% silicone, high quality hypoallergenic skirt
- Lenses with polycarbonate anti-fog treatment
- Adjustable silicone strap
- Buckle with micrometric adjustment
- Design and Technical Concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device



**ANTI-FOG
SAFETY LENSES**

ADULTsize

	60 gr.
	SUGGESTED PACK 12pz.
	PACKAGING: Blister box
COD.	COLOR
000078B	CLEAR - CLEAR
000078A	BLUE - CLEAR
000078G	BLUE - WHITE
000078E	CLEAR - BLACK
000078C	SHINING BLU - CLEAR
000078D	AQUAMARINE - CLEAR



CLEAR - CLEAR



BLUE - CLEAR



CLEAR - BLACK




SHINING BLU - CLEAR



AQUAMARINE - CLEAR

BUBBLE



74 gr.

SUGGESTED PACK
12pz.

PACKAGING: Clam Shell

- Facciale in silicone 100% ipoallergenico
- Fascia elastica regolabile
- Lenti in policarbonato con trattamento antiappannamento
- Design e concetto tecnico realizzati in Salvimar

- 100% hypoallergenic silicone skirt
- Adjustable elastic band
- Polycarbonate lenses with anti-fog treatment
- Design and Technical Concept made in Salvimar

**ANTI-FOG
SAFETY LENSES**

PINK



BLUE

	COD.	COLOR
NEW	SN090	PINK
NEW	SN091	BLUE

CORAL

- Facciale 100% silicone ipoallergenico
- Lente monoculare realizzata in vetro temperato
- Ampio campo visivo
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- Wide field of vision
- Adjustable silicone strap
- Millimeter buckle
- D.P.I. EN 16805:2015 Individual Protection Device



192 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN011	YELLOW - PETROL
SN012	BLUE - CLEAR
SN010	RED - CLEAR



YELLOW - PETROL



BLUE - CLEAR



RED - CLEAR

HORIZON

- Facciale 100% silicone ipoallergenico mid size
- Trattamento speciale per antiappannamento
- Maschera con ampio campo visivo
- Mono lente Safety Lens
- Fascia elastica regolabile
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone mid size skirt
- Special treatment for anti-fog
- Mask with wide field of view
- Single lens Safety Lens
- Adjustable elastic strap
- Design and Technical Concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device

ANTI-FOG
SAFETY LENSES

120 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN072	PETROL-YELLOW
SN071	AQUAMARINE-WHITE
SN070	BLUE-WHITE



PETROL - YELLOW



WHITE-AQUAMARINE



WHITE-BLUE

RAY

- Facciale 100% silicone ipoallergenico
- Ampio campo visivo
- Vetro monoculare temperato ultrasensibile
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone skirt
- Wide field of vision
- Ultra-strong tempered monocular glass
- Adjustable silicone strap
- Buckle with micrometric adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



173 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

COD.	COLOR
SN020	BLACK - TRANSPARENT LIME - CLEAR
SN021	BLACK - TRANSPARENT PINK - CLEAR
SN022	YELLOW - PETROL - CLEAR

MIDsize



BLACK - T. LIME - CLEAR



BLACK - T. PINK - CLEAR



YELLOW - PETROL - CLEAR

FRANCY PRO Silicone

- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro bioculare "Safety Lens"
- Lenti con trattamento antiappannante
- Cinturino regolabile in silicone
- Design e concetto tecnico made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% silicone skirt, high quality hypoallergenic
- Wide field of vision
- Biocular glass "Safety Lens"
- Lenses with anti-fog treatment
- Adjustable silicone strap
- Design and technical concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device



135 gr.



SUGGESTED PACK

12pz.



PACKAGING: Blister box

ANTI-FOG
SAFETY LENSES

COD.	COLOR
SN031	BLUE - CLEAR
SN030	YELLOW - CLEAR
SN032	RED - CLEAR

MIDsize



BLUE - CLEAR



YELLOW - CLEAR



RED - CLEAR

LENTI GRADUATE ANTI FOG

ANTI FOG OPTICAL LENSES

- Materiale: vetro temperato Anti-Fog
- Compatibile con maschere Morpheus, Trinity e Drake Dual
- Correzione della miopia -1.0 a -4.0 D
- Facili da montare
- Confezionate singolarmente

- Material: Anti-Fog tempered glass
- Compatible with Morpheus, Trinity and Drake Dual masks
- Correction of myopia from -1.0 to -4.0 D
- Easy to install
- Individually packaged



LENTE GRADUATA/ PRESCRIPTION LENS	COD.
Lente Graduata Anti Fog -1.00 DX Morpheus e Trinity	LEN100DAF
Lente Graduata Anti Fog -1.00 SX Morpheus e Trinity	LEN100SAF
Lente Graduata Anti Fog -1.50 DX Morpheus e Trinity	LEN150DAF
Lente Graduata Anti Fog -1.50 SX Morpheus e Trinity	LEN150SAF
Lente Graduata Anti Fog -2.00 DX Morpheus e Trinity	LEN200DAF
Lente Graduata Anti Fog -2.00 SX Morpheus e Trinity	LEN200SAF
Lente Graduata Anti Fog -2.50 DX Morpheus e Trinity	LEN250DAF
Lente Graduata Anti Fog -2.50 SX Morpheus e Trinity	LEN250SAF
Lente Graduata Anti Fog -3.00 DX Morpheus e Trinity	LEN300DAF
Lente Graduata Anti Fog -3.00 SX Morpheus e Trinity	LEN300SAF
Lente Graduata Anti Fog -3.50 DX Morpheus e Trinity	LEN350DAF
Lente Graduata Anti Fog -3.50 SX Morpheus e Trinity	LEN350SAF
Lente Graduata Anti Fog -4.00 DX Morpheus e Trinity	LEN400DAF
Lente Graduata Anti Fog -4.00 SX Morpheus e Trinity	LEN400SAF
Lente Graduata Anti Fog -1.00 DX Drake Dual	LEND100DAF
Lente Graduata Anti Fog -1.00 SX Drake Dual	LEND100SAF
Lente Graduata Anti Fog -1.50 DX Drake Dual	LEND150DAF
Lente Graduata Anti Fog -1.50 SX Drake Dual	LEND150SAF
Lente Graduata Anti Fog -2.00 DX Drake Dual	LEND200DAF
Lente Graduata Anti Fog -2.00 SX Drake Dual	LEND200SAF
Lente Graduata Anti Fog -2.50 DX Drake Dual	LEND250DAF
Lente Graduata Anti Fog -2.50 SX Drake Dual	LEND250SAF
Lente Graduata Anti Fog -3.00 DX Drake Dual	LEND300DAF
Lente Graduata Anti Fog -3.00 SX Drake Dual	LEND300SAF
Lente Graduata Anti Fog -3.50 DX Drake Dual	LEND350DAF
Lente Graduata Anti Fog -3.50 SX Drake Dual	LEND350SAF
Lente Graduata Anti Fog -4.00 DX Drake Dual	LEND400DAF
Lente Graduata Anti Fog -4.00 SX Drake Dual	LEND400SAF
Lente Graduata Anti Fog -1.00 DX Morpheus Mid	LENM100DAF
Lente Graduata Anti Fog -1.00 SX Morpheus Mid	LENM100SAF
Lente Graduata Anti Fog -1.50 DX Morpheus Mid	LENM150DAF
Lente Graduata Anti Fog -1.50 SX Morpheus Mid	LENM150SAF
Lente Graduata Anti Fog -2.00 DX Morpheus Mid	LENM200DAF
Lente Graduata Anti Fog -2.00 SX Morpheus Mid	LENM200SAF
Lente Graduata Anti Fog -2.50 DX Morpheus Mid	LENM250DAF
Lente Graduata Anti Fog -2.50 SX Morpheus Mid	LENM250SAF
Lente Graduata Anti Fog -3.00 DX Morpheus Mid	LENM300DAF
Lente Graduata Anti Fog -3.00 SX Morpheus Mid	LENM300SAF
Lente Graduata Anti Fog -3.50 DX Morpheus Mid	LENM350DAF
Lente Graduata Anti Fog -3.50 SX Morpheus Mid	LENM350SAF
Lente Graduata Anti Fog -4.00 DX Morpheus Mid	LENM400DAF
Lente Graduata Anti Fog -4.00 SX Morpheus Mid	LENM400SAF

NEW

TELAIO INTERNO / INNER FRAME



DRAKE DUAL



MORPHEUS



TRINITY

- Telaio interno di ricambio per il montaggio delle lenti sulle maschere Morpheus, Trinity e Drake Dual Anti Fog.

- Replacement inner frame for mounting lenses on Morpheus, Trinity and Drake Dual Anti Fog masks.

	COD.	MASK	PACKAGING
NEW	MSA100	DRAKE DUAL	PAIO
	7400IF	MORPHEUS BLACK	PAIO
	7500IF	TRINITY BLACK	PAIO

ANTIAPPANNANTE ANTIFOG



- Antiappannante

- Antifog

COD.	ML.
400265	30



SUGGESTED PACK
15pz.

LACCIO SILICONE MASCHERA LUCIDO SHINY SILICONE MASK STRAP



- Cinturino in silicone lucido, compatibile con tutte le maschere Salvimar
- Massima elasticità, avvolgente e confortevole
- Shiny silicone strap, compatible with all Salvimar masks
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar



COLOR	COD.
BLACK	7000L
WHITE	7000LW
TRANSPARENT	7000LT

LACCIO SILICONE MASCHERA OPACO MATTE SILICONE MASK STRAP



- Cinturino in silicone opaco, compatibile con tutte le maschere Salvimar
- Massima elasticità, avvolgente e confortevole
- Design made in Salvimar



- Matte silicone strap, compatible with all Salvimar masks
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar

COLOR	COD.
BLACK	7800L
SHINING BLU	7800LS

LACCIO SILICONE / SILICONE STRAP DRAKE



- Cinturino in silicone opaco
- Massima elasticità, avvolgente e confortevole
- Design made in Salvimar

- Shiny silicone strap
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar



COLOR	COD.
BLACK	MSA001
SHINING BLU	MSA002
GREY	MSA003
WHITE	MSA004

BANDA ELASTICA / ELASTIC BAND DRAKE



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
BLACK	MSA006
WHITE	MSA007
ACID GREEN	MSA008

BANDA ELASTICA / ELASTIC BAND MORPHEUS MID



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
PETROL-YELLOW	SNA072/M
WHITE-AQUAMARINE	SNA071/M

BANDA ELASTICA / ELASTIC BAND HORIZON



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
PETROL-YELLOW	SNA072
WHITE-AQUAMARINE	SNA071
WHITE-BLUE	SNA070

BITE AIR

- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design



BLACK

PETROL

SHINING BLU



MILITARY GREEN

WHITE

YELLOW

ACQUA MARINE

PURPLE



SUGGESTED PACK
12pz.

COLOR	COD,
PETROL	700300P
SHINING BLU	700300SB
MILITARY GREEN	700300G
BLACK	700300B
WHITE	700300W
YELLOW	700300Y
ACQUA MARINE	700300A
PURPLE	700300PU



ELLIPSIS

- Snorkel con morso preformato in silicone anallergico
- Tubo in PVC morbido di forma ellittica
- Lunghezza del tubo adatta per la respirazione anche con mare formato
- Posizionamento regolabile dello snorkel sulla testa per una comoda e personalizzata vestibilità
- Snorkel with preformed, hypoallergenic silicone mouthpiece
- Soft, elliptical-shaped PVC tube
- Length of snorkel suitable for breathing even in big seas
- Adjustable snorkel placement on the head for a comfortable, customized fit



BLACK



MILITARY GREEN



SUGGESTED PACK
12pz.

COLOR	COD,
BLACK	700400B
MILITARY GREEN	700400G

TIME

- Snorkel con tubo flessibile e morbido
- Morso realizzato in silicone anallergico
- Passante fissa tubo regolabile in altezza
- Snorkel with soft flexible tube
- Mouthpiece made of hypoallergenic silicone
- Fixing loop of the tube adjustable in height



BLACK



SUGGESTED PACK

12pz.

COLOR

BLACK

COD,

700200B



TIME SPLASH

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



BLUE - CLEAR

LIGHT BLUE - CLEAR

BLACK - CLEAR



SUGGESTED PACK

12pz.

COLOR

BLUE - CLEAR

COD,

000171BL

NEW

LIGHT BLUE - CLEAR

000171LB

BLACK - CLEAR

000171BK



DORY

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale ad area maggiorata

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Oversized area directional splash guard



SUGGESTED PACK
12pz.

COLOR	COD,
BLUE - CLEAR	SNB010
CLEAR BLUE - CLEAR	SNB011
CLEAR YELLOW - CLEAR	SNB012



BLUE - CLEAR TRANSP. BLUE - CLEAR YELLOW - CLEAR



DEB

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



SUGGESTED PACK
12pz.

COLOR	COD,
AQUAMARINE - CLEAR	SNB023
YELLOW - CLEAR	SNB021



YELLOW - CLEAR AQUAMARINE - CLEAR



CLASSIC

- Boccaglio in softil ipoallergenico
- Passante fissatubo regolabile
- Fascetta "Mirror" 360°, per una rapida identificazione

- Hypoallergenic softil mouthpiece
- Adjustable hose-fixing loop
- 360° "Mirror" strap for quick identification



SUGGESTED PACK
12pz.

COLOR	COD,
BLACK - CLEAR	WB0364BK



BLACK



COMBO SET NOAH ANTI FOG

NOAH ANTI FOG Mask + BITE AIR Snorkel



NOAH ANTI FOG Mask + BITE AIR Snorkel

- Trattamento Salvimar Anti Fog integrato

- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio millimetrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

BITE AIR Snorkel

- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

NOAH ANTI FOG Mask + BITE AIR Snorkel

- Integrated Salvimar anti-fog treatment

- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar

BITE AIR Snorkel

- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design



BLACK - BLACK

COD.	COLOR
BLACK - BLACK	SNC090



SUGGESTED PACK
6pz.

COMBO SET NEO ANTI FOG

ANTI FOG Mask + BITE AIR Snorkel



NEO ANTI FOG Mask + BITE AIR Snorkel

- **Trattamento Salvimar Anti Fog integrato**
- Tecnologia co-stampaggio
- Lente monoculare realizzata in vetro temperato
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

BITE AIR Snorkel


- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

NEO ANTI FOG Mask + BITE AIR Snorkel

- **Integrated Salvimar anti-fog treatment**
- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- 3D comfort preformed nose
- Adjustable silicone strap
- Millimeter buckle
- Design and Technical Concept made in Salvimar

BITE AIR Snorkel

- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design



BLACK



SHINING BLU



AQUAMARINA

COD.	COLOR
SNC060	BLACK
SNC061	SHINING BLU
SNC062	AQUAMARINA



SUGGESTED PACK
6pz.

COMBO SET MORPHEUS ANTI FOG

MORPHEUS Mask + TIME SPLASH Snorkel



MORPHEUS Mask

- **Trattamento Salvimar Anti Fog integrato**
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvimar

TIME SPLASH Snorkel

- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

MORPHEUS Mask

- **Integrated Salvimar anti-fog treatment**
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvimar

TIME SPLASH Snorkel

- Hypoallergenic silicone snorkel
- Silicone drain-fixing loop
- Adjustable hose-fixing loop
- Directional splash guard

COMBO SET MORPHEUS MID ANTI FOG

MORPHEUS MID Mask + DEB Snorkel



MORPHEUS Mask

- **Trattamento Salvimar Anti Fog integrato**
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare in vetro temperato
- Fascia elastica
- Fibbia con regolazione micrometrica
- Design e concetto tecnico made in Salvimar

DEB Snorkel

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Paraspruzzi direzionale
- Passante fissatubo regolabile

MORPHEUS MID Mask

- **Integrated Salvimar anti-fog treatment**
- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens, tempered glass
- Elastic strap
- Design and technical concept made in Salvimar

DEB Snorkel

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



BLUE - CLEAR

BLACK - BLACK

COD.	COLOR
SNC070	BLUE - CLEAR
SNC071	BLACK - BLACK



SUGGESTED PACK
6pz.



PETROL - YELLOW

AQUAMARINE

COD.	COLOR
SNC080	PETROL - YELLOW
SNC081	AQUAMARINE



SUGGESTED PACK
6pz.

COMBO SET BUBBLE

BUBBLE Mask + BUBBLE Snorkel

**ANTI-FOG
SAFETY LENSES****BUBBLE Mask**

- Facciale in silicone 100% ipoallergenico
- Fascia elastica regolabile
- Lenti in policarbonato con trattamento antiappannamento
- Design e concetto tecnico realizzati a Salvimar

BUBBLE Snorkel

- Boccaglio in silicone ipoallergenico
- Paraspruzzi direzionale
- Clip per snorkel regolabile
- Progettazione e concetto tecnico realizzati da Salvimar

BUBBLE Mask

- 100% hypoallergenic silicone skirt
- Adjustable elastic band
- Polycarbonate lenses with anti-fog treatment
- Design and Technical Concept made in Salvimar

BUBBLE Snorkel

- Hypoallergenic silicone mouthpiece
- Directional splash guard
- Adjustable snorkel clip
- Design and Technical Concept made in Salvimar



PACKAGING: Clam Shell



PINK

BLUE

	COD.	COLOR
NEW	SNC100	PINK
NEW	SNC101	BLUE



SUGGESTED PACK
6pz.

COMBO SET HORIZON

HORIZON Mask + DEB Snorkel


ANTI-FOG
SAFETY LENSES

HORIZON Mask

- Facciale 100% silicone ipoallergenico mid size
- Trattamento speciale per antiappannamento
- Maschera con ampio campo visivo
- Mono lente Safety Lens
- Fascia elastica regolabile
- Design e Technical Concept made in Salvimar

DEB Snorkel

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

HORIZON Mask

- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens Safety Lens
- Adjustable elastic strap
- Design and technical concept made in Salvimar

DEB Snorkel

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



PETROL - YELLOW

AQUAMARINE

COD.

COLOR

SNC040

PETROL - YELLOW

SNC041

AQUAMARINE


SUGGESTED PACK
 6pz.

COMBO SET FRANCY PRO

FRANCY PRO Mask + TEDDY Snorkel


ANTI-FOG
SAFETY LENSES

FRANCY Mask

- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare Safety Lens, anti - fog
- Cinturino in silicone con fibbia regolabile
- Design e concetto tecnico made in Salvimar

TEDDY Snorkel

- Boccaglio in silicone ipoallergenico
- Passante fissatubo regolabile
- Fascetta "Mirror" 360°

FRANCY pro Mask

- 100% silicone skirt, high quality hypoallergenic
- Wide field of vision
- "Safety Lens" biocular glass, anti-fog
- Silicone strap with adjustable buckle

TEDDY Snorkel

- Hypoallergenic silicone mouthpiece
- Adjustable hose-fixing loop
- "Mirror" 360° strap.



BLUE - CLEAR

YELLOW - CLEAR

COD.

COLOR

SNC031

BLUE - CLEAR

SNC030

YELLOW - CLEAR


SUGGESTED PACK
 6pz.

COMBO SET MORPHEUS

MORPHEUS Mask + TIME SPLASH Snorkel



MORPHEUS Mask

- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro bioculare temperato ed ultrasensibile
- Cinturino in silicone con fibbia regolabile
- Design e concetto tecnico made in Salvimar
- Dispositivo di protezione individuale D.P.I.

EN 16805:2015

TIME SPLASH Snorkel

- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

MORPHEUS Mask

- 100% silicone, high-quality hypoallergenic skirt
- Wide field of view
- Tempered, ultra-strong biocular glass
- Silicone strap with adjustable buckle
- Design and technical concept made in Salvimar

TIME SPLASH Snorkel

- Hypoallergenic silicone snorkel
- Silicone drain-fixing loop
- Adjustable hose-fixing loop
- Directional splash guard



YELLOW - CLEAR

COD.

COLOR

000065G

YELLOW - CLEAR

SUGGESTED PACK
6pz.

COMBO SET MORPHEUS MID

MORPHEUS MID Mask + DEB Snorkel



MORPHEUS Mask

- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare Safety Lens
- Fascia elastica
- Fibbia con regolazione micrometrica
- Design e concetto tecnico made in Salvimar

DEB Snorkel

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Paraspruzzi direzionale
- Passante fissatubo regolabile

MORPHEUS MID Mask

- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens Safety Lens
- Elastic band
- Design and technical concept made in Salvimar

DEB Snorkel

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard
- Directional splash guard



PETROL - YELLOW



AQUAMARINE

COD.

COLOR

SNC050

PETROL / YELLOW

SNC051

AQUAMARINE

SUGGESTED PACK
6pz.

MORPHEUS ANTI FOG NOBILIS TRIS

**MORPHEUS Mask Blue**

- Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica
- Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre applicazioni
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvmar

TIME SPLASH Snorkel Clear

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

NOBILIS Fins Blue

- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

MORPHEUS Mask Blue

- Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition
- The treatment is activated by wetting the lenses before use and does not require any additional applications
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvmar

TIME SPLASH Snorkel Blue

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard

NOBILIS Fins Blue

- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.



COD.	COLOR	SIZES
SNT01234	BLUE	34/35
SNT01236	BLUE	36/37
SNT01238	BLUE	38/38
SNT01240	BLUE	40/41
SNT01242	BLUE	42/43
SNT01244	BLUE	44/45
SNT01246	BLUE	46/47

NEO ANTI FOG NOBILIS TRIS

**NEO Mask Black**

- Monolente in vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica
- Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre applicazioni
- Tecnologia co-stampaggio
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

TIME SPLASH Snorkel Black

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

NOBILIS Fins Black

- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

NEO Mask Black

- Monocular tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition
- The treatment is activated by wetting the glass before use and does not require any additional applications
- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Adjustable buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar

TIME SPLASH Snorkel Black

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard

NOBILIS Fins Black

- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.



COD.	COLOR	SIZES
SNT01334	BLACK	34/35
SNT01336	BLACK	36/37
SNT01338	BLACK	38/38
SNT01340	BLACK	40/41
SNT01342	BLACK	42/43
SNT01344	BLACK	44/45
SNT01346	BLACK	46/47

JEKO

- Lenti in policarbonato con trattamento antiappannante
- Tecnologia innovativa con lenti co-stampate
- Ottimo campo visivo
- Facciale avvolgente in silicone per una massima aderenza al viso
- Nessun segno intorno agli occhi
- Fibbia con regolazione micrometrica del cinturino
- Lenti Blue, Clear e Smoked
- Design e concetto tecnico made in Salvimar
- Polycarbonate lenses with anti-fog treatment
- Innovative technology with co-molded lenses
- Excellent field of vision
- Silicone wrap-around facepiece for maximum adherence to the face
- No marks around the eyes
- Buckle with micrometric strap adjustment
- Design and technical concept made in Salvimar


ANTI-FOG
SAFETY LENSES


SUGGESTED PACK
24pz.



PACKAGING: Blister box



CLEAR - BLUE



CLEAR - CLEAR



CLEAR - SMOKED



BLACK - SMOKED



BLACK - CLEAR



SHINING BLU - SMOKED

COD.	COLOR
000076A	CLEAR - BLUE
000076B	CLEAR - CLEAR
000076C	CLEAR - SMOKED
000076D	BLACK - SMOKED
NEW 000076E	BLACK - CLEAR
NEW 000076F	SHINING BLU - SMOKED

FREEDOM

- Occhialini nuoto piscina/mare in silicone
- Ampio campo visivo
- Fibbie a regolazione rapida
- Lenti in policarbonato con trattamento antiappannante
- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate lenses with anti-fog treatment



SUGGESTED PACK
12pz.



PACKAGING: Blister box

ANTI-FOG
SAFETY LENSES


LIGHT BLUE - CLEAR



GREY - BLACK

COD.	COLOR
OCC111	LIGHT BLUE - CLEAR
OCC110	GREY - BLACK

FREEDOM JR

- Occhiali nuoto piscina/mare in silicone
- Ampio campo visivo
- Fibbie a regolazione rapida
- Lenti in policarbonato con trattamento antiappannante

- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate lenses with anti-fog treatment



SUGGESTED PACK
12pz.



PACKAGING: Blister box

COD.	COLOR
OCC121	RED - CLEAR
OCC122	YELLOW - LIGHT BLUE
OCC120	LIGHT BLUE - CLEAR

**ANTI-FOG
SAFETY LENSES**



RED - CLEAR



YELLOW - LIGHT BLUE



LIGHT BLUE - CLEAR

FRIPP

- Occhiale nuoto piscina/mare in silicone
- Ampio campo visivo
- Super confortevole
- Fibbie a regolazione rapida
- Lenti in policarbonato con trattamento antiappannante

- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate lenses with anti-fog treatment



SUGGESTED PACK
12pz.



PACKAGING: Blister box

COD.	COLOR
OCC130	RED - WHITE
OCC131	LIGHT BLUE - WHITE



RED - WHITE



LIGHT BLUE - WHITE

 NOSE CLIP


- Molla in acciaio inox
- Cuscinetti in lattice naturale
- Design ergonomico
- Leggero e resistente
- Stainless steel spring
- Natural latex bearings
- Ergonomic design
- Lightweight and durable

COLOR	COD.
ACID GREEN	AWS0020

SWIM CAP



- Materiale: 100% silicone di alta qualità
- Ottima elasticità e resistenza al cloro
- Resistente al cloro
- Spessore variabile per una compression ottimale

- Material: 100% high-quality silicone
- Excellent elasticity for superior comfort
- Chlorine-resistant
- Variable thickness for optimal compression

COLOR	COD.
BLACK	AWS0010
ROYAL BLUE	AWS0011
SILVER	AWS0012

KIT COPPER SLEEVES



Ø	KIT	COD.
1,6	25	AP051
2,3	25	AP051/2
1,6	500	400270/16
2,3	500	400270/23

SNAP CLIP



- Moschettone con girella in ottone SNAP CLIP
- Quick rolling SNAP in stainless Steel/Pure Brass

KIT	COD.
5 pz	AP072

MOSCHETTONE / SNAP CLIP INOX



Moschettone inox

Snap clip stainless steel

MAX LOAD CAPACITY	Ø	LENGTH	KIT	COD.
50	2,0mm	80 mm	5 pz	AP070/20
100	2,6mm	100mm	5 pz	AP070/26
NEW 100	2,6mm	100mm	3pz	AP070/26S
150	3,0mm	100mm	3 pz	AP070/30
200	3,5mm	125mm	2 pz	AP070/35

MOSCHETTONE
SNAP CLIPSMoschettone inox
Snap clip stainless steel

MAX LOAD CAPACITY	LENGTH	KG.	COD.
HEAVY DUTY INOX AISI 316	50mm	100 kg	AP073/050
HEAVY DUTY INOX AISI 316	70mm	300 kg	AP073/070
HEAVY DUTY INOX AISI 316	100mm	500 kg	AP073/100
SINGOLO INOX AISI 316	80mm	100 kg	AP074/080
SINGOLO INOX AISI 316	100mm	150 kg	AP074/100
SINGOLO INOX AISI 316	120mm	180 kg	AP074/120
DOPPIO INOX AISI 316	76mm	40 kg	AP075/076
DOPPIO INOX AISI 316	100mm	90 kg	AP075/100
DOPPIO INOX AISI 316	115mm	110 kg	AP075/115

SWIVEL



- Realizzato in ottone resistente alla corrosione
- Trattamento di nichelatura per una maggiore durabilità
- Include O-ring in NBR/90 per una perfetta tenuta
- Made of corrosion-resistant brass
- Nickel-plated for enhanced durability
- Includes NBR/90 O-ring for optimal sealing

KIT	COD.	KIT	COD.
5	AFRUST01A	20	AFRUST01B

TAPPO DI PROTEZIONE
ATTACCO DIN PER
EROGATORE
DIN REGULATOR
DUST CAP

- Materiale: Delrin
- Compatibile con attacchi DIN per erogatori
- Filettatura interna per avvitamento sicuro
- Protegge da polvere, sabbia, umidità e salsedine
- Leggero e resistente alla corrosione
- Colore: nero

- Material: Delrin
- Compatible with DIN regulator connections
- Internal thread for secure screwing
- Protects against dust, sand, moisture, and salt
- Lightweight and corrosion-resistant
- Color: black

COD.
ACCD001

MAGNETO

NEW



- Avvisatore acustico subacqueo con sistema magnetico
- Corpo in alluminio anodizzato
- Camera stagna con 3 sfere in acciaio, bloccate a riposo e attive solo agitando lo shaker
- Segnale sonoro potente e immediato
- Sagola in poliestere Ø1,7 mm con fermacorda
- Costruito nelle Officine Salvimar

- Underwater acoustic signaling device with magnetic system
- Fully anodized aluminum body
- Sealed chamber with 3 steel balls, locked at rest and released only when the shaker is moved
- Powerful, immediate sound signal
- Ø1.7 mm polyester cord with cord lock
- Made in Salvimar Factories

COLOR	COD.
BLACK	AP032

SHAKER



- Avvisatore acustico subacqueo
- Underwater acoustic shaker

COLOR	COD.
BLUE	AP031
BLACK	AP031B

BOCCAGLIO
MOUTHPIECE

Boccaglio in silicone per erogatori

Silicon mouthpiece for regulators

COLOR	COD.
BLACK	AE140
CLEAR	AE140TR

ADATTATORE DIN
CONVERSION DIN

- Adattatore/inserto per rubinetto della bombola
- In ottone cromato
- Facile inserimento
- Converte la rubinetteria da DIN a INT e viceversa

- Conversion bracket for DIN connections.
- Made of chrome-plated brass
- Easy insertion
- Converts a DIN 200 BAR connection into an INT connection

COD.
ACSC001

SALVIMAR Officine introduce una vasta gamma di fruste conformi allo standard EN250:2014.

Ogni frusta viene accuratamente assemblata con macchine di ultima generazione e successivamente testate.

Nell'ampia gamma troviamo le fruste di bassa pressione per erogatori, fruste per giubbetti ad assetto variabile e fruste HP per manometri, tutte disponibili in varie lunghezze. Il "Made in Italy" garantisce affidabilità, sicurezza, assortimento e disponibilità immediata.

SALVIMAR Workshops introduces a wide range of hoses Compliant with the EN 250:2014 standard.

Each hose is carefully assembled with the latest generation machines and then tested.

The wide range includes low pressure hoses for regulators, hoses for buoyancy control jackets and HP hoses for pressure gauges, all available in various lengths.

"Made in Italy" guarantees reliability, safety, stock and immediate availability.



FRUSTA BASSA PRESSIONE JACKET JACKET LOW PRESSURE HOSE

Frusta LP con attacco 3/8" e innesto rapido standard. Robusta, flessibile e compatibile con tutti i GAV più comuni. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

Jacket Low Pressure Hose LP hose with 3/8" connector and standard quick coupling. Robust, flexible and compatible with most common BCDs. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
BLACK	74cm	ACDVF010



FRUSTA BASSA PRESSIONE EROGATORE REGULATOR LOW PRESSURE HOSE

Frusta LP con attacco 3/8"M e raccordo 9/16"F, robusta e flessibile. Compatibile con la maggior parte degli erogatori in commercio. Prodotto conforme all'uso come parte dei DPI

Regulator Low Pressure Hose LP hose with 3/8"M connector and 9/16"F fitting, robust and flexible. Compatible with most regulators on the market. Product compliant for use as part of PPE

	COLOR	LENGTH	COD.
	BLACK	71cm	ACDVF011
	BLACK	76cm	ACDVF012
NEW	BLACK	100cm	ACDVF011/100
NEW	BLACK	210cm	ACDVF011/210



FRUSTA BASSA PRESSIONE OCTOPUS OCTOPUS LOW PRESSURE HOSE

Frusta LP cm 100 con attacco 3/8"M e raccordo 9/16"F, robusta e flessibile. Compatibile con la maggior parte degli erogatori in commercio nella versione Octopus. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

Octopus Low Pressure Hose LP hose, 100 cm, with 3/8"M connector and 9/16"F fitting, robust and flexible. Compatible with most regulators on the market in the Octopus version. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
YELLOW	100cm	ACDVF013



FRUSTA HP / HP HOSE

Frusta manometro alta pressione con attacchi 7/16"M e 7/16"F, dotata di swivel inserito. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

HP Hose High pressure gauge hose with 7/16"M and 7/16"F connectors, equipped with inserted swivel. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
BLACK	18cm	ACDVF014
BLACK	80cm	ACDVF015

The image features a minimalist design on a black background. A series of thin, bright yellow lines create a large, abstract shape on the right side, resembling a stylized 'C' or a bracket. This shape has a curved top and a straight bottom. A horizontal yellow line extends from the left edge of the image to the start of this curved shape. Below this, another horizontal yellow line is positioned, and a diagonal yellow line descends from its right end towards the bottom right corner. The text is centered horizontally between the two horizontal yellow lines.

TORCHES . FREEDIVING WATCH . KNIVES
BAGS . BUOYS . FOOTWEAR . SPORTWEAR . DISPLAY



ANTARES



- Ricarica USB-C incorporata
- LED: SST40 (Max 1800 Lumen)
- Temperatura Colore: 6500 K
- Autonomia: 120 min
- Parabola: alluminio con superficie liscia
- Ampiezza del fascio di luce: 16° hot spot
- Trattamento della superficie: anodizzazione
- Batteria: 21700/5000mAh Li-ion
- Protezione in caso di inserimento della batteria con polarità invertita
- Impermeabilità IPX8: fino a - 60 metri
- Dimensioni: 172 mm (lunghezza) x 42,5 mm (Ø max testata-torcia).
- Peso netto: circa 263 g. (senza batteria)

- Built-in USB-C charging
- LED: SST40 (Max 1800 lumens)
- Color temperature: 6500 K
- Runtime: 120 min
- Reflector: aluminum with smooth surface
- Light beam angle: 16° hot spot
- Surface treatment: anodization
- Battery: 21700/5000mAh Li-ion
- Protection in case of battery insertion with reversed polarity
- IPX8 waterproofing: up to - 60 meters
- Dimensions: 172 mm (length) x 42.5 mm (lamp head max Ø).
- Net weight: approximately 263 g (without battery)

LENGTH	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
172mm	263gr.	- 100mt	SST40	1800LM	6000K	21700 Lithium-ion	120 min
COLOR	COD.	SUGGESTED PACK					
BLACK	TOR040	6pz.					

GALACTIKA

INTERRUTTORE CON SIGILLATURA EPOSSIDICA



- Ricarica a connessione magnetica
- LED SST40 1500 Lumen
- Ampiezza del fascio di luce: 11° hot spot
- Autonomia: 140 min
- Tempo di ricarica: 5h
- Batteria: 1 x 21700 Ioni litio integrata non sostituibile.
- Impermeabilità: IPX8 fino a -100 metri
- Dimensioni: diametro 38 x 161 mm
- Peso netto: 196g
- La torcia ha un unico tasto a scorrimento e 2 modalità di utilizzo:
 1. Scorrimento
- accensione torcia a 1500 Lumen 2. Scorrimento e tenuta per più di 2 secondi
- modalità di emergenza (La modalità di emergenza consiste nell'accensione intermittente del LED posto nella parte posteriore della torcia)
- Led luminoso verde, carica 100%
- Ricarica a connessione magnetica
- Per i cicli di carica/scarica della batteria GALACTIKA, il totale dei cicli è superiore a 1000 volte

- Magnetic connection recharge
- LED SST40 1500 lumens
- Light beam angle: 11° hot spot
- Runtime: 140 min
- Recharge time: 5h
- Battery: 1 x 21700 Lithium Ion built-in non-replaceable.
- Waterproofness: IPX8 down to -100 meters
- Dimensions: diameter 38 x 161 mm
- Net weight: 196g
- The flashlight has a single slide button and 2 modes of use: 1. Sliding
- turn on flashlight at 1500 lumens 2. Sliding and hold for more than 2 seconds
- emergency mode
- Green LED light, 100% charge
- Charging by magnetic connection
- For GALACTIKA battery charge/discharge cycles, it is total cycle times more than 1000 times

LENGTH	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
161mm	196gr	-100 m	1500 LM	6500K	n° 1 x 21700 Li - Ion	140 min
COLOR	COD.	SUGGESTED PACK				
GREEN - BLACK	TOR010	12pz.				

LIGHT BLAST




- LED XM-L2 U2
- Temperatura colore: 6500 K
- Luminosità massima: 1200 Lumen
- Parabola: alluminio con superficie liscia
- Trattamento superficiale: anodizzazione premium aggiuntiva
- Protezione contro lo scarico eccessivo della batteria
- Protezione contro l'inversione di polarità
- Voltaggio operativo: da 4.2 V a 2.8 V
- Profondità operativa: fino a -60 metri
- Ricarica USB-C incorporata, con indicatore di stato

- LED XM-L2 U2
- Color temperature: 6500 K
- Maximum brightness: 1200 lumens
- Reflector: aluminum with smooth surface
- Surface treatment: additional premium anodizing
- Battery over discharge protection
- Reverse polarity protection
- Operating voltage: 4.2 V to 2.8 V
- Operating depth: down to -60 meters
- Built-in USB-C charging, with status indicator



LENGTH	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
158mm	205gr	-60 m	1200 LM	6500K	n° 1 18650 Li-ion	120 min
COLOR	COD.	SUGGESTED PACK				
BLACK	400020	12pz.				

SPOTLIGHT



- Indicatore di carica e interruttore
- Power light and switch

- LED XP-G2 R5 (Max 400 Lumen)
- Temperatura Colore: 6500 K
- Autonomia: 120 min
- Parabola: alluminio con superficie liscia
- Lente: 4 mm in vetro temperato
- Ampiezza del fascio di luce: 8° hot spot
- Trattamento della superficie: anodizzazione premium aggiuntiva
- Batteria: AAA x 3
- Protezione dall'inversione di polarità
- Range di voltaggio: da 4.5 V a 2.7 V
- Profondità operativa: fino a - 100 metri
- Dimensioni: 130 mm (lunghezza) * 40 mm (diametro max della testa) * 30 mm (diametro del corpo)
- Peso netto: circa 200 g. (senza batterie)
- Peso lordo: circa 234 g. (con batterie)
- Peso sott'acqua: circa 130 g. (con batterie)
- Batterie non fornite di serie

- LED XP-G2 R5 (Max 400 lumens)
- Color temperature: 6500 K
- Runtime: 120 min
- Reflector: aluminum with smooth surface
- Lens: 4 mm tempered glass
- Light beam angle: 8° hot spot
- Surface treatment: additional premium anodization
- Battery: AAA x 3
- Reverse polarity protection
- Voltage range: from 4.5 V to 2.7 V
- Operating depth: up to - 100 meters
- Dimensions: 130 mm (length) * 40 mm (max head diameter) * 30 mm (body diameter)
- Net weight: about 200 g. (without batteries)
- Gross weight: about 234 g. (with batteries)
- Underwater weight: about 130 g. (with batteries)
- Batteries not supplied as standard

LENGTH	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
130mm	200 g	-100 m	400 LM	6500 K	AAA x 3	120 min
COLOR	COD.	SUGGESTED PACK				
BLACK	400030	12pz.				

LECOLED



INTERRUTTORE CON SIGILLATURA EPOSSIDICA



- Potente e compatta torcia
- Ideale per la pesca subacquea
- Corpo in policarbonato
- Ghiera di dissipazione in alluminio
- Parabola in materiale sintetico anti ossidazione
- Utilizza un singolo CREE led Q5 da 3w, in grado di sprigionare 340 lumen (circa 7000 lux ad 1 m)
- Fascio concentrato(XR-E led size) a temperatura colore di 6000K
- Alimentazione con 4 batterie AA da 1,5V o AA ricaricabili (2700mAh)
- Autonomia 5 ore, equivalente a 17 ore con accensioni intermittenti* (60 sec on, 180 sec off)
- Subacquea fino a 50m
- Accensione magnetica
- * L'autonomia e le prestazioni possono variare in funzione delle batterie utilizzate

- Powerful and compact flashlight
- Ideal for spearfishing
- Polycarbonate body
- Aluminum dissipation ring
- Reflector made of anti-oxidation synthetic material
- Uses a single 3w CREE led Q5, capable of giving off 340 lumens (about 7000 lux at 1 m)
- Concentrated beam(XR-E led size) at color temperature of 6000K
- Powered by 4 x 1 AA batteries, 5V or rechargeable AA (2700mAh)
- Autonomy 5 hours or up to 17 hours with intermittent switching (60 sec on, 180 sec off)
- Underwater up to 50m
- Magnetic switch-on
- Autonomy and performance may vary depending on batteries used

- CREE led Q5 da 3w - dissipatore in alluminio
- CREE 3W Q5 LED - aluminum dissipator

LENGTH	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
160mm/6.3inch	230gr.	- 50mt	high power 3W CREE	340LM	6000K	4 x AA 1.5V	5 - 17h*
COLOR	COD.	SUGGESTED PACK					
BLACK	400000	12pz.					

RIGEL



- n° 3 LED XM-L2 U2
- Temperatura colore: 6500 K
- Livello max. luminosità: 3800 Lumens
- Autonomia: 250 min
- Parabola: alluminio con superficie liscia
- Trattamento superficie: Anodizzazione Premium aggiuntiva
- Batteria: n° 2 batterie 26650 Lithium-ion ricaricabile (4000 mAh, 3.7 V)
- Protezione contro lo scarico eccessivo della batteria
- Protezione contro l'inversione di polarità
- Operatività di voltaggio 4.2 V a 2.8 V
- Profondità operativa: fino a - 100 metri
- Dimensioni 255mm (Lunghezza) * 60 mm (diametro max. della testa)
- Peso Netto: circa 580 gr. (senza Batteria)
- Ricarica USB-C incorporata, con indicatore

- No. 3 XM-L2 U2 LEDs
- Color temperature: 6500 K
- Max. brightness level: 3800 Lumens
- Autonomy: 250 min
- Reflector: aluminum with Smooth surface
- Surface treatment: Additional Premium Anodizing
- Battery: No. 2 26650 Lithium-ion rechargeable batteries (4000 mAh, 3.7 V)
- Battery over discharge protection
- Reverse polarity protection
- Voltage operation 4.2 V to 2.8 V
- Waterproof up to 100 meters
- Dimensions 255mm (Length) * 60 mm (max. head diameter)
- Net weight: about 580 g (without Battery)
- Built-in USB-C charging, with indicator

LENGTH	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
255mm	580gr	- 100 m	3800 LM	6500K	n° 2 26650 Li-ion	250 min
COLOR	COD.	SUGGESTED PACK				
BLACK	400060	6pz.				

GALACTIKA MAX PRO

INTERRUTTORE CON SIGILLATURA EPOSSIDICA



- Potenza luminosa: 3 LED SST40 – fino a 4500 lumen
- Fascio luminoso: stretto, con hot spot a 8° per illuminazione concentrata
- Autonomia:
 - 4500 lm: fino a 250 minuti
 - 2200 lm (risparmio): fino a 450 minuti
- Modalità operative (controllo con tasto a scorrimento):
 - 1° scorrimento: accensione massima potenza
 - 2° scorrimento (entro 5 sec): modalità risparmio energetico
 - 3° scorrimento (entro 5 sec): modalità SOS
 - Scorrimento dopo 5 sec: spegnimento
- Batteria: integrate, 3x21700 Li-Ion da 15000 mAh (non sostituibili)
- Ricarica: magnetica tramite cavo USB (in dotazione)
- Indicatore carica:
 - Lampeggio LED sotto il 15% di carica
 - LED fisso: batteria completamente carica
- Impermeabilità: certificazione IPX8, resistente fino a -100 metri
- Dimensioni: 57 x 232 mm
- Peso: 535 g

- Light output: 3 SST40 LEDs – up to 4500 lumens
- Beam angle: narrow 8° hot spot for focused lighting
- Runtime:
 - 4500 lm: up to 250 minutes
 - 2200 lm (eco mode): up to 450 minutes
- Operating modes (controlled by sliding switch):
 - 1st slide: turn on at full power
 - 2nd slide (within 5 sec): power-saving mode
 - 3rd slide (within 5 sec): SOS mode
 - Slide after 5 sec: power off
- Battery: built-in 3x21700 Li-Ion, 15000 mAh (non-replaceable)
- Charging: magnetic connection with USB cable (included)
- Charge indicator:
 - Flashing LED: battery below 15%
 - Steady LED: fully charged
- Waterproof: rated IPX8, resistant up to -100 meters
- Dimensions: 57 x 232 mm
- Weight: 535 g

LENGTH	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
232mm/9.13inch	535gr.	- 100mt	3*SST40	4500 Lumen	6500K	3x 21700, 1500 mAh (Li-ion)	250 min



SUGGESTED PACK
12pz.




PACKAGING: Box rigido

COLOR
BLACK

COD.
TOR012

FOCUS PRO



- LED: XHP50 (Max 3200 Lumens / Min 1600 Lumens)
- Temperatura Colore: 6500 K
- Distanza fascio luminoso: 390 m (max) / 260 m (min)
- Intensità luminosa: 38.000 Lux / 17.000 Lux @ 1 m
- Autonomia: 180 min/max - 300 min/min - 150 min/SOS
- Ampiezza del fascio di luce: regolabile 11° ~ 73°
- Batteria: 21700 Lithium-ion ■ 1 Ricaricabile (5000 mAh, 3,7 V)
- Ricarica USB-C incorporata
- Tempo di ricarica: 3 ± 0,5 ore
- Operatività di voltaggio: da 4,2 V a 2,8 V
- Materiale corpo: alluminio 6063 + PC
- Impermeabilità: IPX8 (fino a -100 m)
- Dimensioni: 213 mm (lunghezza) × 51,6 mm (diametro max testata-torcia)
- Peso netto: circa 424 g (senza batteria)
- Peso lordo: circa 495 g (con batteria)

- LED: XHP50 (Max 3200 Lumens / Min 1600 Lumens)
- Color temperature: 6500 K
- Beam distance: 390 m (max) / 260 m (min)
- Light intensity: 38,000 Lux / 17,000 Lux @ 1 m
- Runtime: 180 min/max - 300 min/min - 150 min/SOS
- Angle of light beam: adjustable 11° ~ 73°
- Battery: 21700 lithium-ion ■ 1 rechargeable (5000 mAh, 3.7 V)
- Built-in USB-C charger
- Charging time: 3 ± 0.5 hours
- Operation voltage: 4.2 V to 2.8 V
- Body material: aluminium 6063 + PC
- Waterproof: IPX8 (up to -100 m)
- Dimensions: 213 mm (length) × 51.6 mm (max torch head diameter)
- Net weight: approx. 424 g (without battery)
- Gross weight: approx. 495 g (with battery)

LENGTH	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
213 mm	495 gr.	- 100mt	XHP50	Max 3200 / Min 1600	6500K	21700 Lithium-ion	180 min/max - 300 min/min - 150 min/SOS

COLOR	COD.
NEW BLACK	TOR035



MIZAR



- Ricarica USB-C incorporata
- LED 3xSST40
- 4200 Lumen
- Autonomia: 250 min
- Batteria: 2 x 26650 Ioni litio/9000mAh
- Impermeabilità: IPX8 fino a - 100 metri
- Dimensioni: 255 mm x 73 mm
- Peso netto: 710 g.
- La torcia ha 4 modalità di utilizzo :
Prima pressione - 2200 Lumen
Seconda pressione - 660 Lumen
Terza pressione: modalità S.O.S.
- Tenendo premuto per più di 2 secondi - 4200 Lumen (dopo 8 minuti passa automaticamente a 2200 Lumen per evitare l'eccessivo surriscaldamento)

- Built-in USB-C charging
- 3xSST40 LED
- 4200 lumens
- Autonomy: 250 min
- Battery: 2 x 26650 Lithium-ion/9000mAh
- Waterproof: IPX8 to -100 meters
- Dimensions: 255 mm x 73 mm
- Net weight: 710 g.
- The flashlight has 4 modes of use :
First press -2200 lumens;
Second press -660 lumens;
Third press: S.O.S. mode
- Keeping pressed the switch button above 2 seconds -4200 lumen (after 8 minutes it automatically switches to 2200 lumens to avoid overheating)

LENGTH	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
225mm/8.8inch	710gr.	- 100mt	CREE 3xSST40	4200LM	6000K	2 x 26650 Ioni litio	250 min

COLOR	COD.		SUGGESTED PACK
BLACK	TOR020		

6pz.

RICAMBI TORCE / SPARE PARTS TORCHES

SPARE PARTS	COD.
Corpo in plastica Torcia LECOLED - Plastic body for LECOLED torch	400000/A
Sistema elettronico/corpo LED Torcia LECOLED - Electronic system/LED body for LECOLED torch	400000/C
Testa in alluminio Torcia LECOLED - Aluminium head for LECOLED torch	400000/D
Interruttore verde Torcia LECOLED - Green switch for LECOLED torch	400000/FG
Batteria per torcia DAYLIGHT / BLAST LIGHT - Battery for DAYLIGHT / BLAST LIGHT torch	400010/A
Batteria per torcia FIRELED / FOCUS - Battery for FIRELED / FOCUS torch	400040/A
Batteria (2 x 26650) per RIGEL / MIZAR - Battery (2 x 26650) for RIGEL / MIZAR	400060/A
Cavo magnetico di connessione GALACTIKA - Magnetic charging cable for GALACTIKA	ACTOR10
Batteria per torcia ANTARES - Battery for ANTARES torch	TOR040/A

FREEDIVE



DIVE DEEPER. LOOK BEYOND. DISCOVER.

SCENDI PIÙ A FONDO. GUARDA OLTRE. SCOPRI.

SALVIMAR

FOR FREEDIVING



- Orologio-computer subacqueo
- Profondimetro 100 mt
- Funzioni: tempo di immersione, tempo di superficie, temperatura acqua, ecc.
- Nuovo sensore di profondità (aggiornamenti ad intervalli ogni 0,5ms)
- Allarmi regolabili
- Memorizzazione dati di immersione fino a 99 sessioni al giorno per 30 giorni
- Funzioni extra: cronometro, timer, ora mondiale T-Dual, sveglie e retroilluminazione
- Cinturino maggiorato per migliore adattabilità

- Dive watch-computer
- 100 mt depth gauge
- Functions: dive time, surface time, water temperature, etc.
- New depth sensor (updates at intervals every 0.5ms)
- Adjustable alarms
- Dive data storage for up to 99 sessions per day for 30 days
- Extra functions: stopwatch, timer, T-Dual world time, alarms and backlighting
- Oversized strap for better fit



DIVING DEPTH 100 mt.



100 YEARS CALENDAR



EL BACKLIGHT



STOPWATCH



100M WATER RESISTANT



FIVE INTERMEDIATE DEPTHS SETTING



WORLD TIME



TEMPERATURE



BATTERY (CR2032)



CHIME



COUNTDOWN TIMER



NEW GENERATION OF DEPTH SENSOR



ALARM

COLOR

COD.

BLACK

8020

SUGGESTED PACK
6pz.

DEEPER



- Profondimetro: 100 mt
- Tempo di immersione
- Tempo di superficie
- Temperatura acqua
- Memorizzazione dati di immersione
- **Impostazione allarme:**
 - Massima profondità
 - Tempo massimo di immersione
 - Cinque di profondità intermedia
 - Sospensione funzioni non subacquee durante l'immersione
- Cinturino maggiorato

- Depthmeter: 100 mt
- Dive time
- Surface time
- Water temperature
- Dive data storage
- **Alarm setting:**
 - Maximum depth
 - Maximum dive time
 - Five intermediate depths
 - Suspend non-dive functions while diving
- Increased strap



DIVING DEPTH 100 mt.



100 YEARS CALENDAR



EL BACKLIGHT



STOPWATCH

100M WATER
RESISTANTFIVE INTERMEDIATE
DEPTHS SETTING

WORLD TIME



TEMPERATURE



BATTERY (CR2032)



CHIME



COUNTDOWN TIMER

COLOR

BLACK - ACID GREEN

COD.

8010

SUGGESTED PACK
6pz.

ONE PLUS SENSOR PRO



- Orologio subacqueo con funzionalità avanzate
- Profondimetro 100 metri
- Sensore di ultima generazione che assicura misurazioni ancora più affidabili e precise
- Funzioni: tempo di immersione, tempo di superficie, temperatura acqua
- Registra dati di immersione
- Software aggiornato per prestazioni senza problemi

- Dive watch with advanced features
- 100-meter depth gauge
- Next-generation sensor that ensures even more reliable and precise measurements
- Functions: dive time, surface time, water temperature
- Records dive data
- Updated software for trouble-free performance



DIVING DEPTH 100 mt.



100 YEARS CALENDAR



EL BACKLIGHT



STOPWATCH



100M WATER RESISTANT



FIVE INTERMEDIATE DEPTHS SETTING



WORLD TIME



TEMPERATURE



BATTERY (CR2032)



CHIME



COUNTDOWN TIMER



NEW GENERATION OF DEPTH SENSOR



ALARM

COLOR

COD.

BLACK

8000SP



SUGGESTED PACK

6pz.

RICAMBI OROLOGI / SPARE PARTS WATCH

KIT	COD.
Kit O-RING+ 4pz caseback screws / O-ring kit + 4 caseback screws ONEPLUS/DEEPER/FREEDIVE	8000/A
Kit cinturino + 2 perni / Strap kit + 2 spring bars ONEPLUS	8000/C
Kit cinturino + 2 perni / Strap kit + 2 spring bars DEEPER/ FREEDIVE	8010/C

GOEMON SCUBA



Belt mounting



Whip mounting

- Lunghezza totale 17 cm, lama in acciaio inox 7,5 cm, punta piatta di sicurezza
- Doppio filo tagliente: liscio con tagliasagola integrato + dentellatura Shark Tooth per cime di grosso diametro
- Tacca aprigrilli sulla costa posteriore della lama
- Occhiello per laccetto di sicurezza
- Doppio supporto a vite per GAV: compatibile con fascia ventrale e frusta
- Impugnatura, fodero e supporti in nylon caricato vetro 30%
- Fodero con sede a V – viti in acciaio inox
- Costruito nelle Officine Salvimar

- Total length 17 cm, stainless steel blade 7.5 cm, blunt safety tip
- Double cutting edge: smooth with integrated line cutter + Shark Tooth serration for large-diameter ropes
- Shackle opener notch on the blade spine
- Safety lanyard eyelet
- Dual screw-mount BCD system: compatible with waist strap and inflator hose
- Handle, scabbard and mounts in 30% fiberglass loaded nylon
- V-seat scabbard – stainless steel screws
- Made in Salvimar Factories



WHITE



BLACK

	COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
NEW	WHITE	17 cm	7,5 cm	6,5 cm	400110W
NEW	BLACK	17 cm	7,5 cm	6,5 cm	400110

ARES



- Lunghezza totale 22cm - lunghezza lama 12cm
- Lama con profilo asimmetrico
- Realizzata in acciaio speciale anticorrosione
- Impugnatura ergonomica anti-scivolo
- Doppia fessura di fissaggio sul fodero
- Materiale Nylon caricato vetro 30%
- Profilo dentellato
- Fodero con sede a V
- Costruito nelle Officine Salvimar

- Total length 22cm
- Blade length 12cm
- Blade with asymmetrical profile
- Made of special anti-corrosion steel
- Anti-slip ergonomic handle
- Double fastening slit on the scabbard
- Material 30% fiberglass loaded nylon
- Serrated profile
- V-shaped scabbard seat
- Made in Salvimar Factories.



COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
BLACK	22 cm	12 cm	12 cm	400104
MILITARY GREEN	22 cm	12 cm	12 cm	400104M

GOEMON



- Lunghezza totale 19,5cm - lunghezza lama 9,5
- Lama realizzata in acciaio speciale anticorrosione
- Fessura maggiorata per scoccia aste
- Materiale Nylon caricato vetro 30%
- Ottima resistenza agli urti e alle abrasioni
- Foro per raddrizzare le aste
- Fodero con sede a V
- Costruito nelle Officine Salvimar

- Total length 19.5cm
- Blade length 9.5
- Blade made of special anti-corrosion steel
- Enlarged slot for holding shafts
- 30% fiberglass loaded nylon material
- Excellent resistance to impact and abrasion
- Hole for straightening shafts
- V-seat scabbard
- Made in Salvimar Factories



COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
WHITE	19,5 cm	9,5	7,5	400103W
BLACK	19,5 cm	9,5	7,5	400103
ACID GREEN	19,5 cm	9,5	7,5	400103G

ST-ATLANTIS



- Lunghezza totale 19,3cm
- lunghezza lama 8,9cm
- Coltello da pesca subacquea
- Lama a stiletto a doppio filo liscio e seghettato (Shark Tooth)
- Foro per raddrizzare le aste
- Tacca scoccia aste sul manico
- Costruito nelle Officine Salvimar

- Total length 19.3cm
- Blade length 8.9cm
- Spearfishing knife
- Smooth and serrated double edge stiletto blade (Shark Tooth)
- Hole for straightening shafts
- Shaft notch on the handle
- Made in Salvimar Factories.



BLADE BLACK - MILITARY GREEN



BLADE BLACK - ACID GREEN



MIDNIGHT BLUE



MILITARY GREEN

COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
BLADE BLACK - BLACK	19,3 cm	8,9 cm	8,9 cm	400105
BLADE BLACK - MILITARY GREEN	19,3 cm	8,9 cm	8,9 cm	400105M
BLADE BLACK - ACID GREEN	19,3 cm	8,9 cm	8,9 cm	400105G
MILITARY GREEN	19,3 cm	8,9 cm	8,9 cm	400101
MIDNIGHT BLUE	19,3 cm	8,9 cm	8,9 cm	400101B

ST-BLADE



- Lunghezza totale 18,5cm
- lunghezza lama 8,9cm
- Lama a stiletto a doppio filo liscio e seghettato (Shark Tooth)
- Foro per raddrizzare le aste
- Fodero con sede a V per facilitare l'inserimento della lama
- Costruito nelle Officine Salvimar

- Total length 18.5cm
- Blade length 8.9cm
- Stiletto blade with smooth and serrated sharpening (Shark Tooth)
- Hole for straightening shafts
- Scabbard with V-shaped seat for easy blade insertion
- Made in Salvimar Factories



WHITE/Blade:BLACK



RED



COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
BLACK	18,5 cm	8,9 cm	7,5 cm	400100
WHITE/Blade: BLACK	18,5 cm	8,9 cm	8,9 cm	400100W
RED	18,5 cm	8,9 cm	8,9 cm	400100R

PREDATHOR



- Lunghezza totale con fodero 16cm - lunghezza lama 8cm
- Coltello molto compatto
- Lama in acciaio inox 420 a doppio taglio (liscio e dentellato)
- Sistema di sgancio rapido
- Adatto sull'avambraccio, braccio, polpaccio e cintura
- Adatto per apnea e al freediving
- Costruito nelle Officine Salvimar

- Very compact knife
- Total length: 16 cm
- Blade material: stainless steel 420 smooth and serrated sharpening
- Quick release
- Suitable for apnea and freediving
- Designed to be fixed to the arm, the forearm, the belt or calf
- Device for easy release
- Designed to be fixed to the arm, the forearm, the belt or the calf

NEW BOX 12 UNIT



BOX 12 UNIT 4001020PACK 8058093687143



MIDNIGHT BLUE



RED



MILITARY GREEN



WHITE



ORANGE

COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
RED - BLACK	16 cm	8 cm	7 cm	400102R
MIDNIGHT BLUE	16 cm	8 cm	7 cm	400102B
ACID GREEN	16 cm	8 cm	7 cm	400102G
MILITARY GREEN - BLACK	16 cm	8 cm	7 cm	400102MG
WHITE - BLACK	16 cm	8 cm	7 cm	400102W
ORANGE - BLACK	16 cm	8 cm	7 cm	400102O

SFILETTATORE

- Lunghezza totale: 31,5cm
- Lunghezza lama: 17cm
- Materiale lama: 3Cr13
- Lama flessibile a spessore differenziato: 2mm (base) - 1mm (punta)
- Ideale per sfilettare le catture



- Total length: 31.5cm
- Blade length: 17cm
- Blade material: 3Cr13
- Flexible blade with differentiated thickness: 2mm (base) - 1mm (tip)
- Ideal for filleting catches

COLOR	TOTAL LENGTH	BLADE LENGTH	COD.
RED / BLACK	31,5 cm	17 cm	400106

FASCIA ELASTICA / KNIFE HOLDER ELASTIC BAND



- Fascia in velcro elastica adatta per braccio/polpaccio
- Altezza 5cm
- Lunghezza 40 cm

- Elastic Velcro band
- Fits arm/calf
- Height: 5 cm
- Length: 40 cm

COLOR.	COD.
BLACK	400120
KRYPIS	ACNEO0020

FASCIA ELASTICA KNIFE / HOLDER ELASTIC BAND SLIM



- Fascia in velcro elastica
- Adatta per braccio/polpaccio
- Altezza: 2.5 cm
- Lunghezza: 40 cm

- Elastic Velcro band
- Fits arm/calf
- Height: 2.5 cm
- Length: 40 cm

COD.
400120S

TAGLIASAGOLA / SAVER



- Saver, tagliasagola
- Fodero con aggancio per cintura
- Lama in acciaio inossidabile
- Spessore lama: 1,2mm
- Peso: 30 gr

- Saver, line cutter
- Scabbard with belt attachment
- Stainless steel blade
- Blade thickness: 1.2mm
- Weight: 30 g

COD.
400250

KNIVES DISPLAY

**Espositore coltelli da banco**

- Made in Italy
- **Comprensivo della gamma coltelli Salvimar, 1 per colore:**
 - n° 2 ARES knives
 - n° 3 GOEMON knives
 - n° 2 ST BLADE 75 knives
 - n° 2 ST-ATLANTIS 100 knives
 - n° 6 PREDATHOR knives

Counter knife display

- Made in Italy
- **Including the Salvimar knife range, 1 per colour:**
 - n° 2 ARES knives
 - n° 3 GOEMON knives
 - n° 2 ST BLADE 75 knives
 - n° 2 ST-ATLANTIS 100 knives
 - n° 6 PREDATHOR knives

COD.
4001KIT

BAGS



ROLLER BAG 120



- Borsa 120L porta attrezzatura con ruote e maniglie di trasporto
- Realizzata in Strong Taurpalin
- Doppia tasca interna/esterna
- Spallacci per il trasporto manuale
- Apertura U-Zip

- 120L equipment bag with wheels and carrying handles
- Made of Strong Taurpalin
- Double interior/exterior pockets
- Shoulder straps for manual carrying
- U-Zip opening



COLOR
BLACK

CAPACITY
120 lt

SIZE
44 x 28 x 95 cm

COD.
BAG03BK



SUGGESTED PACK
5pz.

WHALE BLACK



Borsone porta attrezzatura con capienza da 135L. Realizzato in robusto PVC Tarpaulin saldato ad alta frequenza, giunture stagne. Dotato di valvola per consentire lo scarico dell'acqua dopo aver lavato l'attrezzatura all'interno della borsa. Waterproof, impedisce la fuoriuscita di acqua durante il trasporto. Due maniglie laterali e spallacci a tracolla regolabili e rimovibili. Presente un ampio scomparto a rete interno ed una tasca esterna sulla parte superiore con cerniera resistente all'acqua.

- Borsone 135L PVC Tarpaulin
- Giunture stagne
- Valvola scarico
- Waterproof
- Maniglie/spallacci regolabili e rimovibili
- Tasca esterna, cerniera waterproof
- Ampio scomparto a rete interno
- Apertura a U, materiale ultra resistente
- Misure 103 x 35 x 38cm

Equipment duffel bag 135 litre capacity.

Made of robust, high frequency welded Tarpaulin PVC, watertight seams.

Equipped with a valve to allow the water to drain after washing the equipment inside the bag.

Waterproof, prevents water escaping during transport. Two side handles and adjustable and removable shoulder straps.

It has a large internal mesh compartment and an external pocket on the top with a water-resistant zip.

- 135L PVC Tarpaulin duffel bag
- Watertight seams
- Drain valve
- Waterproof
- Adjustable and removable handles/shoulder straps
- Outer pocket, waterproof zipper
- Large internal mesh compartment
- U-opening, ultra-strong material
- Measures 103 x 35 x 38cm



COLOR
BLACK

CAPACITY
135 lt

SIZE
103 x 35 x 38 cm

COD.
BAG02BK



SUGGESTED PACK
10pz.

DRY BACKPACK 60FH



- Zaino da 60 litri con chiusura stagna roll-top regolabile
- Ampia tasca posteriore per il trasporto delle pinne
- Supporti laterali integrati nel tessuto per maggiore stabilità e comfort durante il trasporto
- Elastici laterali per fissaggio di fucili da pesca o oggetti lunghi
- Spallacci imbottiti regolabili e removibili per una vestibilità comoda e sicura
- Fascia pettorale e ventrale: ideale per l'uso su moto o scooter
- Tasca frontale waterproof con cerniera

- 60-liter backpack with adjustable roll-top waterproof closure
- Large rear fins holder pocket
- Integrated side supports within the fabric for enhanced stability and comfort during transport
- Side elastic straps for securing spearguns or long items
- Padded, adjustable, and removable shoulder straps for a comfortable and secure fit
- Chest and waist straps: ideal for use on motorcycles or scooters
- Waterproof front pocket with zipper closure



COLOR
BLACK

CAPACITY
60 lt

SIZE
40 x 22 x 86 cm

COD.
400206



SUGGESTED PACK
10pz.

CYCLOP PLUS



- Borsone 100L porta attrezzatura in tessuto PVC
- Tarpaulin cucito
- Cerniera impermeabile
- Apertura U-Zip

- Large equipment bag
- Waterproof zipper closing
- U-Zip opening

COLOR	CAPACITY	SIZE	COD.
BLACK	100 lt	44 x 28 x 95 cm	BAG05BK



SUGGESTED PACK
5pz.

DRY BACKPACK 60



- Borsone 60/80L zaino in PVC Tarpaulin stagno
- Chiusura ad arrotolamento, giunture stagne
- Spallacci imbottiti e rimovibili

- 60/80L watertight PVC Tarpaulin backpack
- Roll-up closure
- Watertight seams
- Padded, removable shoulder straps

COLOR	CAPACITY	SIZE	COD.
BLACK	60 lt	44 x 28 x 75 cm	400204



SUGGESTED PACK
10pz.

SALVIMAR FIN BAG WR



- Zaino porta pinne lunghe/professionali
- Cerniera semi-perimetrale a doppio cursore
- Cinghie regolabili per trasporto in spalla
- Realizzata in robusto nylon impermeabile antistrappo
- Ampia tasca centrale porta accessori
- Aperta su 3 lati
- Supporti laterali per fissaggio arbalette o pneumatico
- Spallacci regolabili

- Backpack for long/professional fins
- Half-perimetral double slider zipper
- Adjustable strap for shoulder carriage
- Made in strong watertight nylon
- Wide front pocket over 3 sides
- Adjustable shoulder straps



COLOR

BLACK

SIZE

10 + 15 x 25 x 115cm

COD.

BAG04BK

SUGGESTED PACK
5pz.

SALVIMAR FIN BAG



- Zaino porta pinne lunghe/professionali
- Cerniera semi-perimetrale a doppio cursore
- Cinghie regolabili per trasporto in spalla
- Realizzata in robusto nylon impermeabile antistrappo
- Ampia tasca centrale porta accessori
- Aperta su 3 lati
- Supporti laterali per fissaggio arbalette o pneumatico
- Spallacci regolabili

- Backpack for long/professional fins
- Half-perimetral double slider zipper
- Adjustable strap for shoulder carriage
- Made in strong watertight nylon
- Wide front pocket over 3 sides
- Adjustable shoulder straps



COLOR	SIZE	COD.
BLACK - ACID GREEN	10 + 15 x 25 x 115cm	400196
KRYPsis CAMU	10 + 15 x 25 x 115cm	400196K



SUGGESTED PACK
5pz.

TANTO BAG



- Borsa porta fucili in PVC Tarpaulin
- Chiusura con cerniera impermeabile
- Spallacci multiuso

- PVC Tarpaulin speargun bag
- Waterproof zipper closure
- Multi-purpose shoulder straps

COLOR	SIZE	COD.
BLACK	155 x 35 cm	400200



SUGGESTED PACK
10pz.

TALL BAG



BLACK

- Materiale: Tessuto 420D Ripstop
- Chiusura tramite cerniera
- Trasporto: Ampi spallacci per trasporto a mano, a tracolla e in spalla

- Material: 420D Ripstop fabric
- Zipper closure
- Carry: Wide shoulder straps for hand, shoulder and over-the-shoulder carry

COLOR	SIZE	COD.
KRYPsis	155 x 23 cm	400209K
BLACK	155 x 23 cm	400209



SUGGESTED PACK
40pz.

ICEBERG 30lt



- Materiale: anti strappo elettrosaldato
- Rivestimento interno con intercapedine isolante
- Capacità di mantenere il ghiaccio per lungo tempo
- Forma studiata per essere stabile su qualsiasi mezzo di trasporto
- Chiusura con cerniera stagna e valvola di scarico per l'acqua
- Tracolla, manici e asole per fissaggio durante il trasporto
- Scala graduale esterna in cm/pollici per la misurazione del pescato

- Material: electro-welded anti-tear
- Inner shell with insulating cavity
- Ability to hold ice for a long time
- Shape designed to be stable on any means of transport
- Watertight zipper closure and water drain valve
- Shoulder strap, handles and loops
- External graduated scale in cm/inches for measuring the catch

**COLOR**

GRAY

SIZE

length 67,5 cm - height 40 cm . width 20,5cm

COD.

400205

**SUGGESTED PACK**

5pz.

DRY BAG BEACH



- Borsa stagna multifunzionale
- Materiale resistente, saldature stagne
- Sistema Hands Free con spallacci regolabili e moschettone

- Multifunctional watertight bag
- Durable material, watertight seams
- Hands Free system with adjustable shoulder and snap hook

COLOR	CAPACITY	COD.
CARBON LOOK	5 lt	BAG0105C
BLUE	5 lt.	BAG0105B
WHITE	5 lt.	BAG0105W
CARBON LOOK	10 lt	BAG0110C
YELLOW	10 lt.	BAG0110Y
ORANGE	10 lt.	BAG0110O
CARBON LOOK	20 lt.	BAG0120C



SUGGESTED PACK
25pz.

DRY SACK PHONE



- Sacca Impermeabile, resistente alla sabbia, anti-neve, anti-polvere
- Schermo protettivo trasparente altamente sensibile al tatto

- Waterproof, sand-resistant, snowproof, dustproof bag
- Highly touch-sensitive, clear protective screen

COLOR	CAPACITY	COD.
YELLOW	2,5 lt.	BAG0102Y
ORANGE	2,5 lt.	BAG0102O

BELTS
WEIGHTS
BUOYS





BLUE

MARSIGLIESE PRO

- Cintura elastica marsigliese
- 135 cm / 155 cm
- Fibbia inox
- Fori rinforzati e inserimento piombi facilitato
- Spessore differenziato
- Gomma naturale
- "Design" e "concept" made in Salvimar
- Elastic Marseille weight belt
- 135 cm / 155 cm
- Stainless steel buckle
- Reinforced holes and facilitated weight insertion
- Differentiated thickness
- Natural rubber
- Design and concept made in Salvimar



SUGGESTED PACK
20pz.

COLOR	LENGTH	COD.
BLACK	135cm	400050B
BLACK	155cm	400051B

COLOR	LENGTH	COD.
BLUE	135cm	000200B
BLUE	155cm	000200A



ELASTICA / ELASTIC PRO

- Cintura piombi elastica con fibbia inox
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar
- Elastic weight belt with stainless steel buckle
- Variable thickness
- Length: 145 cm
- Natural rubber
- Design & Technical Concept Made in Salvimar

BUCKLE	LENGTH	COD.
INOX	145cm	400052B



SUGGESTED PACK
20pz.



PIOMBI ELASTICA ECO ELASTIC WEIGHT BELT ECO

- Cintura piombi elastica ECO con fibbia inox
- Lunghezza: 145cm
- Gomma naturale
- Eco elastic weight belt with stainless steel buckle
- Length: 145cm
- Natural rubber

BUCKLE	LENGTH	COD.
INOX	145cm	AP016



SUGGESTED PACK
20pz.



SNAKE ELASTICA / ELASTIC PRO

- Cintura piombi elastica con fibbia nylon
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar
- Elastic weight belt with nylon buckle
- Differentiated thickness
- Length: 145cm
- Natural rubber
- Design and Technical Concept made in Salvimar

BUCKLE	LENGTH	COD.
NYLON	145cm	400053B



SUGGESTED PACK
20pz.



SNAKE PIOMBI ELASTICA / ELASTIC WEIGHT BELT ECO

- Cintura piombi elastica con fibbia nylon
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

- Elastic weight belt with nylon buckle
- Variable thickness
- Length: 145 cm
- Natural rubber
- Design & Technical Concept Made in Salvimar

BUCKLE	LENGTH	COD.
NYLON	145cm	AP016B



SUGGESTED PACK
20pz.



SUGGESTED PACK
30pz.

PIOMBI / WEIGHTS CORDURA INOX

- Cintura piombi
- in Cordura con fibbia inox
- Lunghezza: 145cm

- Weight belt
- Made of Cordura with stainless steel buckle
- Length: 145cm



COLOR	LENGTH	COD.
BLACK	145cm	AP015
MILITARY GREEN	145cm	AP015M

COLOR	LENGTH	COD.
RED	145cm	AP015R
ACID GREEN	145cm	AP015V



SUGGESTED PACK
30pz.

SNAKE PIOMBI / WEIGHTS CORDURA NYLON

- Cintura piombi
- Cordura e fibbia in Nylon
- Lunghezza: 145cm
- Resistente all'abrasione
- Regolabile

- Weight belt
- Cordura and Nylon buckle
- Length: 145cm
- Abrasion resistant
- Adjustable



COLOR	LENGTH	COD.
BLACK	145cm	AP017
MILITARY GREEN	145cm	AP017M

COLOR	LENGTH	COD.
RED	145cm	AP017R
ACID GREEN	145cm	AP017V



SUGGESTED PACK
30pz.

FIBBIA / BUCKLE SNAKE NYLON

- NYLON caricato 30%
- Passanti cintura maggiorati
- Leva di fissaggio rinforzata
- Blocca Nylon/Gomma da 1,5 a 4,0mm
- Design e Technical Concept made in Salvimar

- 30% LOADED NYLON
- Enlarged belt loops
- Reinforced fastening lever
- Nylon/rubber locks from 1.5 to 4.0mm
- Design and Technical Concept made in Salvimar

COLOR	KIT	COD.
BLACK	6	AP012



FIBBIA / BUCKLE INOX


KIT	COD.
1pz	AP010



NASTRO CINTURA BELT WEBBING

ROLL	COD.
50m	LCINTO04

NEW



BALLAST

- Collare piombato
- Materiale: piombo rivestito in morbida gomma
- Regolabile per deformazione
- Resistente alla corrosione
- Stabilità e distribuzione del peso
- Idrodinamicità

- Neck lead weights
- Material: Lead coated with soft rubber
- Adjustable through deformation
- Corrosion-resistant
- Weight stability and distribution
- Hydrodynamic design

	COLOR	KG.	COD.
NEW	WHITE	1.000	AWS0030
NEW	WHITE	1.500	AWS0031
NEW	WHITE	1.800	AWS0032
NEW	WHITE	2.500	AWS0033



PIOMBO DA CINTURA / BELT WEIGHT

- Piombo da cintura rivestito nero 500g. e 1000g.
- Dotato di passanti da 5cm per inserimento nella cintura

- Black coated belt lead 500g. & 1000g.
- Equipped with 5cm holes for insertion into the belt

COLOR	G.	COD.
BLACK	500	400865BK
BLACK	1000	400860BK



SUGGESTED PACK
12pz.



PEDAGNO IN PIOMBO / LEAD WEIGHT FOR BUOY

- Pedagno in piombo da 600g, rivestito
- Forma a U per estrazione e fissaggio in cintura
- Anello inox incluso per aggancio al moschetton

- 600g lead buoy, coated
- U-shape for extraction and attachment to belt
- Stainless ring included

COLOR	COD.
RED	400800



SUGGESTED PACK
12pz.



PIOMBO AVVOLGISAGOLA / LINE-WINDER LEAD WEIGHT

- Rocchetto in piombo da 400grammi, rivestito
- Forma cilindrica con testa x facilitare l'avvolgimento della sagola
- Ideale per stabilizzare la boa segnasub o segnare rapidamente la zona di pesca

- 400-gram lead spool, coated
- Cylindrical shape with head
- Ideal for stabilizing the scuba marker buoy or quickly marking the fishing area

COLOR	COD.
BLACK	400820




SUGGESTED PACK
12pz.



PIOMBO SCHIENALINO / VEST WEIGHT

- Piombo da cintura rivestito nero 500g. e 1000g.
- Dotato di passanti da 5cm per inserimento nella cintura
- Black coated belt lead 500g. & 1000g.
- Equipped with 5cm holes for insertion into the belt



SUGGESTED PACK

12pz.

COLOR	G.	COD.
BLACK	1000	400815
YELLOW	750	400813
RED	500	400810



PIOMBO PER CAVIGLIA / ANKLE WEIGHT

- Piombo per caviglia
- Equilibra la spinta positiva del neoprene
- Ideale per pesca all'agguato per mantenere le pinne aderenti al fondale
- Rivestito in plastica
- Ankle weight
- Balances the positive thrust of neoprene
- Ideal for ambush fishing to keep fins adhered to the bottom
- Plastic-coated



COLOR	G.	COD.
BLACK	500	400830
RED	250	400840



ARTIGLIO

- Pedagno in acciaio inox con apertura ad ombrello e sistema a gravità di bloccaggio
- Peso: 500 grammi
- Dimensioni: 19cm x 3cm (chiuso), apertura: 12cm
- Ideale per ancorare la pancetta, la boa segna sub, canoa, sup, gonfiabili
- Gli artigli alette richiudibili migliorano la tenuta e riducono l'attrito

- Stainless steel safety marker buoy with umbrella opening and gravity locking system
- Weight: 500 grams
- Size: 19cm x 3cm (closed), opening: 12cm
- Inflatable freediving buoy, scuba buoy, canoe, SUP, floats
- Foldable claws improve tightness and reduce friction

COD.

ACC0020



BARCETTA ALTA VISIBILITA' HIGH VISIBILITY

- Plancetta gonfiabile con camera interna in PVC
- Rivestimento esterno in nylon ad alta resistenza
- Alta visibilità conforme alla normativa
- Dimensioni per spinta di galleggiamento 40 kg
- Vano porta oggetti con chiusura velcro
- Asta bandiera rinforzata (50cm), bandierina inclusa (320x290)
- Fasce in cordura per fissaggio di attrezzature
- In dotazione sagola galleggiante 6mm, 25m

- Inflatable dive board with PVC inner chamber
- High-strength nylon outer shell
- High visibility conforms to regulations
- Size for buoyancy thrust 40 kg
- Object holder compartment with Velcro closure
- Reinforced flag shaft (50cm), flag included (320x290)
- Cordura bands for fastening equipment
- Supplied with 6mm, 25mt floating rope

COD.

400504

**SUGGESTED PACK**
25pz.**COD.**

400504/A Ricambio camera interna - Buoy inner replacement

400504/Z Ricambio bandierina Alpha - Alpha flag replacement



SPHERA ALTA VISIBILITA' HIGH VISIBILITY

- Boa segnalazione Sub alta visibilità
- PVC interno, Nylon rinforzato esterno
- Doppia bandierina, alpha e rossa
- Sagola galleggiante 6mm, 25m
- Diametro 360mm, altezza 500mm

- High-visibility sub buoy
- PVC inside, Nylon reinforced outside
- Double flags, alpha and red
- Buoyant line 6mm, 25m
- Diameter 360mm, height 500mm

COD.

400506

**SUGGESTED PACK**
25pz.

TORPEDINE ALTA VISIBILITA' HIGH VISIBILITY

- Boa segnasub a siluro
- Tessuto ad alta visibilità
- Con anelli
- Sagola galleggiante 6mm, 25m

- Torpedo diving buoy
- High-visibility fabric
- With rings
- Buoyant line 6mm, 25m

COD.

400505

**SUGGESTED PACK**
25pz.

BOA SILURO IN TESSUTO COVERED TORPEDO BUOY



- Boa segnasub siluro
- PVC interno, nylon rinforzato esterno
- Tessuto con 2 bandierine CMAS e Alpha
- Anelli di fissaggio
- Sagola in dotazione
- Torpedo diving buoy
- PVC inside, nylon reinforced outside
- Fabric with 2 CMAS and Alpha flags
- Fixing rings
- Line included

LENGTH

84cm

COD.

400502

**SUGGESTED PACK**

25pz.

BOA SILURO PVC PVC TORPEDO BUOY



- Boa segnasub a siluro in PVC
- Sagola in dotazione
- 2 bandierine CMAS e Alpha
- PVC torpedo buoy
- Line included
- 2 flags CMAS and Alpha

LENGTH

90cm

COD.

400500

**SUGGESTED PACK**

25pz.

CAMERA INTERNA BOE IN TESSUTO INNER BLADDER FOR FABRIC-COVERED BUOYS



- Camera interna per boe Salvimar
- Modelli: Torpedine, Boa Siluro
- Salvimar buoy inner chamber
- Models: Torpedine, Boa Siluro

COD.

400502/A

BOA SEGNASUB DIVE BUOY Ø 30cm



- Boa segnasub sferica piccola
- Piombo stabilizzatore e sagola inclusi
- Small Spherical dive Buoy
- Stabilizer lead and line included

COD.

AP025

**SUGGESTED PACK**

25pz.

BANDIERINA ALPHA FLAG



- Bandierina internazionale Alpha
- International Alpha flag

COD.

400500/Z

BANDIERINA CMAS FLAG



- Bandierina internazionale CMAS
- International CMAS flag

COD.

400500/Y

NEW

AVVOLGISAGOLA GRANDE E PICCOLO LINE WINDER BIG AND SMALL



- Realizzato in polipropilene robusto e galleggiante: non affonda se cade in acqua durante l'uso
- Disponibile in due misure:
Big - 50 cm di recupero per giro; ideale per sagola galleggiante, float line, bungee, bungeotech e sagola del salvagente
Small - 30 cm di recupero per giro; ideale per sagola pallone, bungee, bungeotech e sagole varie
- Impugnatura ergonomica integrata
- Design made in Salvimar

- Made of robust, buoyant polypropylene: stays afloat if dropped in water during use
- Available in two sizes:
Big - 50 cm recovery per turn; ideal for floating line, float line, bungee, bungeotech and buoy safety line
Small - 30 cm recovery per turn; ideal for buoy line, bungee, bungeotech and general spearfishing lines
- Integrated ergonomic handle
- Design made in Salvimar


COD.

NEW	BIG	400267B
NEW	SMALL	400267S



SUGGESTED PACK
12pz.


FLOAT LINE



- Linea di collegamento per boa e fucile/asta
- Materiale esterno rosso in PVC per elevata visibilità
- Anima interna in HMPE da 2mm, resistenza 280 Kg
- Include girella in acciaio inox
- Lunghezza 25mt.

- Connecting line for buoy and speargun/staff
- Red PVC outer material for high visibility
- Inner core of 2mm HMPE, 280kg strength
- Includes stainless steel swivel
- Length 25mt.

COLOR	LENGTH	Ø	UTS	COD.
RED	25mt	9mm	270kg	400507



BUNGEOTECH

- Collegamento elastico tra subacqueo e boa di segnalazione
- L'anima interna ha un carico di rottura 80Kg
- Elastic connection between diver and signal buoy
- Inner core with 80kg breaking load
- Extensible up to 16mt.



TERMINALE

COLOR	LENGTH	Ø	COD.
MILITARY GREEN	4 UP TO 16mt	5mm	400510
SHINING BLUE	6 UP TO 24mt	5mm	400512

BUNGEE

- Collegamento elastico tra boa e arbalet/pneumatico ad allungamento controllato. Carico di rottura 160Kg
- Anima interna in Dyneema®
- Elastic connection between buoy and sling gun/pneumatic gun with controlled elongation. 260Kg breaking load
- Inner core in Dyneema®



TERMINALE

COLOR	LENGTH	EXTENSION	Ø	COD.
RED	5mt	15mt	Ø9,0mm	400520
BLACK	10mt	30mt	Ø9,0mm	400530



SWIMMY SAFE BAG

- Boa multifunzionale con capiente sacca stagna interna
- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio con sistema rapido di apertura/chiusura
- Multifunctional buoy with capacious inner watertight bag
- High-visibility swimming buoy
- Adjustable carrying strap with clip for added safety in the water
- Safety inflation valve with quick open/close system



ORANGE

LT	COLOR	COD.
20	ORANGE	4005420
20	YELLOW	400542Y



SWIMMY SAFE

- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio facilitato
- Forma idrodinamica per ridurre la resistenza con l'acqua
- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio facilitato
- Forma idrodinamica per ridurre la resistenza con l'acqua

LT	COLOR	COD.
15	ORANGE	400540



RIVA

- Scarpetta multiuso per superfici irregolari
- Neoprene bifoderato super elastico
- Suola antiscivolo rinforzata
- Rapida calzata, ultra confortevole
- Assicura un ottimo appoggio, maggior grip e protezione
- Multipurpose shoe for uneven surfaces
- Super stretchy double-lined neoprene
- Reinforced non-slip sole
- Quick fit, ultra comfortable
- Ensures excellent footing, greater grip and protection



SUGGESTED PACK

6pz.

COD.	COLOR	SIZES
SNS0501	BLUE	35
SNS0502	BLUE	36
SNS0503	BLUE	37
SNS0504	BLUE	38
SNS0505	BLUE	39
SNS0506	BLUE	40
SNS0507	BLUE	41
SNS0508	BLUE	42
SNS0509	BLUE	43
SNS0510	BLUE	44
SNS0511	BLUE	45

CAPPELLINO VISIERA / CAPPY HAT



Cappy Hat



Cappy Krypto Black Hat

CAPPY HAT BLACK

Composizione:
60% cotone
40% poliestere

CAPPY HAT BLACK

Composition:
60% cotton
40% polyester

CAPPY KRYPTO

Composizione:
100% poliestere

CAPPY KRYPTO

Composition:
100% polyester

COLOR	SIZES	COD.
BLACK	ONE SIZE	ABB010
KRYPTONITE BLACK	ONE SIZE	ABB011

CAPPELLINO PILE / FLEECE HAT



- Shell: 100% Cotone
- Fodera: 100% Poliestere

- Shell: 100% Cotton
- Lining: 100% Polyester

COMP:	COLOR	SIZE	COD.
Shell: 100% Cotton Lining: 100% Polyester	BLACK	UNISEX	ABB001

T-SHIRT SALVIMAR



OCTOPUS



NOAH GREEN



COMP.	COLOR	SIZE	COD.
140g/m ² 100% Cotton	WHITE	S	ABB021
	WHITE	M	ABB022
	WHITE	L	ABB023
	WHITE	XL	ABB024
	WHITE	XXL	ABB025
140g/m ² 100% Cotton	GREEN	S	ABB031
	GREEN	M	ABB032
	GREEN	L	ABB033
	GREEN	XL	ABB034
	GREEN	XXL	ABB035

COMP.	COLOR	SIZE	COD.
140g/m ²	BLACK	S	UTPUBBL26/1
	BLACK	M	UTPUBBL26/2
	BLACK	L	UTPUBBL26/3
	BLACK	XL	UTPUBBL26/4
	BLACK	XXL	UTPUBBL26/5
100% Cotton	GREEN	S	UTPUBBL25/1
	GREEN	M	UTPUBBL25/2
	GREEN	L	UTPUBBL25/3
	GREEN	XL	UTPUBBL25/4
	GREEN	XXL	UTPUBBL25/5

FELPA / HOODIE



COMPOSITION

COLOR

SIZE

COD.

320g/m²93% Polyester
7% Elastane

CONVOY GRAY

CONVOY GRAY

CONVOY GRAY

CONVOY GRAY

CONVOY GRAY

S

M

L

XL

XXL

050005C

050005D

050005E

050005F

050005G

SUPPORTO MASCHERE
MASK SUPPORT

L 7,4 x H 11,4 cm



COD.

IMBSAL080

NEW

SUPPORTO FRUSTE
HOSE SUPPORT

B 22,2 x A 11,2 x 20 cm



COD.

NEW IMBSAL095

NEW

ADESIVO SALVIMAR / SALVIMAR STICKER

The image shows the SALVIMAR logo in a stylized, outlined font.

- Adesivo prespaziato bianco per vetrina
- B 50 x A 6 cm
- White pre-spaced window decal
- B 50 x A 6 cm

COD.

NEW UTPUB33

TUBO / TUBE

Tubo in cartone AVANA con doppio tappo compreso

HAVANA cardboard tube with double cap included

H 1190mm
ø 30mm
SP. 4mm

COD.

IMBSALVI30

H 1540mm
ø 30mm
SP. 4mm

COD.

IMBSALVI31

H 1840mm
ø 30mm
SP. 4mm


COD.

IMBSALVI32



METAL DISPLAY

L 52 x P 40 x H 180 cm



COD.

IMBSALO10

SALVIMAR FLAG

Bandiera con Asta
più Base a croce con Zavorra

L 60 x H 242

Flag with Pole and Cross Base
with Weight Bag



COD.


IMBSALO70

ESPOSITORE ASTE SHAFTS DISPLAY

Per il tuo negozio, espositore da
terra aste Salvimar.
Robusto e compatto, può
contenere oltre 800 pz
Design by Salvimar, prodotto
Made in Italy

L 70 cm x P 50 cm x H 50 cm

Salvimar Shafts floor-display for
your shop Sturdy and solid, able
to hold up to 800 pcs Design by
Salvimar, made in Italy



COD.

IMBSALO50



MASK: NOAH ANTI FOG
WETSUIT: DROP CELL RACE
SOCKS: DROP PLUS
FINS: SPEEDER CARBO HD

YOUR WAY. YOUR SPEARFISHING.

IL TUO STILE. LA TUA PESCA IN APNEA.

SALVIMAR

FOR SPEARFISHING



www.salvimar.com

Salvimar s.r.l.
Via G. Farina 2/4/6
16030 Casarza Ligure
Genova - Italy

Salvimar USA Corp.
45 Main Street, Unit 628
Brooklyn, NY 11201
United States of America