


SPEARFISHING . SCUBADIVING . WATERSPORTS . SNORKELING

SALVIMAR

BUYER'S GUIDE 2026


SALV

SPEARFISHING . SCUBADIVING . WATERSPORTS . SNORKELING

INDEX

9 Arbalete Spearguns
36 Pole Spears
38 Spare Parts for Arbalete
40 Reels
42 Rubbers
48 Spearguns Accessories
49 Pneumatics
54 Pneumatics Accessories
58 Spearfishing Lines
61 Arbalete Shafts
70 Pneumatics Shafts
73 Shafts Accessories
75 Wishbones
77 Prongs
80 Harpoons
82 Accessories
87 Spearfishing Wetsuits
99 Scuba & Snorkeling Wetsuits
102 Gloves - Boots - Hoods
Scuba Diving
103 Watersports Wetsuits
116 Wetsuits Sizes
117 Gloves & Socks
124 Neoprene Accessories
127 Fins
137 Scuba & Spearfishing Masks
155 Snorkeling Masks
160 Masks Accessories
162 Snorkels
166 Combo Set
172 Tris
174 Googles
176 Scuba Accessories
179 Torches
186 Freediving Watches
189 Knives
195 Bags
205 Belts - Wheights - Buoys
215 Footwear
216 Spoortwear
218 Display










POWER
MACHINE READY
DOOR INTERLOCK
CNC POWER
MEMORY INPUT
COOLANT
OPERATION
BAR FEEDER




SALVIMAR





SPEARFISHING . SCUBADIVING . WATERSPORTS . SNORKELING

La Nostra Storia e la Nostra Visione

Dal 1962 operiamo come partner produttivo con una visione chiara: innovazione continua e progresso costante.
Nel 2010 abbiamo lanciato il marchio Salvimar, portando la nostra esperienza agli appassionati di pesca in apnea e freediving di tutto il mondo.

Ricerca e Sviluppo Interni

Ogni prodotto nasce e viene sviluppato internamente dal nostro team R&D, in stretta collaborazione con i reparti di stampaggio e produzione.
La nostra sede è dotata di tecnologie avanzate: torni, frese, robot, centri di lavoro, sistemi di saldatura laser e macchine per stampaggio a iniezione, che ci permettono di gestire internamente anche i processi più complessi.

Qualità Garantita dal Controllo Totale del Processo

Gestendo ogni fase della produzione sotto lo stesso tetto, assicuriamo un controllo completo, tempi rapidi e uno standard qualitativo costante nel tempo.

Logistica Ottimizzata e Assistenza Clienti Efficiente

Abbiamo investito in un software di gestione magazzino su misura, in grado di ottimizzare l'acquisizione, l'elaborazione e la spedizione degli ordini.
Grazie a questo sistema, riusciamo a evadere la maggior parte delle richieste in tempi brevissimi, spesso entro sole 48 ore.

Presenza Globale, Anima Italiana

Dalla nostra sede di 5.000 m² a Casarza Ligure, in Italia, spediamo in oltre 50 paesi.
I nostri clienti riconoscono in Salvimar una combinazione unica di competenza, prestazioni e autentico stile Made in Italy.

Salvimar USA Corp.: Servizio Più Rapido per il Mercato Nordamericano

Nel 2024 abbiamo ampliato la nostra presenza internazionale con la nascita di Salvimar USA Corp., che include un magazzino dedicato negli Stati Uniti.
Questa scelta strategica ci permette di garantire spedizioni più veloci, gestione ordini localizzata e un servizio post-vendita potenziato per il mercato nordamericano.

Our History and Vision

Since 1962, we have operated as a manufacturing partner with a clear vision: continuous innovation and progress.
In 2010, we launched the Salvimar brand, bringing our expertise to spearfishing and freediving lovers worldwide.

In-House Research and Development

Every product is conceived and developed in-house by our R&D team, working closely with the molding and manufacturing departments. Our facility is equipped with advanced technologies: lathes, milling machines, robots, machining centers, laser welding systems, and injection molding machines, allowing us to handle even the most complex processes internally.

Quality Through Total Process Control

By managing all stages of production under one roof, we ensure full control, rapid turnaround, and consistently high quality over time.

Streamlined Logistics and Customer Support

We've made significant investments in a custom-built warehouse management software that optimizes order intake, processing, and shipping. Thanks to this system, we're able to fulfill orders quickly-often within just 48 hours.

Global Reach and Italian Identity

From our 5,000 m² facility in Casarza Ligure, Italy, we ship to over 50 countries. Our customers recognize Salvimar as a unique blend of expertise, performance, and authentic Made in Italy style.

Salvimar USA Corp.: Faster Service for the North American Market

In 2024, we expanded our global footprint lunching Salvimar USA Corp., including a dedicated warehouse located in the United States. This strategic move allows us to offer faster shipping, localized order management, and enhanced after sales support for the North American market.

HYDROPHOBIC LENS!



HYDROPHOBIC GLASS ANTI FOG

HYDROPHOBIC COATED LENS
The anti-fog treatment is activated upon contact with water, ensuring a clear vision without the use of sprays or applied films.

Raffaele Seiello
Professional spearfisher and equipment tester

INTEGRATED ANTI-FOG TREATMENT

Clear vision without compromise.

SALVIMAR

HYDROPHOBIC GLASS ANTI FOG

SPEARFISHING . SCUBADIVING . WATERSPORTS . SNORKELING

Hydrophobic Glass: Controllo Avanzato dell'Appannamento per Maschere Subacquee

Un'Applicazione Pionieristica nel Settore

Salvimar è la prima azienda ad aver applicato su larga scala la tecnologia Hydrophobic Glass alle maschere subacquee con lenti in vetro temperato. Questo trattamento innovativo è stato sviluppato per ridurre drasticamente la formazione di condensa all'interno della maschera.
A differenza dei metodi tradizionali che richiedono interventi manuali (bruciatura del vetro, dentifricio o spray antiappannamento), questa tecnologia rende la maschera pronta all'uso, migliorandone l'affidabilità in termini di visibilità.

Efficacia della Tecnologia

Il trattamento idrofobico garantisce prestazioni elevate senza necessità di pretrattamenti. È sufficiente bagnare la lente con acqua prima dell'utilizzo per attivare l'effetto.
Le maschere sono state testate in diverse condizioni ambientali (acque fredde, temperate e tropicali), confermando una riduzione drastica dell'appannamento rispetto alle maschere prive di Hydrophobic Glass.

Gamma Prodotti

La collezione Salvimar attualmente comprende:
- 11 modelli di maschere dotati di Hydrophobic Glass Technology
- Oltre 50 codici prodotto, con varianti di colore e configurazioni
- Maschere per immersione, pesca in apnea, freediving e snorkeling
- 8 modelli per adulti e 2 per ragazzi
- Versioni disponibili anche in Combo (maschera + snorkel) e TRIS (maschera + snorkel + pinne)

Conclusione Tecnica

La tecnologia Hydrophobic Glass rappresenta una soluzione avanzata per il controllo dell'appannamento, segnando una vera e propria rivoluzione funzionale rispetto alle maschere tradizionali. Elimina o riduce significativamente la necessità di trattamenti manuali pre-immersione, offrendo un'esperienza di utilizzo più immediata e performante.

Hydrophobic Glass: Advanced Fog Control for Diving Masks

A pioneering application in the industry

Salvimar is the first company to have widely applied Hydrophobic Glass Technology to diving masks with tempered glass lenses. This innovative treatment was developed to drastically reduce the formation of condensation inside the mask.
Unlike traditional methods that require manual intervention (burning the glass, toothpaste, or antifog sprays), this technology makes the mask ready to use and improves its reliability in terms of visibility.

Technology effectiveness

The hydrophobic treatment ensures high performance without the need for pre-treatment. Simply wet the lens with water before use to activate the effect.
The masks have been tested in a range of environmental conditions (cold, temperate, and tropical waters), confirming a drastic reduction in fogging compared to masks without Hydrophobic Glass.

Product range

The Salvimar collection currently includes:
- 11 mask models featuring Hydrophobic Glass Technology
- Over 50 product codes, including different color variants and configurations
- Masks designed for scuba diving, spearfishing, freediving, and snorkeling
- 8 models for adults and 2 for youth
- Also available in Combo (mask + snorkel) and TRIS (mask + snorkel + fins) versions

Technical conclusion

Hydrophobic Glass Technology represents an advanced solution for fog control. It marks a functional revolution compared to traditional masks by eliminating or significantly reducing the need for manual pre-dive treatments.


SALVIMAR ARES CARB



ARBALETE SPEARGUNS

photography by Alberto Balbi





ARES CARBO impugnatura NEUTRA - NEUTRAL handgrip

- Fusto in carbonio K300 realizzato a stampo, con struttura poligonale per una rigidità superiore
- Riempimento interno in schiuma poliuretanica ad alta densità a cella chiusa
- Paratie sigillanti in carbonio che isolano completamente l'interno, garantendo equilibrio idrostatico perfetto con asta Bolt (inclusa)
- Doppio elastico circolare Salvimar by Primeline ø14 montato su testata con fori separati
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Guida asta integrale e perfetto allineamento elastici-asta per tiri tesi e precisi
- Mirino posteriore per facilitare l'acquisizione del bersaglio
- Meccanismo di sgancio R.F.S.C. (Rolling, Friction, Self-Centering) e grilletto regolabile realizzato con tecnologia M.I.M.
- Passaggio sagola maggiorato, per agevolare il fissaggio dell'asta in ogni condizione
- Sganciasagola personalizzabile destra sinistra
- Anello di fissaggio sotto impugnatura in acciaio inox da 4 mm, robusto e affidabile
- Compatibile con tutti i mulinelli e aste Salvimar

- K300 carbon barrel molded in one piece, with a polygonal structure for superior rigidity
- Inner filling in closed-cell, high-density polyurethane foam
- Carbon sealing bulkheads that fully isolate the interior, ensuring perfect hydrostatic balance with the included BOLT shaft
- Double circular Salvimar by Primeline Ø14 mm bands, mounted on a muzzle with separate holes
- BOLT shaft with Line of Sight Collimation system for enhanced aiming precision
- Integrated shaft guide and perfect shaft-elastic alignment for accurate, powerful shots
- Rear sight for easy aiming
- R.F.S.C. (Rolling, Friction, Self-centering) release mechanism with adjustable trigger made with M.I.M. technology
- Increased line releaser passage to facilitate shaft attachmdent in any condition
- Customizable sideline release right-left
- Fixing ring under the stainless-steel handle 4mm thick
- Fully compatible with all Salvimar reels and shafts


ARES CARBO impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
85	BOLT 6,5mm	1150mm	2 x Primeline ø 14mm	54cm	MICRO VERTICAL	ARB07085
95	BOLT 6,5mm	1250mm	2 x Primeline ø 14mm	60cm	MICRO VERTICAL	ARB07095
105	BOLT 7,0mm	1350mm	2 x Primeline ø 14mm	64cm	VERTICAL 70	ARB07105
115	BOLT 7,0mm	1450mm	2 x Primeline ø 14mm	70cm	VERTICAL 70	ARB07115



ARES CARBO impugnatura DESTRA - RIGHT handgrip











ARES CARBO impugnatura DESTRA - RIGHT handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
85	BOLT 6,5mm	1150mm	2 x Primeline ø 14mm	54cm	MICRO VERTICAL	ARB08085
95	BOLT 6,5mm	1250mm	2 x Primeline ø 14mm	60cm	MICRO VERTICAL	ARB08095
105	BOLT 7,0mm	1350mm	2 x Primeline ø 14mm	64cm	VERTICAL 70	ARB08105
115	BOLT 7,0mm	1450mm	2 x Primeline ø 14mm	70cm	VERTICAL 70	ARB08115



ARES impugnatura NEUTRA con MULINELLO
NEUTRAL handgrip ARES with REEL

ARES impugnatura NEUTRA - NEUTRAL handgrip

- Meccanismo di sgancio R.F.S.C (Rolling, Friction, Self-Centring)
- Asta Bolt; ø6,5
- Doppio elastico ciroclare Eptagum S600 ø14
- Sistema di sgancio autocentrante ad attrito volvente
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato a sezione ellittica con centine esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 6,5 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Testata con fori separati per elastici 14/16 mm
- Perfetto allineamento asta elastici
- Passaggio sagola maggiorato per agevolare il fissaggio dell'asta
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Anello fissaggio sotto impugnatura in acciaio inox spessore 4mm
- Lunghezza Asta calcolata per evitare l'O-ring di chiusura aletta
- Mirino posteriore per facilitare il puntamento

- R.F.S.C (Rolling, Friction, Self-Centring) release mechanism
- Shaft Bolt; ø6.5
- Double circular elastic Eptagum S600 ø14
- Rolling friction self-centering release system
- BOLT shaft with line-of-sight collimation system (LINE OF SIGHT COLLIMATION)
- Adjustable trigger M.I.M. Technology
- Elliptical anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 6.5mm shaft supplied as standard
- Compatible with all Salvimar reels and shafts
- Muzzle with separate holes for 14/16 mm elastics
- Perfect elastic shaft alignment
- Increased line releaser passage to facilitate shaft fixing
- Integral shaft guide
- Customizable sideline release right left
- Fixing ring under the stainless-steel handle 4mm thick
- Shaft length calculated to avoid the flopper closure O-ring
- Rear sight for easy aiming

ARES impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60	BOLT 6,5mm	900mm	2 x Eptagum S600 Ø14mm	44 cm		ARB01060
75	BOLT 6,5mm	1050mm	2 x Eptagum S600 Ø14mm	48 cm		ARB01075
85	BOLT 6,5mm	1150mm	2 x Eptagum S600 Ø14mm	54 cm		ARB01085
95	BOLT 6,5mm	1250mm	2 x Eptagum S600 Ø14mm	60 cm		ARB01095
105	BOLT 6,5mm	1350mm	2 x Eptagum S600 Ø14mm	64 cm		ARB01105

ARES impugnatura NEUTRA con MULINELLO - NEUTRAL handgrip with REEL

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
75	BOLT 6,5mm	1050mm	2 x Eptagum S600 Ø14mm	48 cm	MINI 50	ARB01075/R
85	BOLT 6,5mm	1150mm	2 x Eptagum S600 Ø14mm	54 cm	MINI 50	ARB01085/R
95	BOLT 6,5mm	1250mm	2 x Eptagum S600 Ø14mm	60 cm	MINI 50	ARB01095/R
105	BOLT 6,5mm	1350mm	2 x Eptagum S600 Ø14mm	64 cm	MINI 50	ARB01105/R



ARES impugnatura DESTRA con MULINELLO
RIGHT handgrip ARES with REEL

ARES impugnatura DESTRA - RIGHT handgrip







ARES impugnatura DESTRA - RIGHT handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60	BOLT 6,5mm	900mm	2 x Eptagum S600 Ø14mm	44 cm		ARB02060
75	BOLT 6,5mm	1050mm	2 x Eptagum S600 Ø14mm	48 cm		ARB02075
85	BOLT 6,5mm	1150mm	2 x Eptagum S600 Ø14mm	54 cm		ARB02085
95	BOLT 6,5mm	1250mm	2 x Eptagum S600 Ø14mm	60 cm		ARB02095
105	BOLT 6,5mm	1350mm	2 x Eptagum S600 Ø14mm	64 cm		ARB02105

ARES impugnatura DESTRA con MULINELLO - RIGHT hand grip with REEL

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
75	BOLT 6,5mm	1050mm	2 x Eptagum S600 Ø14mm	48 cm	MINI 50	ARB02075/R
85	BOLT 6,5mm	1150mm	2 x Eptagum S600 Ø14mm	54 cm	MINI 50	ARB02085/R
95	BOLT 6,5mm	1250mm	2 x Eptagum S600 Ø14mm	60 cm	MINI 50	ARB02095/R
105	BOLT 6,5mm	1350mm	2 x Eptagum S600 Ø14mm	64 cm	MINI 50	ARB02105/R

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



ARES NIGHTMARE impugnatura NEUTRA - NEUTRAL handgrip

- Meccanismo di sgancio R.F.S.C (Rolling, Friction, Self-Centring)
- Asta Bolt, ø7,0
- Doppio elastico circolare ø14 Primeline Optimus
- Sistema di sgancio autocentrante ad attrito volvente
- Asta BOLT con sistema di collimazione della linea di mira (LINE OF SIGHT COLLIMATION)
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato a sezione ellittica con centine esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 7,0 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Testata con fori separati per elastici 14/16 mm
- Perfetto allineamento asta elastici
- Passaggio sagola maggiorato per agevolare il fissaggio dell'asta
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Anello fissaggio sotto impugnatura in acciaio inox spessore 4mm
- Lunghezza Asta calcolata per evitare l'O-ring di chiusura aletta
- Mirino posteriore per facilitare il puntamento

- R.F.S.C (Rolling, Friction, Self-Centring) release mechanism
- Bolt shaft, ø7.0
- Double circular elastic ø14 Primeline Optimus
- Rolling friction self-centering release system
- BOLT shaft with line releaser OF SIGHT COLLIMATION system
- Adjustable trigger M.I.M. Technology.
- Elliptical anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 7 Shaft, 0 mm supplied as standard
- Compatible with all Salvimar reels and shafts
- Muzzle with separate holes for 14/16 mm elastics
- Perfect elastic shaft alignment
- Increased line releaser passage to facilitate shaft attachment
- Integral shaft guide
- Customizable right-left shaft
- Fixing ring under the stainless-steel handle 4mm thick
- Shaft length calculated to avoid the flopper closure O-ring
- Rear sight for easy aiming

ARES NIGHTMARE impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
75	BOLT 7,0mm	1050mm	2 x Primeline Ø14mm	48 cm		ARB04075
85	BOLT 7,0mm	1150mm	2 x Primeline Ø14mm	54 cm		ARB04085
95	BOLT 7,0mm	1250mm	2 x Primeline Ø14mm	60 cm		ARB04095
105	BOLT 7,0mm	1350mm	2 x Primeline Ø14mm	64 cm		ARB04105

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



ARES NIGHTMARE impugnatura DESTRA - RIGHT handgrip








ARES NIGHTMARE impugnatura DESTRA - RIGHT handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
75	BOLT 7,0mm	1050mm	2 x Primeline Ø14mm	48 cm		ARB05075
85	BOLT 7,0mm	1150mm	2 x Primeline Ø14mm	54 cm		ARB05085
95	BOLT 7,0mm	1250mm	2 x Primeline Ø14mm	60 cm		ARB05095
105	BOLT 7,0mm	1350mm	2 x Primeline Ø14mm	64 cm		ARB05105





ARES STONE impugnatura NEUTRA - NEUTRAL handgrip

- Meccanismo di sgancio R.F.S.C (Rolling, Friction, Self-Centring)
- Asta Capture filettata; ø6,5 + Fiocina SPEED inox
- Mono elastico circolare Eptagum S600 ø16
- Sistema di sgancio autocentrante ad attrito volvente
- Grilletto regolabile Tecnologia M.I.M
- Fusto anodizzato a sezione ellittica con centine esterne di irrigidimento
- Perfetto equilibrio idrostatico con asta da 6,5 mm fornita di serie
- Compatibile con tutti i mulinelli e aste Salvimar
- Perfetto allineamento asta elastici
- Passaggio sagola maggiorato per agevolare il fissaggio dell'asta
- Guida asta integrale
- Sganciasagola personalizzabile destra sinistra
- Anello fissaggio sotto impugnatura in acciaio inox spessore 4mm
- Mirino posteriore per facilitare il puntamento

- R.F.S.C (Rolling, Friction, Self-Centring) release mechanism
- Capture threaded shaft; ø6.5 + stainless steel SPEED prong
- Circular elastic mono Eptagum S600 ø16
- Adjustable trigger M.I.M. technology
- Elliptical-section anodized barrel with external stiffening ribs
- Perfect hydrostatic balance with 6.5 mm shaft supplied as standard
- Compatible with all Salvimar reels and shafts
- Perfect elastic shaft alignment
- Increased line passage to facilitate shaft attachment
- Integral shaft guide
- Customizable sideline release right left
- Fixing ring under the stainless-steel handle 4mm thick
- Rear sight for easy aiming







ARES STONE impugnatura NEUTRA - NEUTRAL handgrip

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60	Ø 6,5mm	900mm	16 mm	48 cm		ARB06060
75	Ø 6,5 mm	1050mm	16 mm	54 cm		ARB06075



photography by Alberto Balbi

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm

HERO

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture (da 65 cm a 95 cm)
- Asta Pacific (da 105 cm a 135 cm)
- Doppi elastici circolari ø16 Primeline Optimus
- Sistema di sgancio Heavy Metal 350
- Impugnatura con calcio destro e sinistro di serie
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Mulinello di serie

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft (65 cm to 95 cm)
- Asta pacific (105 cm to 135 cm)
- Double circular elastics ø16 Primeline Optimus
- Heavy Metal 350 release system
- Right and left butt handle as standard
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Chest loading pad of soft rubber
- Handle with hook for line releaser fixing or reinforced snap hook
- Multi-elastic open muzzle
- Standard reel







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
65cm	CAPTURE 7,0mm	1050mm	2 x 16,00mm	48cm	MINI 50	300300/065
75cm	CAPTURE 7,0mm	1150mm	2 x 16,00mm	54cm	MINI 50	300300/075
85cm	CAPTURE 7,0mm	1200mm	2 x 16,00mm	60cm	MINI 50	300300/085
95cm	CAPTURE 7,0mm	1300mm	2 x 16,00mm	64cm	MAX	300300/095
105cm	PACIFIC 7,5mm	1400mm	2 x 16,00mm	70cm	MAX	300300/105
115cm	PACIFIC 7,5mm	1500mm	2 x 16,00mm	75cm	MAX	300300/115
125cm	PACIFIC 7,5mm	1700mm	3 x 14,00mm	75cm	MAX	300300/125
135cm	PACIFIC 7,5mm	1800mm	3 x 14,00mm	80cm	MAX	300300/135

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm

HERO NIGHTMARE

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture (da 75 cm a 95 cm)
- Asta Pacific (da 105 cm a 125 cm)
- Doppi elastici circolari ø16 Primeline Optimus
- Sistema di sgancio Heavy Metal 350
- Impugnatura con calcio destro e sinistro di serie
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Elastici legati con ogiva in dyneema Primeline Ø16mm
- Predisposizione per mulinelli Salvimar

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft (75 cm to 95 cm)
- Asta pacific (105 cm to 125 cm)
- Double circular elastics ø16 Primeline Optimus
- Heavy Metal 350 release system
- Handle with standard left and right butt
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Chest loading pad of soft rubber
- Handle with hook for line releaser fixing or reinforced snap hook
- Open multielastic muzzle
- Elastics tied with Ø16mm Primeline dyneema wishbone
- Salvimar reel setup'







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
75	CAPTURE 7,0mm	1150mm	2 x 16,00mm Prime	54cm		ARB03075
85	CAPTURE 7,0mm	1200mm	2 x 16,00mm Prime	60cm		ARB03085
95	CAPTURE 7,0mm	1300mm	2 x 16,00mm Prime	64cm		ARB03095
105	PACIFIC 7,5mm	1400mm	2 x 16,00mm Prime	70cm		ARB03105
115	PACIFIC 7,5mm	1500mm	2 x 16,00mm Prime	75cm		ARB03115
125	PACIFIC 7,5mm	1700mm	2 x 16,00mm Prime	80cm		ARB03125



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm

HERO STORM

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture
- Doppi elastici circolari ø16
- Mimetizzato in sublimazione permanent
- Appoggio sternale in gomma morbida
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Impugnatura ergonomica con calcio destro e sinistro di serie
- Nuovo meccanismo di sgancio Heavy Metal 350 (Carico testato 350kg)
- Regolazione del grilletto sensitive
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Mulinello di serie

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft
- Double circular elastics ø16
- Permanent sublimation camouflage
- Chest loading pad of soft rubber
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Ergonomic handle with standard left and right butt
- New Heavy Metal 350 release mechanism (Tested load 350kg)
- Sensitive trigger adjustment
- Handle with hook for line releaser fixing or reinforced snap hook
- Multi-elastic open muzzle
- Standard reel







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
85cm	7,0mm	1200mm	2 x 16,00mm	54cm	VERTICAL 70	300300/085GH
95cm	7,0mm	1300mm	2 x 16,00mm	60cm	VERTICAL 70	300300/095GH
105cm	7,5mm	1400mm	2 x 16,00mm	64cm	VERTICAL 70	300300/105GH
115cm	7,5mm	1500mm	2 x 16,00mm	70cm	VERTICAL 70	300300/115GH



PONTICELLO TESTATA
MUZZLES BRIDGE
65/75/85/95cm

HERO KRYPSIS

- Impugnatura, fusto e testata mimetizzati in sublimazione permanente
- Asta Capture
- Doppi elastici circolari ø16
- Sistema di sgancio Heavy Metal 350
- Impugnatura con calcio destro e sinistro di serie
- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Testata aperta multielastico
- Predisposizione mulinelli Salvimar

- Handle, shaft and muzzle camouflaged in permanent sublimation
- Shaft Capture
- Double circular elastics ø16
- Heavy Metal 350 release system
- Handle with right and left butt as standard
- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Teflon® shaftguide
- Increased profile for better hydrostatic buoyancy
- Sensitive trigger adjustment
- Chest loading pad of soft rubber
- Handle with hook for line releaser fixing or reinforced snap hook
- Multi-elastic open Muzzle
- Salvimar reel setup'







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
85cm	7,0mm	1200mm	2 x 16,00mm	54cm		300300K085
95cm	7,0mm	1300mm	2 x 16,00mm	60cm		300300K095

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



HERO ROLLER

- Fusto ellittico asimmetrico in lega di alluminio aeronautico
- Asta Capture (da 65 cm a 95 cm)
- Asta Pacific (da 105 cm a 135 cm)
- Doppi elastici ø16 Primeline Optimus
- Testata ROLLER HERO
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissagio sagola o moschettone rinforzato
- Nuovo meccanismo di sgancio Heavy Metal 350 (Carico testato 350kg)
- Impugnatura ergonomica con calcio destro e sinistro di serie

- Asymmetrical elliptical barrel made of aircraft aluminum alloy
- Capture shaft (65 cm to 95 cm)
- Asta pacific (105 cm to 135 cm)
- Double elastic bands ø16 Primeline Optimus
- ROLLER HERO shafts
- Teflon® Muzzle guides
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Chest loading pad of soft rubber
- Chest loading pad with hook for line releaser fixing or reinforced snap hook
- New Heavy Metal 350 release mechanism (Tested load 350kg)
- Ergonomic grip with right and left butt as standard.'





BAND FOR LOADING SUPPORT INCLUDED



SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
65cm	CAPTURE 7,0mm	1050mm	2 x 16,00mm	48cm		300300R065
75cm	CAPTURE 7,0mm	1150mm	2 x 16,00mm	54cm		300300R075
85cm	CAPTURE 7,0mm	1200mm	2 x 16,00mm	60cm		300300R085
95cm	CAPTURE 7,0mm	1300mm	2 x 16,00mm	64cm		300300R095
105cm	PACIFIC 7,5mm	1400mm	2 x 16,00mm	70cm		300300R105
115cm	PACIFIC 7,5mm	1500mm	2 x 16,00mm	75cm		300300R115



HERO TOMAHAWK

- Fusto ellittico asimmetrico, lega di alluminio aeronautico
- Asta Capture (da 65 cm a 85 cm)
- Asta Pacific (da 95 cm a 135 cm)
- Guidasta in Teflon®
- Profilo maggiorato per un migliore assetto idrostatico
- Regolazione del grilletto sensitive
- Appoggio sternale in gomma morbida
- Impugnatura con gancio fissaggio sagola o moschettone rinforzato
- Nuovo meccanismo di sgancio Heavy Metal 350 (Carico testato 350kg)
- Impugnatura ergonomica con calcio destro e sinistro di serie
- Sistema di propulsione Tomahawk costituito da: Elastici superiori S400 ad allungamento controllato mediante anima interna in sagola + n° 4 elastici supplementari in linea S400R ø 15mm

- Asymmetric elliptical barrel, aircraft aluminum alloy
- Capture shaft (65 cm to 85 cm)
- Asta pacific (95 cm to 135 cm)
- Teflon® shaftguide
- Increased profile for better hydrostatic trim
- Sensitive trigger adjustment
- Chest loading pad of soft rubber
- Handle with hook for line releaser fixing or reinforced snap hook
- New Heavy Metal 350 release mechanism (Tested load 350kg)
- Ergonomic handle with standard left and right butt
- Tomahawk propulsion system consisting of: S400 upper elastics with controlled elongation by means of inner sagola core + No. 4 additional in-line elastics S400R ø 15mm







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	LENGHT	COD.
65cm	CAPTURE 7,0mm	1050mm	KIT Tomahawk	2 black Ø16mmx22cm + 4 red Ø15mmx18cm	300300T065
75cm	CAPTURE 7,0mm	1150mm	KIT Tomahawk	2 black Ø16mmx24cm + 4 red Ø15mmx20cm	300300T075
85cm	CAPTURE 7,0mm	1200mm	KIT Tomahawk	2 black Ø16mmx27cm + 4 red Ø15mmx23cm	300300T085
95cm	PACIFIC 7,5mm	1300mm	KIT Tomahawk	2 black Ø16mmx30cm + 4 red Ø15mmx26cm	300300T095
105cm	PACIFIC 7,5mm	1400mm	KIT Tomahawk	2 black Ø16mmx33cm + 4 red Ø15mmx28cm	300300T105
115cm	PACIFIC 7,5mm	1500mm	KIT Tomahawk	2 black Ø16mmx35cm + 4 red Ø15mmx31cm	300300T115
125cm	PACIFIC 7,5mm	1700mm	KIT Tomahawk	2 black Ø16mmx38cm + 4 red Ø15mmx34cm	300300T125
135cm	PACIFIC 7,5mm	1800mm	KIT Tomahawk	2 black Ø16mmx41cm + 4 red Ø15mmx37cm	300300T135

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



METAL

- Fusto in lega di alluminio aeronautico con guida asta integrale
- Asta Capture
- Doppi elastici circolari ø14 Primeline Optimus
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata Enclosed Track rinforzata, aperta multi elastico
- Elastici legati di serie con ogiva in Dyneema 14 mm
- Mulinello di serie

- Aircraft aluminum alloy shaft with integral shaft guide
- Shaft Capture
- Double circular elastics ø14 Primeline Optimus
- Standard bonded elastics with Dyneema wishbone
- Handle with METAL release system
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Reinforced Enclosed Track muzzle, open multi elastic
- Standard reel




MINI REEL 50


MAX REEL

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6,5mm	950mm	2 x 14,00mm	44cm	MINI 50	300060MET
75cm	6,5mm	1100mm	2 x 14,00mm	48cm	MINI 50	300075MET
85cm	6,5mm	1200mm	2 x 14,00mm	54cm	MINI 50	300085MET
95cm	6,5mm	1300mm	2 x 14,00mm	60cm	MINI 50	300095MET
105cm	6,5mm	1400mm	2 x 14,00mm	64cm	MAX	300105MET
115cm	7,0mm	1500mm	2 x 14,00mm	70cm	MAX	300115MET
125cm	7,0mm	1600mm	2 x 14,00mm	75cm	MAX	300125MET

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



METAL MONO

- Fusto in lega di alluminio aeronautico con guida asta integrale
- Asta Capture ø6,25
- Elastico circolare ø16 Primeline Optimus
- Profilo frazionato per un miglior brandeggio
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata Enclosed Track rinforzata, aperta multi elastico
- Elastico legato di serie con ogiva in Dyneema 16 mm

- Aeronautical aluminum alloy shaft with integral shaft guide
- Capture shaft ø6.25
- Circular elastic ø16 Primeline Optimus
- Fractional profile for improved maneuverability
- METAL release system handle
- Sensitive trigger adjustment
- Easily removable chest loading butt pad
- Reinforced muzzle Enclosed Track, open multi elastic
- Standard bonded elastic with 16mm Dyneema wishbone







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6.25mm	950mm	16,00mm	48cm		ARB20060
75cm	6.25mm	1100mm	16,00mm	54cm		ARB20075
85cm	6.25mm	1200mm	16,00mm	60cm		ARB20085



Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.

METAL CARBO OPEN

- Fusto in carbonio diametro esterno 28mm
- Asta Capture ø6,5
- Mono elastio circolari ø16 Primeline Optimus
- Testata aperta multi elastico
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Elastici legati di serie con ogiva in Dyneema
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- Carbon shaft 28mm outer diameter
- Capture shaft ø6.5
- Mono circular elastic band ø16 Primeline Optimus
- Open multi elastic muzzle
- Handle with METAL release system
- Sensitive trigger adjustment
- Standard bonded elastics with Dyneema wishbone
- Removable chest loading butt pad
- Salvimar reel setup







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
95cm	6,5mm	1300mm	16,00mm	60cm		300MCO095
105cm	7,0mm	1400mm	16,00mm	70cm		300MCO105
115cm	7,0mm	1500mm	16,00mm	75cm		300MCO115

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.



METAL ROLLER

- Fusto in lega di alluminio aeronautico con guida asta integrale
- Asta Capture
- Doppi elastici ø16 Primeline Optimus
- Impugnatura con sistema di sgancio METAL
- Elastico facilitatore
- Appoggio sternale facilmente estraibile
- Regolazione del grilletto Sensitive
- Testata roller (cod. 303000)
- Predisposizione per mulinelli Salvimar

- Aeronautical aluminum alloy shaft with integral shaft guide
- Capture shaft
- Double elastic bands ø16 Primeline Optimus
- Handle with METAL release system
- Elastic facilitator
- Removable chest loading butt pad
- Sensitive trigger adjustment
- Roller muzzle (code 303000)
- Salvimar reel setup







INCLUDED:
BAND FOR LOADING SUPPORT

COD.	EAN
303010	8058093682278

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6,5mm	950mm	2 x 16,00mm	48cm		3000R060
75cm	6,5mm	1100mm	2 x 16,00mm	54cm		3000R075
85cm	6,5mm	1200mm	2 x 16,00mm	60cm		3000R085
95cm	6,5mm	1300mm	2 x 16,00mm	64cm		3000R095
105cm	6,5mm	1400mm	2 x 16,00mm	70cm		3000R105
115cm	6,5mm	1500mm	2 x 16,00mm	75cm		3000R115
125cm	6,5mm	1600mm	2 x 16,00mm	80cm		3000R125

MADE IN ITALY



METAL CARBO ROLLER

- Fusto 100% in carbonio diametro esterno 28mm
- Asta Capture ø7,0
- Doppi elastici ø16 Primeline Optimus
- Testata Roller
- Impugnatura con sistema di sgancio METAL
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- 100% Carbon barrel with outer diameter 28mm
- Capture shaft ø7.0
- Double elastic bands ø16 Primeline Optimus
- Muzzle Roller
- Open muzzle multi band
- Handle with METAL trigger mechanism
- Removable butt pad
- Reel mounted included





SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	7,0mm	950mm	2 x 16,00mm	44cm		300MCR060
75cm	7,0mm	1100mm	2 x 16,00mm	48cm		300MCR075
85cm	7,0mm	1200mm	2 x 16,00mm	54cm		300MCR085
95cm	7,0mm	1300mm	2 x 16,00mm	60cm		300MCR095
105cm	7,0mm	1400mm	2 x 16,00mm	70cm		300MCR105
115cm	7,0mm	1500mm	2 x 16,00mm	75cm		300MCR115



TESTATA ROLLER

- Materiale testata Nylon caricato Vetro 30%
- Pulegge in Derlin® ad elevata scorrevolezza, compatibili con elastici fino a ø 18mm
- Passafilo laterale studiato per alloggiare elastico supplementare
- L'apertura superiore a "V" facilita l'inserimento dell'asta con pinnette
- Si consigliano aste con pinnette con foro Capture
- Utilizzare elastici ufficiali Salvimar che non contengono all'interno sfere per legatura

- Muzzle material 30% fiberglass nylon
- High-smooth Derlin® roller pulleys, compatible with rubber bands up to ø18mm
- Line pass designed to accommodate additional rubber band
- Innovative design of the muzzle roller with upper "V" shape facilitates insertion of the shaft during rigging
- Passing the line over the muzzle is quick and intuitive
- Capture shafts with shark fins and official Salvimar rubber bands are recommended





ROLLER MUZZLE

WEIGHT	MODEL	COD.
109 gr.	Salvimar Aluminum/Carbo ID Ø26mm	303000
109 gr.	Salvimar Sapiens	303000/25

ADAPTERS

ø	COD.
24,8mm	301024
25,5mm	301025/5
25,6mm with double oring	301025/6
26,5mm	301026/5



V-PRO

- Impugnatura con sistema di sgancio VOODOO
- Asta Capture ø6,5
- Doppi elastici circolari ø14
- Fusto in lega di alluminio aeronautico con guida asta integrale
- Testata aperta multi elastico
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Elastici legati di serie con ogiva in Dyneema Acid Green
- Mulinello di serie

- Handle with VOODOO release system
- Capture shaft ø6.5
- Double circular elastic bands ø14
- Aircraft aluminum alloy shaft with integral shaft guide
- Open multi elastic muzzle
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Standard bonded elastics with Dyneema Acid Green wishbone
- Standard reel







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6,5mm	950mm	2 x 14,00mm Acid Green	44cm	MINI 50	300060ROP
75cm	6,5mm	1100mm	2 x 14,00mm Acid Green	48cm	MINI 50	300075ROP
85cm	6,5mm	1200mm	2 x 14,00mm Acid Green	54cm	MINI 50	300085ROP
95cm	6,5mm	1300mm	2 x 14,00mm Acid Green	60 cm	MINI 50	300095ROP
105cm	6,5mm	1400mm	2 x 14,00mm Acid Green	64 cm	MAX	300105ROP



VOODOO

- Impugnatura con sistema di sgancio VOODOO
- Asta Tahitiana ø6,5
- Coppia elastici imboccolati ø16
- Fusto cilindrico ø 28mm in lega di alluminio aeronautico
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata a ponticello
- Elastici con boccola filettata
- Predisposizione per mulinelli Salvimar

- Grip with VOODOO release system
- Tahitian shaft ø6.5
- Pair of ø16 screw in elastics
- Cylindrical shaft ø28mm aircraft aluminum alloy
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Muzzle removable bridge
- Screw in bands for simple single band loading
- Salvimar reel setup








SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6,5mm	950mm	Pair 16,00mm	18 cm		300060/VO
75cm	6,5mm	1100mm	Pair 16,00mm	20 cm		300075/VO
85cm	6,5mm	1200mm	Pair 16,00mm	24 cm		300085/VO
95cm	6,5mm	1300mm	Pair 16,00mm	26 cm		300095/VO
105cm	6,5mm	1400mm	Pair 16,00mm	28 cm		300105/VO

Allestimento pronto pesca
Full rigged, ready for fishing



PULSE

- Impugnatura con sistema di sgancio Wild
- Asta Tahitiana ø6.00 (eccetto misura 50, ø6.25)
- Elastico circolare ø14
- Fusto in lega di alluminio aeronautico con guida asta integrale
- Ogiva in metallo
- Testata Intruder
- Shock absorber incluso
- Allestimento pronto pesca
- Predisposizione per mulinello Salvimar

- Handle with Wild release system
- Tahitian shaft ø 6.00 (except the 50, ø 6.25)
- Circular Elastic ø14
- Aeronautical aluminium alloy shaft with integral shaft guide
- Metal wishbones
- Shock absorber included
- Ready-to-fish setup
- Salvimar reel setup

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
50cm	6,25mm	85cm	14,00mm	32cm	300050PULSE
60cm	6,00mm	95cm	14,00mm	37cm	300060PULSE
75cm	6,00mm	110cm	14,00mm	46cm	300075PULSE
85cm	6,00mm	120cm	14,00mm	50cm	300085PULSE
95cm	6,00mm	130cm	14,00mm	56cm	300095PULSE



MONO RAIL

- Impugnatura con sistema di sgancio WILD
- Asta Capture ø6,25
- Elastico circolare ø16
- Fusto in lega di alluminio aeronautico con guida asta integrale
- Regolazione del grilletto Sensitive
- Appoggio sternale facilmente estraibile
- Testata aperta multi elastico

- Grip with WILD release system
- Capture shaft ø6.25
- Circular elastic ø16
- Aircraft aluminum alloy shaft with integral shaft guide
- Sensitive trigger adjustment
- Removable chest loading butt pad
- Open multi elastic shaft

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
60cm	6,25mm	950mm	16,00mm	44cm	ARB40060
75cm	6,25mm	1100mm	16,00mm	48cm	ARB40075
85cm	6,25mm	1200mm	16,00mm	54cm	ARB40085



WILD PRO

- Impugnatura con sistema di sgancio WILD
- Asta Tahitiana ø6,5
- Coppia elastici imboccolati ø14
- Fusto cilindrico ø 28mm in lega di alluminio aeronautico
- Testata a ponticello
- Ogiva in metallo
- Predisposizione per mulinello Salvimar

- Handle with WILD release system
- Tahitian Shaft ø6.5;
- Pair of ø14, screw in elastics
- Cylindrical shaft ø28mm aeronautical aluminum alloy
- Muzzle removable bridge
- Metal wishbone
- Salvimar reel setup

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
40cm	6,5mm	750mm	Pair 14,00mm	12cm	300WP40
50cm	6,5mm	850mm	Pair 14,00mm	14cm	300WP50
60cm	6,5mm	950mm	Pair 14,00mm	16cm	300WP60
75cm	6,5mm	1150mm	Pair 14,00mm	20cm	300WP75



WILD

- Impugnatura con sistema di sgancio WILD
- Asta Tahitiana ø6,5
- Elastico circolare ø14
- Fusto cilindrico ø 28mm in lega di alluminio aeronautico
- Ogiva in metallo
- Arbalete facile da caricare
- Predisposizione per mulinello Salvimar

- Handle with WILD release system
- Tahitian Shaft ø6.5
- Circular Elastic ø14
- Cylindrical shaft ø28mm made of aircraft aluminum alloy
- Metal wishbones
- Easy to load arbalete
- Salvimar reel setup

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
40cm	Prong	620mm	Circular 14,00mm	28cm	300W40
50cm	Prong	720mm	Circular 14,00mm	32cm	300W50
60cm	Prong	820mm	Circular 14,00mm	37cm	300W60
75cm	Prong	970mm	Circular 14,00mm	46cm	300W75



WILD CARBO

- Impugnatura con sistema di sgancio WILD
- Asta Tahitiana ø6,5
- Coppia elastici imboccolati ø16
- Elastici S400 con boccola Filettata
- Fusto 100% in carbonio Ø esterno 28mm
- Testata tripla con ponticello
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- Handle with WILD release system
- Tahitian Shaft ø6.5
- Pair of ø16 screwed-in elastics
- S400 elastics with muzzle loading butt pad
- 100% carbon shaft 28mm outer diameter
- Triple muzzle removable bridge
- Chest loading butt pad easily removable
- Salvimar reel setup

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
60cm	Ø 6,5mm	950mm	16,00mm	16cm	300C60
75cm	Ø 6,5mm	1100mm	16,00mm	20cm	300C75
85cm	Ø 6,5mm	1200mm	16,00mm	24cm	300C85



WILD CARBO STONE

- Impugnatura con sistema di sgancio WILD
- Asta Tahitiana ø6,5
- Coppia elastici imboccolati ø16
- Fusto 100% in carbonio Ø esterno 28mm
- Testata con ponticello
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- Grip with WILD release system
- Tahitian shaft ø6.5
- Pair of ø16 screw-in elastics
- 100% carbon shaft outer diameter 28mm
- Muzzle removable bridge
- Chest loading butt pad easily removable
- Salvimar reel arrangement'

SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	COD.
40cm	Ø 6,5mm	620mm	16,00mm	12 cm	300C40S
50cm	Ø 6,5mm	720mm	16,00mm	14 cm	300C50S
60cm	Ø 6,5mm	820mm	16,00mm	16 cm	300C60S
75cm	Ø 6,5mm	970mm	16,00mm	20cm	300C75S



WILD CARBO OPEN

- Impugnatura con sistema di sgancio WILD
- Asta Capture ø6,5
- Elastico circolare ø16
- Fusto 100% in carbonio diametro esterno 28mm
- Testata aperta multi elastico
- Appoggio sternale facilmente estraibile
- Predisposizione per mulinello Salvimar

- Grip with WILD release system
- Capture shaft ø6.5
- Circular elastic ø16
- 100% carbon shaft outer diameter 28mm
- Open multi elastic muzzle
- Removable chest loading butt pad
- Salvimar reel setup







SIZE	SHAFT Ø	SHAFT LENGHT	RUBBER Ø	RUBBER LENGHT	REEL	COD.
60cm	6,5mm	950mm	16,00mm	44cm		300C060
75cm	6,5mm	1100mm	16,00mm	48cm		300C075
85cm	6,5mm	1200mm	16,00mm	54cm		300C085

POLE SPEAR 18 + HARPOON



POLE SPEAR 18 + SLIP TIP



- Tubo in alluminio Ergal anodizzato da ø 18 mm esterno e ø 13 mm interno
- Propulsione tramite elastico
- Lunghezza totale 195cm

- Anodized aluminum Ergal tube of ø18 mm outside and ø13 mm inside
- Propulsion by rubber band
- Total length 195cm

SIZE	COD.
195cm HARPOON	301000/B
195cm SLIP TIP	301000/BS



HARPOON
SPEAR PARTS POLE SPEAR 18

THREAD	COD.
M7	AC062/18



SLIP TIP 3
SPEAR PARTS POLE SPEAR 18

THREAD	COD.
M7	AC062/18ST-M7



RUBBER Ø 12mm external | Ø 9mm internal
SPEAR PARTS POLE SPEAR 18

COD.
LELASPOL/18

POLE SPEAR 14 + PARALYZER



POLE SPEAR 14 + HARPOON



- Tubo in alluminio Ergal anodizzato da ø 14 mm esterno e ø 10 mm interno
- Propulsione tramite elastico
- Filettatura M6
- Lunghezza totale 160cm

- Anodized aluminum Ergal tube ø14 mm outer and ø10 mm inner
- Propulsion by rubber band
- M6 threading
- Total length 160cm

SIZE	COD.
160cm PARALYZER	301000BK
160cm HARPOON	301000BKA

POLE SPEAR 14 SHORT + PARALYZER



POLE SPEAR 14 SHORT + HARPOON



- Tubo singolo in alluminio Ergal anodizzato da ø 14 mm esterno e ø 10 mm interno
- Propulsione tramite elastico
- Filettatura M6
- Lunghezza 90cm

- Single tube made of anodized Ergal aluminum ø 14 mm outer and ø10 mm inner
- Propulsion by rubber band
- M6 threading
- Length 90cm

	SIZE	COD.
POLE SPEAR 14 SHORT + PARALYZER	90cm SHORT	301000S
POLE SPEAR 14 SHORT + HARPOON	90cm SHORT	301000SA



PARALYZER STAINLESS 3 PRONGS
SPEAR PARTS POLE SPEAR 14

THREAD	LENGHT	COD.
M6	24cm	AA006




HARPOON
SPEAR PARTS POLE SPEAR 14

THREAD	LENGHT	COD.
M6	24cm	AC062



RUBBER Ø 9mm external | Ø 6mm internal
SPEAR PARTS POLE SPEAR 14

COD.
LELASPOL



RUBBER Ø 9mm external | Ø 6mm internal
SPEAR PARTS POLE SPEAR 14 SHORT

COD.
LELASPOL/S

ADATTATORE M6 / M7



Adattatore INOX filettatura femmina M6, maschio M7

INOX threaded adapter M6 female, M7 male

KIT	COD.
10pz	AE055

DESCRIPTION	COLOR	COD.
IMPUGNATURA COMPLETA METAL COMPLETE HANDLE METAL		LVM0006
IMPUGNATURA COMPLETA VOODOO COMPLETE HANDLE VOODOO		301006
IMPUGNATURA COMPLETA WILD COMPLETE HANDLE WILD		LFUC17LVM
CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	BIANCO WHITE	301008/W
CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	NERO BLACK	301008
CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	ARANCIONE ORANGE	301008/A
CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	BLU BLUE	301008/B
CALCIO ERGONOMICO IN GOMMA ERGONOMIC RUBBER BUTT	VERDE ACIDO ACID GREEN	301008/C
APPOGGIO STERNALE REMOVABLE BUTT PAD.		301009
CANNOTTO WILD WILD SHORT TUBE		301010
CANNOTTO MULINELLO VOODOO VOODOO REEL SHORT TUBE		301011
TESTATA VOODOO VOODOO MUZZLE		301014
TESTATA WILD WILD MUZZLE		301012
NUOVO CANOTTO TESTATA 2023 2023 NEW MUZZLE SHORT TUBE		301016N
CANNOTTO+TESTATA OPEN (Metal/VPRO/RailOpen) SHORT TUBE+MUZZLE OPEN (Metal/VPRO/RailOpen)		ACARB0001

FUSTI VOODOO - METAL - WILD CARBO / VOODOO - METAL - WILD CARBO BARREL


DESCRIPTION	SIZE	COD.
FUSTO VOODOO CILINDRICO / VOODOO ROUND ALUMINIUM BARREL	75 cm	LFUC100/V75
FUSTO VOODOO CILINDRICO / VOODOO ROUND ALUMINIUM BARREL	85 cm	LFUC100/V85
FUSTO VOODOO CILINDRICO / VOODOO ROUND ALUMINIUM BARREL	95 cm	LFUC100/V95
FUSTO VOODOO CILINDRICO / VOODOO ROUND ALUMINIUM BARREL	105 cm	LFUC100/V105
FUSTO METAL /METAL ALLUMINIUM BARREL	75 cm	LVM0010/75
FUSTO METAL /METAL ALLUMINIUM BARREL	85 cm	LVM0010/85
FUSTO METAL /METAL ALLUMINIUM BARREL	95 cm	LVM0010/95
FUSTO METAL /METAL ALLUMINIUM BARREL	105 cm	LVM0010/105
FUSTO METAL /METAL ALLUMINIUM BARREL	115 cm	LVM0010/115
FUSTO METAL /METAL ALLUMINIUM BARREL	125 cm	LVM0010/125
FUSTO ALLUMINIO VOODOO RAIL / VOODOO RAIL ALUMINIUM BARREL	75 cm	LFUC100/75
FUSTO ALLUMINIO VOODOO RAIL / VOODOO RAIL ALUMINIUM BARREL	85cm	LFUC100/85
FUSTO ALLUMINIO VOODOO RAIL / VOODOO RAIL ALUMINIUM BARREL	95 cm	LFUC100/95
FUSTO ALLUMINIO VOODOO RAIL / VOODOO RAIL ALUMINIUM BARREL	105 cm	LFUC100/105




- Tubo 100% Carbonio Pre-Peg TW-K03, realizzato a stampo in autoclave
- Diametro esterno 28mm - interno 25,7mm
- Sigillato con Tappi in gomma

- 100% Carbon Pre-Peg TW-K03 barrel, moulded in autoclave
- Internally filled with closed cell Polyurethane
- Sealed with Carbon walls

DESCRIPTION	SIZE	COD.
FUSTO WILD CARBO / WILD CARBO BARREL	40 cm	LFUC100/C40
FUSTO WILD CARBO / WILD CARBO BARREL	50 cm	LFUC100/C50
FUSTO WILD CARBO / WILD CARBO BARREL	60 cm	LFUC100/C60
FUSTO WILD CARBO / WILD CARBO BARREL	75 cm	LFUC100/C75
FUSTO WILD CARBO / WILD CARBO BARREL	85 cm	LFUC100/C85
FUSTO WILD CARBO / WILD CARBO BARREL	95 cm	LFUC100/C95
FUSTO WILD CARBO / WILD CARBO BARREL	105 cm	LFUC100/C105
FUSTO WILD CARBO / WILD CARBO BARREL	115 cm	LFUC100/C115




MECCANISMO DI SGANCIO HEAVY METAL
HEAVY METAL TRIGGER MECHANISM



- Meccanismo di sgancio in acciaio Inox 100%
- Grilletto (1) e leva di sgancio (2) realizzati con tecnologia M.I.M
- Rotellina in acciaio 17-4ph trattato termicamente
- Carico testato 350 kg.

- 100% stainless steel release mechanism
- Trigger (1) and Sear (2) made with M.I.M. Technology
- Heat-treated 17-4ph steel roller wheels
- Tested load 350 kgs



COD.
301050




OLIO LUBRIFICANTE SPRY - 30ML
LUBRICATING SPRAY OIL - 30ML

- Olio lubrficante per parti meccaniche di fucili subacquei
- Liquido idraulico ad alte prestazioni adatto a sistemi meccanici subacquei
- Eccellenti proprietà antiusura, antiossidanti e anti corrosione. Grazie all'esclusiva formula antiattrito, SpearGun Oil, consente la formazione di uno strato lubrificante atto a ridurre l'attrito tra le parti meccaniche. Le prestazioni si mantengono elevate nel tempo e sin dalle prime applicazioni
- Prima dell'applicazione, lavare con acqua dolce e lasciare asciugare le parti da lubrificare

- Lubricating oil for spearguns' mechanical parts
- High performance hydraulic oil for spearguns mechanism
- Thanks to the special antifriction compound, SpearGun Oil creates a coating lube that reduces friction betwe en mechanical parts. High and long lasting performance from the first use. Exceptional antiwear, antioxidant and anti-corrosion capacity
- Wash with fresh water and dry the mechanical parts before applying the product

COD.
400269

SUGGESTED PACK
15pz.



TAPPO IN GOMMA
RUBBER PLUG

- Tappo in gomma per sigillatura fusti arbalete da Ø25mm a Ø27mm

- Rubber plug for sealing sling gun barrels from Ø25mm to Ø27mm

COD.
LWI0001

KIT
2pz.



MAX REEL

- Materiale: nylon caricato vetro 30%
- Componenti in acciaio e Delrin
- Staffa guida sagola
- Compatibile con tutti gli arbalete Salvimar
- Componenti per l'assemblaggio inclusi
- "Design & Technical Concept made in Salvimar"

- Material: 30% fiberglass nylon
- Steel and Delrin components
- Line guide bracket
- Compatible with all Salvimar arbalete
- Included assembly components
- "Design & Technical Concept made in Salvimar"

CAPACITY	COD.
75m x1,5mm	301005/D



MINI REEL 50

- Materiale: nylon caricato vetro 30%
- Componenti in acciaio e Delrin
- Staffa guida sagola
- Compatibile con tutti gli arbalete Salvimar
- Componenti per l'assemblaggio inclusi
- "Design & Technical Concept made in Salvimar"

- 30% Fiberglass loaded nylon
- Components in stainless steel and Delrin
- Line Guide
- Compatible with all Salvimar spearguns
- Included assembly components
- "Design & Technical Concept made in Salvimar"

CAPACITY	COD.
50m x 1,0mm	301005/E



VERTICAL REEL 70

- Mulinello verticale per arbalete
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti gli arbalete Salvimar
- Componenti per l'assemblaggio inclusi
- "Design & Technical Concept made in Salvimar"
- Capacità 70mt x 1,5mm

- Vertical reel
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar spearguns
- Included assembly components
- "Design & Technical Concept made in Salvimar"
- 70mt x 1.5mm capacity



LIME - BROWN



RED

CAPACITY	COLOR	COD.
70m x 1,5mm	BLACK	301005/F
70m x 1,5mm	LIME - BROWN	301005/F/L
70m x 1,5mm	RED - BLACK	301005/F/R



MICRO VERTICAL REEL

- Mulinello MICRO vertical per arbalete
- Capacità: 50mt x 1,2mm
- Componenti in alluminio anodizzato nero, Nylon e Delrin
- Frizione e manettino di riavvolgimento separatl
- Staffa guida sagola
- Compatibile con tutti gli arbalete Salvimar
- Componenti per l'assemblaggio inclusi
- "Design & Technical Concept made in Salvimar"

- MICRO vertical reel for arbalete
- Capacity 50mt x 1,2mm
- Black anodized Aluminum, Nylon and Delrin components
- Separate drag and handle for winding
- Line guide bracket
- Compatible with all Salvimar arbalete
- Included assembly components
- "Design & Technical Concept made in Salvimar

CAPACITY	COD.
50m x 1,2mm	301005/C



ADATTATORI

- Adattatore in NYLON caricato vetro SALVIMAR
- Compatibile con supporti originali Omer e Cressi

- Fiberglass nylon adapter for SALVIMAR reels
- Compatible with original Omer and Cressi reel mounts

	COD.
OMER	LMULINMAX20
CRESSI	LMULINMAX21



UNIVERSAL REEL

- Mulinello universale con adattatore

- Universal reel with adapter

CAPACITY	COD.
50m x 1,5mm	AP050



STAFFA ACTION CAM2 ALLUMINIO

- Staffa videocamera doppia in alluminio
- Orientabile e removibile
- Compatibile con tutti gli arbalete Salvimar

- Aluminum dual camera bracket
- Adjustable and removable
- Compatible with all Salvimar arbalete

COLOR	COD.
Black	LHR0060A



STAFFA ALLUMINIO

- Staffa videocamera in alluminio
- Compatibile con tutti gli arbalete Salvimar

- Aluminum camera bracket
- Compatible with all Salvimar arbalete

COLOR	COD.
Black	LHR0040A




STAFFA ACTION CAM2

- Staffa videocamera doppia in acciaio inox AISI 304
- Orientabile e removibile
- Compatibile con tutti gli arbalete Salvimar

- Dual camera bracket stainless steel AISI 304
- Adjustable and removable
- Compatible with all Salvimar arbalete

COD.
LHR0060



STAFFA INOX

- Staffa videocamera in acciaio inox AISI 304
- Compatibile con tutti gli arbalete Salvimar

- Camera bracket stainless steel AISI 304
- Compatible with all Salvimar arbalet

COD.
LHR0040



UNICLAMP

- Staffa universale per montare mulinelli ed altri accessori su tubi da Ø28 a 40 mm

- Universal clamp
- On Ø28 to 40 mm tubes

	COD.
	400280
3 pieces	LFUC25

SALVIMAR *by Primeline*

Salvimar by Primeline, elastico in lattice naturale di elevata qualità prodotto dalla Primeline Industries U.S.A, offre altissime prestazioni.

La gomma ricavata dal lattice naturale è diversa da quella ricavata da materiali estrusi o sintetici. Primeline utilizza un "procedimento d' immersione continua" in cui la gomma viene costruita in un processo a strati che offre proprietà fisiche elevate con meno di 50 microgrammi di proteine per grammo. Estratto dall'albero Hevea Brasiliensis viene lavorato nella forma liquida originale, ottenendo una formula uniformemente distribuita. Il risultato è un prodotto con proprietà fisiche superiori, tra cui una maggiore resistenza alla lacerazione. Queste caratteristiche sono essenziali per fornire all'elastico Salvimar by Primeline maggiore forza e prestazioni superiori. Salvimar offre ai suoi clienti produzioni PRIMELINE dedicate e realizzate appositamente per la nostra azienda con una scelta accurata delle mescole e degli spessori.

Le mescole Salvimar by Primeline sono di tre diverse tipologie: HURRICANE, PRIME e OPTIMUS. Ognuna di loro ha caratteristiche tecniche diverse per adattarsi ad ogni esigenza del pescatore in apnea.

HURRICANE, la mescola compatta dall'elevata durezza è sviluppata per mantenere invariata la potenza dopo che il fucile è stato caricato.
Consigliato per la pesca all'aspetto e per chi predilige reattività ed esplosività.

PRIME, formula studiata per ottenere un modulo elastico ottimizzato che garantisca un ottimo rapporto tra sforzo di caricamento e restituzione di potenza. Questo rende la mescola PRIME versatile e adatta a tutti i tipi di pesca.

OPTIMUS, Mescola più morbida: garantisce una spinta progressiva e costante, e consente di poter accorciare la lunghezza standard dell'elastico su fucili a canna corta per aumentarne la potenza. Facilita il caricamento del fucile.

Il processo produttivo permette di scegliere la dimensione del foro: l'ID, che puo essere, STANDARD ID 3,2mm o MICRO ID 1,6mm.
L'elastico dal diametro interno standard ID da 3,2mm ha un'ottimo rapporto tra forza di carico e potenza erogata. La scelta del diametro piu' piccolo MICRO ID 1,6mm consente di aumentare la potenza dell'elastico a parità di ingombro esterno , facilitando il brandeggio durante l'azione di pesca.

Salvimar by Primeline, natural latex rubber band of the highest quality produced by Primeline Industries U.S.A, offers very high performance.

Rubber made from natural latex is different from rubber made from extruded or ynthetic materials. Primeline uses a "continuous immersion process" in which the rubber is built in a layered process that offers high physical properties with less than 50 micrograms of protein per gram. Extracted from the Hevea Brasiliensis tree, it is processed in the original liquid form and avoids the chewing process, resulting in an evenly distributed formula. The result is a product with superior physical properties including higher tear resistance. These features are essential to provide the Salvimar by Primeline elastic band with greater strength and higher performance. Salvimar offers its customers dedicated PRIMELINE productions made specifically for our company with an accurate choice of compounds and thicknesses.

Salvimar by Primeline compounds are of three different types: HURRICANE, PRIME and OPTIMUS. Each of them has different technical characteristics to adapt to each spearfisher's need.

HURRICANE, the compact compound with high hardness is developed to maintain powerunchangedafterthespeargunhasbeenloaded.Recommendedforspearfishing with the waiting technique and for those who prefer reactivity and explosiveness.

PRIME, formula designed to obtain an optimized elastic modulus that guarantees an excellent ratio between loading effort and power return. This makes the PRIME compound versatile and suitable for all types of fishing.

OPTIMUS, Softer compound: ensures a progressive and constant thrust, and allows to shorten the standard length of the rubber band on short-barrelled spearguns to increase their power. It facilitates the speargun loading.

The production process allows to choose the bore size: the ID, which can be STANDARD ID 3.2mm or MICRO ID 1.6mm.
The rubber band with standard 3.2mm ID (inner diameter) has an excellent ratio between load force and power delivered. The choice of the smaller diameter MICRO ID 1.6mm allows to increase the power of the rubber band with the same externaldimensions, facilitating the swinging during the fishing action.



HURRICANE ACID GREEN
micro ID
Ø 14,5 mm
Ø 16 mm



PRIME BLACK
standard ID
Ø 14,5 mm
Ø 16 mm



PRIME BLACK
micro ID
Ø 14,5 mm
Ø 16 mm



OPTIMUS OLIVE GREEN
standard ID
Ø 14,5 mm
Ø 16 mm
Ø 17,5 mm



OPTIMUS BLACK
standard ID
Ø 14,5 mm
Ø 16 mm



ACID GREEN BLACK OLIVE GREEN

DIAMETER	COMPOUND	ID / Ø	COLOR	PACK	COD.
Ø14,5 mm*	Hurricane	micro ID Ø 1,6mm	acid green	15m	E145B3P
Ø16 mm*	Hurricane	micro ID Ø 1,6mm	acid green	15m	E160B3P
Ø14,5 mm*	Prime	standard ID Ø 3,2mm	black	15m	E145B2G
Ø16 mm*	Prime	standard ID Ø 3,2mm	black	15m	E160B2G
Ø14,5 mm*	Prime	micro ID Ø 1,6mm	black	15m	E145B2P
Ø16 mm*	Prime	micro ID Ø 1,6mm	black	15m	E160B2P
Ø14,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E145B1G
Ø16 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E160B1G
Ø17,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	15 m	E175B1G/12



ACID GREEN BLACK OLIVE GREEN

DIAMETER	COMPOUND	ID / Ø	COLOR	PACK	COD.
Ø14,5 mm*	Hurricane	micro ID Ø 1,6mm	acid green	1,5m	E145K3P
Ø16 mm*	Hurricane	micro ID Ø 1,6mm	acid green	1,5m	E160K2P
Ø14,5 mm*	Prime	standard ID Ø 3,2mm	black	1,5m	E145K2G
Ø16 mm*	Prime	standard ID Ø 3,2mm	black	1,5m	E160K2G
Ø14,5 mm*	Prime	micro ID Ø 1,6mm	black	1,5m	E145K2P
Ø16 mm*	Prime	micro ID Ø 1,6mm	black	1,5m	E160K2P
Ø14,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E145K1G
Ø16 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E160K1G
Ø17,5 mm*	Optimus	standard ID Ø 3,2mm	olive green	1,5m	E175K1G

* Diametro minimo garantito

SALVIMAR RUBBERS S400 - S600

- 100% lattice Malese
- Mescola con aggiunta di additivo anti-invecchiamento per conferire maggiore durata nel tempo
- Processo produttivo prevede:
  1 Trafilatura: questa tecnologia garantisce costanza di diametro e quindi assicura costanza di prestazioni
  2 Passaggio nel tunnel di Pre-Vulcanizzazione
  3 Primo Controllo qualità
  4 Primo trattamento con componente siliconico
  5 Vulcanizzazione: asciugatura lenta in forno a temperatura costante per 2/5gg
  6 Trattamento siliconico manuale
  7 Controllo qualità finale
- Trattamento siliconico. Il silicone penetra e si consolida sulla superficie formando una barriera protettiva contro raggi UV ed agenti esterni
- Per aumentare l'efficienza del prodotto si consiglia di proteggere l'elastico trattandolo con silicone liquido, periodicamente
- BOX garantito 15mt in continuo

- 100% Malaysian latex
- Mixture with added anti-ageing additive to provide greater durability
- The production process includes:
  1 drawing: this technology guarantees a constant diameter and therefore ensures consistency of performance
  2 processing in the Pre-Vulcanisation tunnel
  3 First Quality Control
  4 First treatment with silicone component
  5 Vulcanization: slow drying in oven at constant temperature for 2/5 days
  6 Manual silicone treatment
  7 Final quality check
- Silicone treatment. The silicone penetrates and consolidates on the surface forming a protective barrier against UV rays and external agents.
- To increase the efficiency of the product it is recommended to protect the rubber by treating it with liquid silicone periodically recommended
- BOX guaranteed 15mt continuously



FLUO RED

Ø 15 mm
Ø 17 mm



BLACK

Ø 14 mm
Ø 16 mm
Ø 18 mm




ACID GREEN

Ø 14 mm
Ø 16 mm



SHINING BLU

Ø 16 mm



ACID GREEN · BLACK · FLUO RED · SHINING BLU

DIAMETER Ø	COLOR	PACK	COD.
14 mm	black	15m	500100/Z
14 mm	acid green	15m	500100/ZG
15 mm	fluo red	15m	500100/FZR
16 mm	black	15m	500100/A
16 mm	acid green	15m	500100/AGS
16 mm	shining blu	15m	500100/SB
17 mm	fluo red	15m	500100/FAR
18 mm	black	15m	500100/B



ACID GREEN · BLACK · MILITARY GEEN · FLUO RED · SHINING BLU

DIAMETER Ø	COLOR	PACK	COD.
14 mm	black	1,5m	500100/Z1
14 mm	acid green	1,5m	500100/ZG1
15 mm	fluo red	1,5m	500100/FR1
16 mm	black	1,5m	500100/A1
16 mm	acid green	1,5m	500100/AGS1
16 mm	shining blu	1,5m	500100/SB1
16 mm	military green	1,5m	500100/AM1
17 mm	fluo red	1,5m	500100/FAR1
18 mm	black	1,5m	500100/B1

EPTAGUM S600

- **EPTAGUM S600 :**
  nuovo esclusivo elastico a sezione eptagonale e spigoli smussati
- 100% Lattice naturale malese
- Produzione ricerca e sviluppo italiani
- Disponibile in due sezioni con diametro inscritto 14 e 16 mm, e due colorazioni.

La nuova mescola S600 frutto dello studio del R&D Salvimar, ottimizzata per avere migliori prestazioni di carico sia istantanee che, grazie alle sue specifiche proprietà di memoria, dopo periodi prolungati di stress. Test prestazionali hanno evidenziato un incremento generale delle prestazioni di oltre il 10% rispetto ad una mescola tradizionale. Particolarmente evidente è l'incremento ottenuto in termini di velocità di contrazione dell'elastico, frutto dell'esplosività ottenuta senza pregiudicare la tradizionale fluidità delle mescole Salvimar.


- **EPTAGUM S600**
  new exclusive rubber with heptagonal section with rounded edges
- 100% Malaysian natural latex
- Italian R&D production
- Available in two sections with inscribed diameter 14 and 16 mm, and two colours


The new S600 compound, the result of the Salvimar R&D study, optimised for improved load performance both instantaneously and, thanks to its specific memory properties, after prolonged periods of stress, performance tests have shown a general increase in performance of over 10% compared to a traditional compound. Particularly evident is the increase obtained in terms of the contraction rate of the rubber, the result of the explosiveness obtained without affecting the traditional fluidity of Salvimar compounds.


LIME


BLACK







LIME BLACK

	COLOR	PACK	COD.
SMTP145	lime	15m	500100/E14
SMTP160	lime	15m	500100/E16
SMTP145	black	15m	500100/EB14
SMTP160	black	15m	500100/EB16



LIME BLACK

	COLOR	PACK	COD.
SMTP145	lime	1,5m	500100/E14/1
SMTP160	lime	1,5m	500100/E16/1
SMTP145	black	1,5m	500100/EB14/1
SMTP160	black	1,5m	500100/EB16/1

DISPLAY SALVIMAR *by Primeline*



- Espositore elastici serie SALVIMAR by Primeline, comprensivo di:
  n° 7 box elastici, pack 15 m, nei Ø 14,5mm black standard ID, micro ID e Hurricane acid green, Ø 16mm black standard ID micro ID e Hurricane acid green, Ø 17,5mm Optimus olive green

- Display for SALVIMAR by Primeline rubber boxes, includes:
  7 boxes of 15 mt rubber each one. Ø 14,5mm black standard ID, micro ID e Hurricane acid green, Ø 16mm black standard ID micro ID e Hurricane acid green, Ø 17,5mm Optimus olive green

COD.
KITPRIME



photography by Alberto Balbi



S400 PAIRS RUBBER WITH SCREWS

- Coppie di elastici imboccolati
- Pairs of rubbers

Ø	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
14,00mm	black	12cm	40cm	1pz	500120/Z
14,00mm	black	14cm	50cm	1pz	500140/Z
14,00mm	black	16cm	60cm	1pz	500160/Z
14,00mm	black	20cm	75cm	1pz	500200/Z
16,00mm	black	10cm	35cm	1pair	500110/A
16,00mm	black	12cm	40cm	1pair	500120/A
16,00mm	black	14cm	55cm	1pair	500140/A
16,00mm	black	16cm	60cm	1pair	500160/A
16,00mm	black	18cm	70cm	1pair	500180/A
16,00mm	black	20cm	75cm	1pair	500200/A
16,00mm	black	22cm	80cm	1pair	500220/A
16,00mm	black	24cm	85cm	1pair	500240/A
16,00mm	black	26cm	90cm	1pair	500260/A
16,00mm	black	28cm	100cm	1pair	500280/A
17,50mm	black	14cm	55cm	1 pair	500140/B
17,50mm	black	18cm	60cm	1pair	500180/B
17,50mm	black	20cm	65cm	1pair	500200/B
17,50mm	black	22cm	75cm	1pair	500220/B
17,50mm	black	24cm	85cm	1pair	500240/B
17,50mm	black	26cm	95cm	1pair	500260/B
17,50mm	black	28cm	100cm	1pair	500280/B
17,50mm	black	30cm	105cm	1pair	500300/B



S400 PAIRS RUBBER WITH SCREWS ACID GREEN

Ø	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
14,00mm	acid green	12cm	40cm	1pz	500120/ZG
14,00mm	acid green	14cm	50cm	1pz	500140/ZG
14,00mm	acid green	16cm	60cm	1pz	500160/ZG
14,00mm	acid green	20cm	75cm	1pz	500200/ZG
16,00mm	acid green	14cm	55cm	1pair	500140/AG
16,00mm	acid green	16cm	60cm	1pair	500160/AG
16,00mm	acid green	18cm	70cm	1pair	500180/AG
16,00mm	acid green	20cm	75cm	1pair	500200/AG
16,00mm	acid green	22cm	80cm	1pair	500220/AG
16,00mm	acid green	24cm	85cm	1pair	500240/AG
16,00mm	acid green	26cm	90cm	1pair	500260/AG



S400 CIRCULAR RUBBER WITH SCREWS

- Elastico circolare imboccolato
- Rubbers with screws

Ø	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
14,00mm	black	28cm	40cm	1pz	510280/Z
14,00mm	black	32cm	50cm	1pz	510320/Z
14,00mm	black	37cm	60cm	1pz	510370/Z
14,00mm	black	46cm	75cm	1pz	510460/Z
16,00mm	black	28cm	50cm	1pz	510280/A
16,00mm	black	32cm	55cm	1pz	510320/A
16,00mm	black	37cm	60 cm	1pz	510370/A
16,00mm	black	40cm	65cm	1pz	510400/A
16,00mm	black	43cm	70cm	1pz	510430/A
16,00mm	black	46cm	75cm	1pz	510460/A
16,00mm	black	50cm	85cm	1pz	510500/A
16,00mm	black	56cm	95cm	1pz	510560/A
16,00mm	black	60cm	105cm	1pz	510600/A
17,50mm	black	33cm	50cm	1pz	510330/B
17,50mm	black	40cm	60cm	1pz	510400/B
17,50mm	black	43cm	65cm	1pz	510430/B
17,50mm	black	45cm	70cm	1pz	510450/B
17,50mm	black	48cm	75cm	1pz	510480/B
17,50mm	black	52cm	80cm	1pz	510520/B
17,50mm	black	55cm	85cm	1pz	510550/B
17,50mm	black	58cm	90cm	1pz	510580/B
17,50mm	black	65cm	95cm	1pz	510650/B



S400 CIRCULAR RUBBER WITH SCREWS ACID GREEN

Ø	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
14,00mm	acid green	28cm	40cm	1pz	510280/ZG
14,00mm	acid green	32cm	50cm	1pz	510320/ZG
14,00mm	acid green	37cm	60cm	1pz	510370/ZG
14,00mm	acid green	46cm	75cm	1pz	510460/ZG



SALVIMAR *by Primeline* WISHBONE

- Elastici legati
- Rubber dyneema wishbone

ID	Ø	COLOR	COMPOODS	RUBBER LENGHT	SPEARGUN	PACK	COD.
3,2	14,50mm	black	PRIME	44cm	60cm	1pz	E1452G44
3,2	14,50mm	black	PRIME	48cm	75cm	1pz	E1452G48
3,2	14,50mm	black	PRIME	54cm	85cm	1pz	E1452G54
3,2	14,50mm	black	PRIME	60cm	95cm	1pz	E1452G60
3,2	14,50mm	black	PRIME	64cm	105cm	1pz	E1452G64
3,2	14,50mm	black	PRIME	70cm	115cm	1pz	E1452G70
3,2	14,50mm	black	PRIME	75cm	125cm	1pz	E1452G75
3,2	16,00mm	black	PRIME	48cm	60cm	1pz	E1602G48
3,2	16,00mm	black	PRIME	54cm	75cm	1pz	E1602G54
3,2	16,00mm	black	PRIME	60cm	85cm	1pz	E1602G60
3,2	16,00mm	black	PRIME	64cm	95cm	1pz	E1602G64
3,2	16,00mm	black	PRIME	70cm	105cm	1pz	E1602G70
3,2	16,00mm	black	PRIME	75cm	115cm	1pz	E1602G75
3,2	16,00mm	black	PRIME	80cm	125cm	1pz	E1602G80
1,6	14,50mm	acid green	HURRICANE	44cm	60cm	1pz	E1453P44
1,6	14,50mm	acid green	HURRICANE	48cm	75cm	1pz	E1453P48
1,6	14,50mm	acid green	HURRICANE	54cm	85cm	1pz	E1453P54
1,6	14,50mm	acid green	HURRICANE	60cm	95cm	1pz	E1453P60
1,6	14,50mm	acid green	HURRICANE	64cm	105cm	1pz	E1453P64
	14,50mm	black	OPTIMUS	44cm	60cm	1pz	E1451BG44
3,2	14,50mm	black	OPTIMUS	48cm	75cm	1pz	E1451BG48
3,2	14,50mm	black	OPTIMUS	54cm	85cm	1pz	E1451BG54
3,2	14,50mm	black	OPTIMUS	60cm	95cm	1pz	E1451BG60
3,2	14,50mm	black	OPTIMUS	64cm	105cm	1pz	E1451BG64
3,2	14,50mm	black	OPTIMUS	70cm	115cm	1pz	E1451BG70
3,2	14,50mm	black	OPTIMUS	75cm	125cm	1pz	E1451BG75
3,2	14,50mm	black	OPTIMUS	80cm	135cm	1pz	E1451BG80
3,2	16,00mm	black	OPTIMUS	48cm	75cm	1pz	E1601BG48
3,2	16,00mm	black	OPTIMUS	54cm	85cm	1pz	E1601BG54
3,2	16,00mm	black	OPTIMUS	60cm	95cm	1pz	E1601BG60
3,2	16,00mm	black	OPTIMUS	64cm	105cm	1pz	E1601BG64
3,2	16,00mm	black	OPTIMUS	70cm	115cm	1pz	E1601BG70
3,2	16,00mm	black	OPTIMUS	75cm	125cm	1pz	E1601BG75
3,2	16,00mm	black	OPTIMUS	80cm	135cm	1pz	E1601BG80
3,2	16,00mm	olive green	OPTIMUS	48cm	60cm	1pz	E1601G48
3,2	16,00mm	olive green	OPTIMUS	54cm	75cm	1pz	E1601G54
3,2	16,00mm	olive green	OPTIMUS	60cm	85cm	1pz	E1601G60
3,2	16,00mm	olive green	OPTIMUS	64cm	95cm	1pz	E1601G64
3,2	16,00mm	olive green	OPTIMUS	70cm	105cm	1pz	E1601G70



S400 DYNEEMA WISHBONE

- Elastici legati
- Rubber dyneema wishbone

Ø	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
14,00mm	black	48cm	75cm	1pz	511010Z48
14,00mm	black	54cm	85cm	1pz	511010Z54
14,00mm	black	60cm	95cm	1pz	511010Z60
14,00mm	black	64cm	105cm	1pz	511010Z64
14,00mm	black	70cm	115cm	1pz	511010Z70
14,00mm	black	75cm	125cm	1pz	511010Z75
14,00mm	black	85cm	145cm	1pz	511010Z85
16,00mm	black	44cm	60cm	1pz	511010A44
16,00mm	black	48cm	75cm	1pz	511010A48
16,00mm	black	54cm	85cm	1pz	511010A54
16,00mm	black	60cm	95cm	1pz	511010A60
16,00mm	black	64cm	105cm	1pz	511010A64
16,00mm	black	70cm	115cm	1pz	511010A70
16,00mm	black	75cm	125cm	1pz	511010A75
16,00mm	black	80cm	135cm	1pz	511010A80
14,00mm	acid green	44cm	60cm	1pz	511010Z44G
14,00mm	acid green	48cm	75cm	1pz	511010Z48G
14,00mm	acid green	54cm	85cm	1pz	511010Z54G
14,00mm	acid green	60cm	95cm	1pz	511010Z60G
14,00mm	acid green	64cm	105cm	1pz	511010Z64G
16,00mm	shining blu	54cm	85cm	1pz	511010A54SB
16,00mm	shining blu	60cm	95cm	1pz	511010A60SB
16,00mm	shining blu	64cm	105cm	1pz	511010A64SB
16,00mm	shining blu	70cm	115cm	1pz	511010A70SB



EPTAGUM S600 SMTP165 DYNEMA WISHBONE

- Elastici legati
- Rubber dyneema wishbone

	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
SMTP165	black	48cm	75cm	1pz	51E165B48
SMTP165	black	54cm	85cm	1pz	51E165B54
SMTP165	black	60cm	95cm	1pz	51E165B60
SMTP165	black	64cm	105cm	1pz	51E165B64



EPTAGUM S600 SMTP145 DYNEMA WISHBONE

	COLOR	RUBBER LENGHT	SPEARGUN	PACK	COD.
SMTP145	lime	44cm	60cm	1pz	51E145L44
SMTP145	lime	48cm	75cm	1pz	51E145L48
SMTP145	lime	54cm	85cm	1pz	51E145L54
SMTP145	lime	60cm	95cm	1pz	51E145L60
SMTP145	lime	64cm	105cm	1pz	51E145L64
SMTP145	lime	70cm	115cm	1pz	51E145L70
SMTP145	black	48cm	75cm	1pz	51E145B48
SMTP145	black	54cm	85cm	1pz	51E145B54
SMTP145	black	60cm	95cm	1pz	51E145B60
SMTP145	black	64cm	105cm	1pz	51E145B64



BUNGEE

- Elastico cavo in puro lattice, per parastrappi ed ammortizzatori
- Pure latex tubing to make shock absorber and bungee

Ø	KIT	COD.
9mm	15mt	400261
9mm	15mt	400261R
12mm	15mt	400266
12mm	15mt	400266R



KIT RUBBER TOMAHAWK

- Elastici superiori S400 ø 16mm con anima interna in sagola Dyneema® per un controllo preciso dell'allungamento.
- Capacità di carico di rottura di 250kg.
- Compresi 4 elastici supplementari in linea S400R ø15mm
- Upper rubber band S400 ø 16mm with Dyneema® inner sagola core for precise elongation control
- 250kg tensile strength capacity
- Includes 4 additional in-line rubber bands S400R ø15mm

SIZE	RUBBER LENGHT	COD.
65cm	2 black Ø16mmx22cm + 4 red Ø15mmx18cm	512T065
75cm	2 black Ø16mmx24cm + 4 red Ø15mmx20cm	512T075
85cm	2 black Ø16mmx27cm + 4 red Ø15mmx23cm	512T085
95cm	2 black Ø16mmx30cm + 4 red Ø15mmx26cm	512T095
105cm	2 black Ø16mmx33cm + 4 red Ø15mmx28cm	512T105
115cm	2 black Ø16mmx35cm + 4 red Ø15mmx31cm	512T115
125cm	2 black Ø16mmx38cm + 4 red Ø15mmx34cm	512T125
135cm	2 black Ø16mmx41cm + 4 red Ø15mmx37cm	512T135



ELASTICO FACILITATORE

- Elastico facilitatore
- Rubber band for loading support

COD.
303010



SHOCK ABSORBER

COLOR	COD.
RED	400263R
BLACK	400263

TENDISAGOLA




KIT	COD.
10pz	400262

TENDISAGOLA ALLESTITO



COD.
LNEN400262



PNEUMATICS

photography by Alberto Balbi

DARK SIDE 99.9



EP 2.202.477 B1 | 100% CARBONIO

DARK SIDE



EP 2.202.477 B1 | 100% CARBONIO

- Testata "Vuoto"
- Serbatoio cilindrico in fibra di carbonio ad alto modulo Pre-Peg TW-K03
- Canna interna ø 13mm
- Kit Race di serie
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso nei modelli superiori a 75mm
- Predisposizione per mulinello Salvimar Predathor 70 e Micro Predathor
- Iniettore incluso

- Vacuum muzzle
- Round high-modulus carbon fiber Pre-Peg TW-K03
- Inner ø 13mm barrel
- Kit race as standard
- Fiberglass nylon handle
- Power regulator included in models over 75mm
- Suitable for Salvimar Predathor 70 and Micro Predathor reel
- Pump included


POWER REGULATOR


KIT RACE PREDATHOR

SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	SCREWED	PWR	COD.
55cm	7,0mm	512mm		✓		306055C
65cm	7,0mm	662mm		✓	✓	306065C
75cm	7,0mm	870mm	✓		✓	306075C
85cm	7,0mm	970mm	✓		✓	306085C
99.9cm	7,5mm	1120mm	✓		✓	306099C
115cm	7,5mm	1270mm	✓		✓	306115C
130cm	7,5mm	1420mm	✓		✓	306130C



EP 2.202.477 B1

PREDATHOR VUOTO

- Testata "Vuoto"
- Serbatoio cilindrico in alluminio
- Canna interna ø 13mm
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso nei modelli superiori a 75mm
- Mulinello incluso nei modelli da 85mm a 130mm
- Predisposizione per mulinello Salvimar Predathor 70 e Micro Predathor
- Iniettore incluso

- Vacuum muzzle
- Round aluminum barrel
- Internal ø 13mm barrel
- Fiberglass nylon handle
- Power regulator included in models above 75mm
- Reel included in models 85mm to 130mm
- Suitable for Salvimar Predathor 70 and Micro Predathor reel
- Pump included





PREDATHOR REEL 70



MICRO PREDATHOR REEL


SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm	7,0mm	350mm		✓			306040S
55cm	7,0mm	512mm		✓			306055S
65cm	7,0mm	662mm		✓			306065S
75cm	7,0mm	870mm	✓		✓		306075V
85cm	7,0mm	970mm	✓		✓	MICRO	306085V
100cm	7,0mm	1120mm	✓		✓	REEL 70	306100V
115cm	7,5mm	1270mm	✓		✓	REEL 70	306115V
130cm	7,5mm	1420mm	✓		✓	REEL 70	306130V

PREDATHOR KRYPSIS VUOTO



EP 2.202.477 B1

AIR TAHIT. 17-4PH





- Testata Vuoto
- Canna interna ø 13mm
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso
- Asta a doppia aletta AIR TAHITIANA: ø7,0
- Mimetizzazione in sublimazione permanente Krypsis Salvimar Pattern
- Predisposizione per mulinello Predathor 70 e Micro Predathor
- NUOVO ALLESTIMENTO ASTA: codolo con smusso a 45°

- Vacuum muzzle
- ø 13mm internal barrel
- High/Low power regulator
- High/Low power regulator included
- AIR TAHITIAN double barb shaft: ø7,0
- Permanent Krypsis Salvimar Pattern sublimation camouflage
- Predathor 70 and Micro Predathor reel suitable
- NEW EQUIPMENT SHAFT: tail with 45° cut




POWER REGULATOR



VACUUM MUZZLE

SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	PWR	COD.
85cm	7,0mm	970mm	APNE270097	✓	PNEKY085
100cm	7,0mm	1120mm	APNE270112	✓	PNEKY100

PREDATHOR PLUS




- Testata con fori maggiorati
- Canna interna ø 13mm
- Impugnatura in nylon caricato vetro
- Regolatore di potenza incluso
- Predisposizione per mulinello Predathor Reel 70 e Micro Predathor Reel
- NUOVO ALLESTIMENTO ASTA: codolo con smusso a 45° per misure 100 - 115 - 130

- Widened port holes muzzle
- Inner shaft ø 13mm
- Fiberglass loaded nylon handle
- High/low power regulator included
- Suitable for Predathor Reel 70 and Micro Predathor Reel
- NEW FITTING SHAFT: TAIL with 45° cut for sized 100 - 115 - 130

SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
55cm	8,0mm	500mm		✓	✓		306055P
65cm	8,0mm	650mm		✓	✓		306065P
75cm	8,0mm	750mm		✓	✓		306075P
85cm	8,0mm	850mm		✓	✓		306085P
100cm	7,5mm	1120mm	✓		✓		306100P
115cm	7,5mm	1270mm	✓		✓		306115P
130cm	7,5mm	1420mm	✓		✓		306130P

PREDATHOR




- Testata con fori maggiorati
- Canna interna ø 13mm
- Impugnatura in nylon caricato vetro
- Sgancia sagola laterale "Dynamic Four"
- Predisposizione per mulinello Predathor reel 70 e Micro Predathor reel

- Widened port holes muzzle
- Inner barrel ø 13mm
- Fiberglass loaded nylon handle
- Dynamic Four side line release
- Suitable for Predathor reel 70 and Micro Predathor reel

SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm	8mm	350mm		✓			306040
55cm	8mm	500mm		✓			306055
65cm	8mm	650mm		✓			306065
75cm	8mm	750mm		✓			306075

PREDATHOR ROCK



- Testata con fori maggiorati
- Canna interna ø 13mm
- Impugnatura in nylon caricato vetro
- Predisposizione per mulinello Predathor reel 70 e Micro Predathor reel
- **Iniettore non incluso**

- Widened port holes muzzle
- Inner barrel ø13mm
- Fiberglass loaded nylon handle
- Suitable for Predathor reel 70 and Micro Predathor reel
- **Pump not included**

SIZE	SHAFT Ø	SHAFT LENGHT	TAHITIANA 17-4PH	SCREWED	PWR	REEL	COD.
40cm		350mm		✓			306040R
55cm		500mm		✓			306055R
65cm		650mm		✓			306065R

PREDATHOR REEL 70





COLOR	CAPACITY	COD.
BLACK	70m x 1,5mm	301005/FP
RED/BLACK	70m x 1,5mm	301005/FP/R
LIME - BROWN	70m x 1,5mm	301005/FP/L

- Mulinello verticale per pneumatico Predathor
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti i Predathor Salvimar
- Componenti per l'assemblaggio inclusi
- "Disegno e Concetto Tecnico sviluppato in Salvimar"

- Vertical reel for Predathor pneumatic gun
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar Predathors
- Included assembly components
- Salvimar-developed Technical Design and Concept



STAFFA IN ALLUMINIO ANODIZZATO NERO

MICRO PREDATHOR REEL

- Mulinello verticale per pneumatico Predathor
- Componenti in Acciaio, Nylon e Delrin
- Frizione e manettino di riavvolgimento separati
- Staffa guida sagola
- Compatibile con tutti i Predathor Salvimar
- Componenti per l'assemblaggio inclusi
- "Disegno e Concetto Tecnico sviluppato in Salvimar"

- Vertical reel for Predathor pneumatic gun
- Stainless Steel, Nylon and Delrin components
- Separate drag and handle for rewinding
- Line guide bracket
- Compatible with all Salvimar Predathors
- Included assembly components
- Salvimar-developed Technical Design and Concept

COLOR	CAPACITY	COD.
BLACK	50m x 1,2mm	301005/CP

TESTATA VUOTO



EP 2.202.477 B1







SIZE	COD.
13	302000A
11	302000B
11 evolution	302000C

- Testata sottovuoto in alluminio alleggerito
- Componenti: ogiva - guarnizione di tenuta corpo - boccola di ammortizzo
- Alta resistenza

- Lightweight aluminum vacuum muzzle
- Components: wishbone - stopper with shock
- shock-absorbing bushing
- High strength





SPARE PARTS

- Boccola di ammortizzo testata VUOTO

SHAFT	TANG/CODOLO	BARREL/CANNA	COD.
7,00mm	8,00mm	11,00mm	302001

- VUOTO vacuum muzzle bushing

SHAFT	TANG/CODOLO	BARREL/CANNA	COD.
8,00mm	9,00mm	13,00mm	302001B

- Guarnizione testata sottovuoto unica per aste ømm 6,5 / 7 / 7,5 / 8

- One vacuum Gasket for shaft ømm 6,5 / 7 7,5 / 8


KIT	COD.
3 pieces	LFUCPNEUM24



KIT RACE

- Pistone alleggerito ad alta scorrevolezza
- Grilletto sensitive
- Sgancia sagola e sicura acid green
- High-smoothness lightweight piston
- Sensitive trigger
- Line release and acid green safety

COLOR	COD.
ACID GREEN/BLACK	306000



UTENSILE PREDATHOR

- Utensile per lo smontaggio della valvola di ricarica del fucile Predathor
- Design ergonomico per una presa comoda e sicura durante l'operazione di smontaggi
- Tool for dismantling the Predathor charging valve
- Ergonomic design for comfortable and secure grip during disassembly operation

COD.
AE123

CARICHINO SCALETTA

- Scaletta per caricamento fucile pneumatico
- 5 carichini in nylon caricato vetro 30% collegati con sagola da Ø 2mm
- Adatto a tutti i modelli con asta Tahitiana o arpione
- Ladder for pneumatic gun loading
- 5 30% glass-filled nylon loaders connected to each other with a Ø 2mm line
- Suitable for all models with Tahitian shaft or harpoon


COD.
AE066



MANOMETRO PREDATHOR PRO
PRESSURE GAUGE PREDATHOR PRO

- Manometro con valvola di ricarica integrata per il fucile Predathor Salvimar
- Consente la visualizzazione della pressione interna durante la carica
- Pressure gauge with refill valve for Predathor pneumatic gun
- Allows air to be injected into the pneumatic gun by displaying the internal pressure

COD.
AE124/A



MANOMETRO STEN - PRESSURE GAUGE SL

- Manometro con valvola di ricarica per fucile pneumatico
- Consente d'immettere aria nel pneumatico visualizzando la pressione interna
- Disponibile in versione Cyrano/Sten o SL
- Pressure gauge with refill valve for pneumatic gun
- Allows air to be injected into the pneumatic gun by displaying the internal pressure
- Available in Cyrano/Sten or SL series

	COD.
CYRANO/STEN	AE124/B
SL	AE124/C



CYRANO/STEN: AE124/B

MANOMETRO - PRESSURE GAUGE

- Manometro per fucili pneumatici
- Scala 0/40 bar

- Pressure gauge, pneumatic spearguns
- 0/40 bar

PRESSURE GAUGE	COD.
VINTAIR	AE122/A
CYRANO/STEN	AE122/B
SL	AE122/C
PREDATHOR	AE122/D



KIT: AE120

AIR PRESSURE - MEASURING KIT



AE120/A
VINTAIR
Adaptor



AE120/B
CYRANO/
STEN Adaptor



AE120/D
PREDATHOR
Adaptor



AE120/C
SL Adaptor

KIT	COD.
GAUGE + 4 ADAPTORS	AE120

ADAPTORS	COD.
VINTAIR	AE120/A
CYRANO/STEN	AE120/B
SL	AE120/C
PREDATHOR	AE120/D



CRESSI MARES

ADATTATORI INIETTORI

- Adattatori iniettori Cressi / Mares per valvola finale SALVIMAR

- Cressi / Mares injector adapters for SALVIMAR end valve

COD.	
AE125	8ADATTATORE PER INIETTORE CRESSI
AE126	ADATTATORE PER INIETTORE MARES



OIL QUANTITY OREDATHOR

MODEL	ml
40cm	10
55cm	15
65cm	18
75cm	21
85cm	25
100cm	28
115cm	33
130cm	37

OIL QUANTITY OREDATHOR

GREEN 32 PNEUMATIC GUN OIL

- Formula extra-fluida
- Basso indice di viscosità
- Proprietà antiusura e antiossidanti
- Confezione da 100ml

- Extra-fluid formula
- Low viscosity index
- Anti-wear and antioxidant properties
- 100ml pack

KIT	COD.
kit 4 pieces	306001

STEN SERIES

DESCRIPTION	COD.
STEN PISTONE / PISTON	302040A
STEN KIT BOCCOLA DI AMMORTIZZO STEN BUSHING DAMPING KIT	LFUCPNEU-MKIT02
STEN VALVOLA / VALVE	302040D

CYRANO SERIES


DESCRIPTION	COD.
CYRANO PISTONE / PISTON	302042A
CYRANO KIT TESTATA COMPLETO CYRANO COMPLETE MUZZLE KIT	302042B
CYRANO KIT BOCCOLA DI AMMORTIZZO CYRANO BUSHING DAMPING KIT	302042C
CYRANO VALVOLA / VALVE	302042D

SL SERIES

DESCRIPTION	COD.
SL PISTONE / PISTON	302044A
SL VALVOLA / VALVE	302044D

PREDATHOR VUOTO - PREDATHOR PLUS - PREDATHOR - DARK SIDE - ROCK

DESCRIPTION	LEGEND	COD.
KIT O-RING VINTAIR E VINTAIR PLUS/PREDATHOR KIT O-RING VINTAIR AND VINTAIR PLUS/PREDATHOR	15	LFUCPNEUMKIT01
KIT DENTE DI SGANCIO VINTAIR / PREDATHOR	6	LFUCPNEUMKIT03
MOLLETTA ESTRAZIONE TAPPO PREDATHOR AISI 302 2MM CAP CLIP PREDATHOR	1	LFUCPR020
TAPPO COPRIVALVOLA PREDATHOR BIANCO VALVE CAP PREDATHOR WHITE	2	LFUCPR003A
TAPPO COPRIVALVOLA PREDATHOR VERDE VALVE CAP PREDATHOR ACID GREEN	2	LFUCPR003B
TAPPO COPRIVALVOLA PREDATHOR ARANCIONE VALVE CAP PREDATHOR ORANGE	2	LFUCPR003C
VALVOLA RICARICA PREDATHOR REFILL VALVE PREDATHOR	3	LFUCPR004
SICURA PREDATHOR SAFE PREDATHOR	5	LFUCPR005
KIT GRLLETTO PREDATHOR TRIGGER MECHANISM KIT	7 + 8	LFUCPR008
IMPUGNATURA PREDATHOR NERA CON REGOLATORE HANDLE PREDATHOR PLUS BLACK WITH PWR	9A	LFUCPR001
IMPUGNATURA PREDATHOR NERA (SENZA REGOLATORE) HANDLE PREDATHOR BLACK (WITHOUT POWER REGULATOR)	9B	LFUCPR001B
KIT SGANGIA SAGOLA PREDATHOR LINE RELEASE KIT	10	LFUCPR009
PISTONE VINTAIR - PREDATHOR VINTAIR PISTON - PREDATHOR	13	LFUCPNEUMKIT101
KIT BOLCCHETTO REGOLAZIONE COMPLETA DI ASTINA POWER ADJUSTMENT BLOCK KIT	14	LFUCPRKIT03
OGIVA PREDATHOR OGIVE PREDATHOR	19	LFUCPRKIT01
TESTATA PREDATHOR COMPLETA COMPLETE MUZZLE KIT	20	LFUCPRKIT02
CANNA PREDATHOR ALLESTITA 40 RIFLE PREDATHOR 40	21	LFUCPR010A
CANNA PREDATHOR ALLESTITA 55 RIFLE PREDATHOR 55	21	LFUCPR010B
CANNA PREDATHOR ALLESTITA 65 RIFLE PREDATHOR 65	21	LFUCPR010C
CANNA PREDATHOR ALLESTITA 75 RIFLE PREDATHOR 75	21	LFUCPR010D
CANNA PREDATHOR ALLESTITA 85 RIFLE PREDATHOR 85	21	LFUCPR010E
CANNA PREDATHOR ALLESTITA 100 RIFLE PREDATHOR 100	21	LFUCPR010F
CANNA PREDATHOR ALLESTITA 115 RIFLE PREDATHOR 115	21	LFUCPR010G
CANNA PREDATHOR ALLESTITA 130 RIFLE PREDATHOR 130	21	LFUCPR010H
SERBATOIO PREDATHOR 40 BARREL FOR PREDATHOR 40	22	LFUCPR011A
SERBATOIO PREDATHOR 55 BARREL FOR PREDATHOR 55	22	LFUCPR011B
SERBATOIO PREDATHOR 65 BARREL FOR PREDATHOR 65	22	LFUCPR011C
SERBATOIO PREDATHOR 75 BARREL FOR PREDATHOR 75	22	LFUCPR011D
SERBATOIO PREDATHOR 85 BARREL FOR PREDATHOR 85	22	LFUCPR011E
SERBATOIO PREDATHOR 100 BARREL FOR PREDATHOR 100	22	LFUCPR011F
SERBATOIO PREDATHOR 115 BARREL FOR PREDATHOR 115	22	LFUCPR011G
SERBATOIO PREDATHOR 130 BARREL FOR PREDATHOR 130	22	LFUCPR011H
INIETTORE VINTAIR - PREDATHOR PUMP VINTAIR - PREDATHOR	23	LFUCPNEUM100
KIT REVISIONE PREDATHOR SERVICE KIT PREDATHOR		302051A
KIT REVISIONE PREDATHOR PLUS SERVICE KIT PREDATHOR PLUS		302051B
KIT REVISIONE PREDATHOR VUOTO SERVICE KIT PREDATHOR VUOTO		302051C
KIT BOCCOLI AMMORTIZZO	20b-20b1	LFUCPNEUMKIT02





KIT MONO

KIT Sagole MONO composto da:
- n° 16 rocchetti di sagola da 50 mt
- Ø1,00mm - Ø1,20mm - Ø1,50mm - 1,80mm
- Colori: Rosso - Arancione - Acid Green - Blu
- Espositore in cartonato

MONO Lines KIT consisting of:
- 16 reels of 50m line
- Ø1.00mm - Ø1.20mm - Ø1.50mm - 1.80mm
- Colours: Red - Orange - Acid Green - Blue
- Cardboard display

COD	
KIT40037	50mt x16pz +espositore

SAGOLA MONO

- La sagola SAGOLA MONO è stata progettata per essere un unica linea tra muli nello e asta, eliminando l'utilizzo del terminale di collegamento
- Mantiene invariato il carico di rottura fino all'asta
- Anima interna in HMPE ad alto modulo polietilene
- Calza esterna in HMPE rivestita in PU (Poliuretano)
- Il rivestimento in PU impedisce la formazione delle "cocche"
- Altissima resistenza all'usura e all'abrasione
- Elevato carico di rottura
- Resistente ai raggi UV
- Galleggiante

- The SAGOLA MONO line has been designed to be a single line between reel and shaft, eliminating the use of the connection end
- Keeps the breaking load unchanged up to the shaft
- High modulus polyethylene HMPE inner core
- PU (Polyurethane) coated HMPE outer liner
- The PU coating prevents the formation of "kinks"
- Very high wear and abrasion resistance
- High breaking strength
- UV resistant
- Buoyant

BLUE | 50m | **ORANGE | 50m** | **ACID GREEN | 50m - 100m** | **RED | 50m - 100m - 400m**



MONO 1,00mm				
DIAMETER	ULTIMATES STRENGHT	LENGHT	COLOR	COD.
1,00mm	150kg	50m	Blue	400370B
1,00mm	150kg	50m	Orange	400370O
1,00mm	150kg	50m	Acid Green	400370G
1,00mm	150kg	100m	Acid Green	400370G/100
1,00mm	150kg	50m	Red	400370
1,00mm	150kg	100m	Red	400370/100
1,00mm	150kg	400m	Red	400370/400
MONO 1,20mm				
DIAMETER	ULTIMATES STRENGHT	LENGHT	COLOR	COD.
1,20mm	210kg	50m	Blue	400372B
1,20mm	210kg	50m	Orange	400372O
1,20mm	210kg	50m	Acid Green	400372G
1,20mm	210kg	100m	Acid Green	400372G/100
1,20mm	210kg	50m	Red	400372
1,20mm	210kg	100m	Red	400372/100
1,00mm	210kg	400m	Red	400372/400
MONO 1,50mm				
DIAMETER	ULTIMATES STRENGHT	LENGHT	COLOR	COD.
1,50mm	245kg	50m	Blue	400375B
1,50mm	245kg	50m	Orange	400375O
1,50mm	245kg	50m	Acid Green	400375G
1,50mm	245kg	100m	Acid Green	400375G/100
1,50mm	245kg	50m	Red	400375
1,50mm	245kg	100m	Red	400375/100
MONO 1,80mm				
DIAMETER	ULTIMATES STRENGHT	LENGHT	COLOR	COD.
1,80mm	310kg	50m	Blue	400378B
1,80mm	310kg	50m	Orange	400378O
1,80mm	310kg	50m	Acid Green	400378G
1,80mm	310kg	100m	Acid Green	400378G/100
1,80mm	310kg	50m	Red	400378
1,80mm	310kg	100m	Red	400378/100

CYMAX (CLIMAX® Material)







Package in 50 m reels,
until 100 m in continuous


- Rapporto di rottura/diametro elevatissimo
- Resistente ai raggi UV
- Sagola galleggiante resistente all'usura dell'acqua di mare

- Very high tensile strength/diameter ratio
- UV resistant
- Buoyant line resistant to seawater abrasion

DIAMETER	ULTIMATES STRENGHT	LENGHT	COD.
Ø1,05 mm	155kg	50m	400316
Ø1,25 mm	210kg	50m	400317
Ø1,70 mm	350kg	50m	400320

ACIDYNE







Package in 50 m reels,
until 100 m in continuous




Package in 400 m

- Rapporto carico di rottura/diametro elevatissimo
- Nuova colorazione Acid Green per favorire la visibilità
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare

- Very high tensile strength/diameter ratio
- UV resistant
- Buoyant line resistant to seawater abrasion
- New Acid Green coloring to enhance visibility.

DIAMETER	ULTIMATES STRENGHT	LENGHT	COD.
Ø1,3 mm	140kg	50m	400335
Ø1,3 mm	140kg	400m	400335/400
Ø1,5 mm	180kg	50m	400340

DYNEEMA





Package in 50 m reels,
until 100 m in continuous



Package in 400 m

- Anima in Dyneema® SK75
- Copertura in poliestere rigida
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare

- Dyneema® SK75 core
- Rigid polyester cover
- UV-resistant

DIAMETER	COLOR	ULTIMATES STRENGHT	LENGHT	COD.
Ø1,5mm	BLACK	120kg	50m	400360/B
Ø1,5mm	BLACK	120kg	400m	400323/400B
Ø2,0mm	BLACK	240kg	50m	400345/B
Ø1,5mm	GREEN-BLACK	120kg	50m	400360
Ø1,5mm	GREEN-BLACK	120kg	400m	400323/400G
Ø2,0mm	GREEN-BLACK	240kg	5m	400365
Ø2,0mm	GREEN-BLACK	240kg	50m	400345
Ø2,0mm	GREEN-BLACK	240kg	400m	400326/400G
Ø1,5mm	WHITE-BLACK	120 kg	100m	400323
Ø2,0mm	WHITE-BLACK	240kg	100m	400326

POLYESTER





Package in 50 m reels, until 100 m in continuous



Package in 400 m

- Carico di rottura 90 kg
- Ideale per legature elastici
- Resistente ai raggi UV
- Sagola resistente all'usura dell'acqua di mare

- Breaking load 90 kg
- Ideal for binding rubbers
- UV resistant

DIAMETER	COLOR	ULTIMATES STRENGHT	LENGHT	COD.
Ø1,7mm	BLACK-GREEN	90kg	50m	400333
Ø1,7mm	BLACK-GREEN	90Kg	400m	400330/400
Ø1,7mm	ACID GREEN	90Kg	50m	400333/G
Ø1,7mm	ACID GREEN	90Kg	400m	400330/400G



PINZA SLEEVES

- Pinza serra sleeves in acciaio con impugnatura in gomma
- Fori dimensionati al serraglio degli sleev sul monofilo dedicato
- Taglia sagola laterale
- Perno scorrevole di serraglio a riposo

- Steel sleeve clamp pliers with rubber grip
- Holes sized to the clamping of sleevs on dedicated monofilament
- Side line cutter
- Sliding clamping pin at rest

COD.
ACC0010




NYLON

- Terminale monofilo Nylon, morbido trasparente Ø1,60mm, rotolo da 2Kg
- In versione colore trasparente e acid green ad alta visibilità

- Nylon monofilament end, soft transparent Ø1.60mm, 2Kg roll
- In transparent and acid green high-visibility color version D1

DIAMETER	COLOR	COD.	LENGHT
Ø1,5mm	TRANSPARENT	L11CAV04	766mt
Ø1,6mm	ACID GREEN	L11CAV05	766mt



- Monofilo ad alta visibilità.

- High-visibility monofilament

DIAMETER	COD.	LENGHT
Ø1,6mm	400352	15mt
Ø2,0mm	400353	15mt






- Monofilo Nylon ad alta resistenza Ø1,47mm
- lenght 6mt
- Carico di rottura elevatissimo Kg 151 - Lb 332,8
- Massima resistenza all'abrasione

- High-strength Nylon monofilament Ø1.47mm
- Lenght 6mt
- Very high breaking load Kg 151
- Lb 332.8
- Maximum abrasion resistance

COD.	LENGHT
400355	6m



- Terminale monofilo Nylon, morbido trasparente Ø1,50mm
- Lunghezza 6m

- Soft transparent nylon monofilament end
- Ø1.50mm
- Lenght 6m

COD.	LENGHT
400350	6mt

SHAFTS




photography by Alberto Balbi

ESPOSITORE ASTE









Per il tuo negozio, espositore da terra aste Salvima.
Robusto e compatto, può contenere oltre 800 pz
Design by Salvimar

Salvimar Shafts floor-display for your shop
Sturdy and solid, able to hold up to 800 pcs
Design by Salvimar

SIZES	SHAFTS QUANTITY	COD.
L 70 cm x P 50 cm x H 50 cm	OVER 800 pz.	IMBSAL050

CAPTURE

Ø 6,25mm - Ø 6,50mm - Ø 7,00mm





- Materiale: Acciaio inossidabile 17-4PH - Tecnologia MIM - Saldatura al laser con isola robotizzata dedicata
- Trattamento termico - Aletta a profilo scalato, disponibile in versione mono e doppia


- Material 174PH stainless steel- Shark fin: MIM technology with laser welding - Thermical treatment
- Flopper with scaled profile - Available with single or double flopper



SINGOLA ALETTA CAPTURE
CAPTURE SINGLE FLOPPER

CAPTURE SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,25mm	950mm	901008B
Ø 6,25mm	1050mm	901008C
Ø 6,25mm	1100mm	901008C1
Ø 6,25mm	1150mm	901008D
Ø 6,25mm	1200mm	901008E
Ø 6,25mm	1250mm	901008EY
Ø 6,25mm	1300mm	901008F
Ø 6,25mm	1350mm	901008FY
Ø 6,25mm	1400mm	901008G
Ø 6,25mm	1500mm	901008I
DIAMETER	**LENGHT**	**COD.**
Ø 6,5mm	950mm	901009AY
Ø 6,5mm	1050mm	901009B
Ø 6,5mm	1100mm	901009C
Ø 6,5mm	1150mm	901009D
Ø 6,5mm	1200mm	901009E
Ø 6,5mm	1250mm	901009E1
Ø 6,5mm	1300mm	901009F
Ø 6,5mm	1350mm	901009F1
Ø 6,5mm	1400mm	901009G
Ø 6,5mm	1500mm	901009H
Ø 6,5mm	1600mm	901009I
DIAMETER	**LENGHT**	**COD.**
Ø 7,0mm	1050mm	901010C
Ø 7,0mm	1150mm	901010D
Ø 7,0mm	1200mm	901010E
Ø 7,0mm	1300mm	901010F
Ø 7,0mm	1400mm	901010G
Ø 7,0mm	1500mm	901010H
Ø 7,0mm	1600mm	901010I



DOPPIA ALETTA CAPTURE
CAPTURE DOUBLE FLOPPER

CAPTURE SHAFT DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,25mm	1050mm	901008CX
Ø 6,25mm	1150mm	901008DX
Ø 6,25mm	1200mm	901008EX
Ø 6,25mm	1250mm	901008EXY
Ø 6,25mm	1300mm	901008FX
Ø 6,25mm	1400mm	901008GX
DIAMETER	**LENGHT**	**COD.**
Ø 6,5mm	950mm	901009AX
Ø 6,5mm	1050mm	901009BX
Ø 6,5mm	1100mm	901009CX
Ø 6,5mm	1150mm	901009DX
Ø 6,5mm	1200mm	901009EX
Ø 6,5mm	1250mm	901009E1X
Ø 6,5mm	1300mm	901009FX
Ø 6,5mm	1350mm	901009F1X
Ø 6,5mm	1400mm	901009GX
Ø 6,5mm	1500mm	901009HX
DIAMETER	**LENGHT**	**COD.**
Ø 7,0mm	1050mm	901010CX
Ø 7,0mm	1150mm	901010DX
Ø 7,0mm	1200mm	901010EX
Ø 7,0mm	1300mm	901010FX
Ø 7,0mm	1400mm	901010GX
Ø 7,0mm	1500mm	901010HX
Ø 7,0mm	1600mm	901010IX

FOLGORE





- Materiale: Acciaio inossidabile 17-4PH - Tecnologia MIM - Saldatura al laser con isola robotizzata dedicata
- Trattamento termico - Disponibile monoletta a profilo scalato - Aletta non incassata.

- Material 174PH stainless steel - Shark fin: MIM technology with laser welding - Thermical treatment
- Flopper with scaled profile - Available with NOT seattled single flopper



ALETTA FOLGORE NON ICASSATA
FOLGORE FLOPPER NOT EMBEDDED

FOLGORE SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,50mm	1050mm	901011B
Ø 6,50mm	1150mm	901011D
Ø 6,50mm	1200mm	901011E
Ø 6,50mm	1250mm	901011E1
Ø 6,50mm	1300mm	901011F
Ø 6,50mm	1400mm	901011G
Ø 6,50mm	1500mm	901011H

CAPTURE FILETTATA





FILETTATA
SCREWED

- Asta INOX 17-4PH - Pinnette realizzate in tecnologia M.I.M. (Metal Injection Molding) - Applicate con saldatura laser - Terminale filettato M7

- 17-4PH stainless steel shaft - Shark fins made with M.I.M. Technology (Metal Injection Molding) - Applied by laser welding - M7 threaded end

BOLT SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,50mm	720mm	AAF65072
Ø 6,50mm	820mm	AAF65082
Ø 6,50mm	970mm	AAF65097


BOLT (Asta esclusiva per arbalete ARES / Exclusive shaft for ARES arbalete)





- Asta Bolt con sistema di collimazione della linea di vista brevettato - Accoppiamento preciso con il castello di sgancio dell'arbalete Ares - Allineamento costante dell'asta al guida asta, minimizzando i movimenti laterali
- Materiale: 17-4PH - Pinnetta: Tecnologia MIM con saldatura laser - Aletta: Capture

- Shaft Bolt with patented line of slight collimation system - Perfect fit with the release mechanism box of the Ares speargun - A perfect aligned shaft with the shaft guide, prevents lateral movements - Material: 174PH
- Shark fin: MIM technology with laser welding - Flopper: Capture



SINGOLA ALETTA BOLT
BOLT SINGLE FLOPPER

BOLT SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,5 mm	900mm	AA165090
Ø 6,5 mm	1050mm	AA165105
Ø 6,5 mm	1150mm	AA165115
Ø 6,5 mm	1250mm	AA165125
Ø 6,5 mm	1350mm	AA165135
DIAMETER	**LENGHT**	**COD.**
Ø7,0 mm	1050mm	AA170105
Ø7,0 mm	1150mm	AA170115
Ø7,0 mm	1250mm	AA170125
Ø7,0 mm	1350mm	AA170135
Ø7,0 mm	1450mm	AA170145

CAPTURE TRICUSPIDE SANDVIK





- Materiale: Acciaio Sandvik - Pinnette: Tecnologia MIM, saldatura laser - Trattamento termico post-lavorazione
- Punta tricuspide per perforazione precisa - Aletta Capture con profilo scalato

- Material: Sandvik stainless steel - Pinnette: Tecnologia MIM, saldatura laser - Trattamento termico post lavorazione - Tricuspid tip for perfect penetration - Capture flopper scaled profile



SINGOLA ALETTA CAPTURE
CAPTURE SINGLE FLOPPER

CAPTURE TRICUSPIDE SHAFT SINGLE BOTTOM FLOPPER - SANDVIK

DIAMETER	LENGHT	COD.
Ø 6,5mm	1050mm	908010D
Ø 6,5mm	1150mm	908010F
Ø 6,5mm	1200mm	908010H
Ø 6,5mm	1250mm	908010L
Ø 6,5mm	1300mm	908010N
Ø 6,5mm	1400mm	908010P
Ø 6,5mm	1500mm	908010R

PACIFIC





- Materiale: Acciaio inossidabile 17-4PH - Pinnette: Tecnologia MIM (Metal Injection Molding), saldatura laser con isola robotizzata - Trattamento termico post-lavorazione per ottimizzare le proprietà meccaniche - Elevata resistenza alla corrosione e alle sollecitazioni meccaniche - Aletta rinforzata

- Material: 174PH - Shark fin: MIM technology with laser welding - Thermical treatment - Pacific reinforced flopper - Made In Italy by Salvimar



SINGOLA ALETTA PACIFIC
PACIFIC SINGLE FLOPPER


PACIFIC SHAFT SINGLE BOTTOM FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 7,0mm	1200mm	901005E
Ø 7,0mm	1250mm	901005E1
Ø 7,0mm	1300mm	901005F
Ø 7,0mm	1400mm	901005G
Ø 7,0mm	1500mm	901005H
Ø 7,0mm	1600mm	901005I
Ø 7,0mm	1700mm	901005L
DIAMETER	**LENGHT**	**COD.**
Ø 7,5mm	1300mm	901006F
Ø 7,5mm	1400mm	901006G
Ø 7,5mm	1500mm	901006H
Ø 7,5mm	1600mm	901006I
Ø 7,5mm	1700mm	901006L
Ø 7,5mm	1800mm	901006M
DIAMETER	**LENGHT**	**COD.**
Ø 8,0mm	1300mm	901007F
Ø 8,0mm	1400mm	901007G
Ø 8,0mm	1500mm	901007H
Ø 8,0mm	1600mm	901007I
Ø 8,0mm	1700mm	901007L
Ø 8,0mm	1800mm	901007M

PACIFIC SFALSATA







PACIFIC SFALSATA SHAFT DOUBLE FLOPPER - 17-4PH

- Materiale: Acciaio inossidabile 17-4PH
- Pinnette: Tecnologia MIM (Metal Injection Molding),
- Trattamento termico post-lavorazione per ottimizzare le proprietà meccaniche
- Elevata resistenza alla corrosione e alle sollecitazioni meccaniche
- 2 Alette rinforzate sfalsate

- Material: 174PH
- Shark fin: MIM technology with laser welding
- Thermical treatment
- 2 staggered Pacific reinforced floppers
- Perfect for big catches
- Made In Italy by Salvimar

DIAMETER	LENGHT	COD.
Ø 7,5 mm	1600mm	AA275160
Ø 7,5 mm	1700mm	AA275170
Ø 7,5 mm	1800mm	AA275180

DIAMETER	LENGHT	COD.
Ø 8,0 mm	1500mm	AA280150
Ø 8,0 mm	1600mm	AA280160
Ø 8,0 mm	1700mm	AA280170
Ø 8,0 mm	1800mm	AA280180

PACIFIC FILETTATA Ø 7mm



- Materiale: Acciaio inossidabile 17-4PH - Pinnette: Tecnologia MIM, saldatura laser, terminale filettato M7x1
- Trattamento termico post-lavorazione

- Material: 174PH - Shark fin: MIM technology with laser welding
- Thermical treatmentn - M7X1 threaded tip - Made In Italy by Salvimar

PACIFIC SHAFT FILETTATA 17-4PH - M7



FILETTATA M7
M7 SCREWED

DIAMETER	LENGHT	COD.
Ø 7,0mm	1250mm	905125P
Ø 7,0mm	1350mm	905135P
Ø 7,0mm	1450mm	905145P
Ø 7,0mm	1550mm	905155P

PACIFIC FILETTATA Ø 8mm



PACIFIC SHAFT FILETTATA 17-4PH - M7



FILETTATA M7
M7 SCREWED

DIAMETER	LENGHT	COD.
Ø 8,0mm	1400mm	AAF80140
Ø 8,0mm	1500mm	AAF80150
Ø 8,0mm	1600mm	AAF80160
Ø 8,0mm	1700mm	AAF80170

NEW PACIFIC FILETTATA Ø 8mm - FILETTO 5/16



PACIFIC SHAFT FILETTATA 17-4PH - 5/16



DIAMETER	LENGHT	COD.
NEW Ø 8,0mm	1500mm	MA901007A-5/16
NEW Ø 8,0mm	1600mm	MA901007B-5/16
NEW Ø 8,0mm	1700mm	MA901007C-5/16
NEW Ø 8,0mm	1300mm	MA901007Y-5/16
NEW Ø 8,0mm	1400mm	MA901007Z-5/16

TAHITIANA TACCHE






SINGOLA ALETTA TAHITIANA
TAHITIANA SINGLE FLOPPER

TAHITIANA TACCHE SHAFT SINGLE FLOPPER ON TOP - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,0mm	850mm	AH098/SP05
Ø 6,0mm	950mm	AH098/SP06
Ø 6,0mm	1050mm	AH098/SP07
Ø 6,0mm	1100mm	AH098/SP09
Ø 6,0mm	1150mm	AH098/SP10
Ø 6,0mm	1200mm	AH098/SP12
Ø 6,0mm	1250mm	AH098/SP14
Ø 6,0mm	1300mm	AH098/SP15
Ø 6,0mm	1350mm	AH098/SP16
Ø 6,0mm	1400mm	AH098/SP20
Ø 6,0mm	1450mm	AH098/SP21
Ø 6,0mm	1500mm	AH098/SP25
Ø 6,0mm	1600mm	AH0987sp30
DIAMETER	**LENGHT**	**COD.**
Ø 6,25mm	850mm	AH099/SP05
Ø 6,25mm	950mm	AH099/SP06
Ø 6,25mm	1050mm	AH099/SP07
Ø 6,25mm	1100mm	AH099/SP08
Ø 6,25mm	1150mm	AH099/SP10
Ø 6,25mm	1200mm	AH099/SP12
Ø 6,25mm	1250mm	AH099/SP13
Ø 6,25mm	1300mm	AH099/SP15
Ø 6,25mm	1400mm	AH099/SP20
Ø 6,25mm	1450mm	AH099/SP21
Ø 6,25mm	1500mm	AH099/SP25
Ø 6,25mm	1600mm	AH099/SP25/1
DIAMETER	**LENGHT**	**COD.**
Ø 6,5mm	700mm	AH178
Ø 6,5mm	850mm	AH180
Ø 6,5mm	950mm	AH181
Ø 6,5mm	1050mm	AH182
Ø 6,5mm	1100mm	AH184
Ø 6,5mm	1150mm	AH195
Ø 6,5mm	1200mm	AH195/1
Ø 6,5mm	1250mm	AH195/2
Ø 6,5mm	1300mm	AH196
Ø 6,5mm	1350mm	AH196/1
Ø 6,5mm	1400mm	AH197
Ø 6,5mm	1450mm	AH197/1
Ø 6,5mm	1500mm	AH198
Ø 6,5mm	1600mm	AH200



DOPPIA ALETTA TAHITIANA
TAHITIANA DOUBLE FLOPPER

TAHITIANA TACCHE SHAFT DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,5mm	850mm	AH150
Ø 6,5mm	950mm	AH151
Ø 6,5mm	1050mm	AH152
Ø 6,5mm	1100mm	AH154
Ø 6,5mm	1150mm	AH160
Ø 6,5mm	1200mm	AH162
Ø 6,5mm	1300mm	AH165
Ø 6,5mm	1400mm	AH170
Ø 6,5mm	1500mm	AH175



FILETTATA
SCREWED

TAHITIANA TACCHE SHAFT FILETTATA - 17 4PH

DIAMETER	LENGHT	COD.
Ø 6,5mm	600mm	AG879
Ø 6,5mm	620mm	AG879/1
Ø 6,5mm	680mm	AG880
Ø 6,5mm	720mm	AG881
Ø 6,5mm	750mm	AG882
Ø 6,5mm	800mm	AG885
Ø 6,5mm	820mm	AG885/1
Ø 6,5mm	850mm	AG886
Ø 6,5mm	970mm	AG887
Ø 6,5mm	1100mm	AG890
Ø 6,5mm	1250mm	AG892
Ø 6,5mm	1350mm	AG894



SINGOLA ALETTA RAPTOR
RAPTOR SINGLE FLOPPER

TAHITIANA 6.5 ALETTA RAPTOR NON INCASSATA - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,5mm	1100mm	AA1N65110
Ø 6,5mm	1150mm	AA1N65115



SINGOLA ALETTA FOLGORE
FOLGORE SINGLE FLOPPER

TAHITIANA 6.5 ALETTA FOLGORE NON INCASSATA - 17-4PH

DIAMETER	LENGHT	COD.
Ø 6,5mm	1200mm	AA1N65120
Ø 6,5mm	1250mm	AA1N65125
Ø 6,5mm	1300mm	AA1N65130

TAHITIANA TACCHE





SINGOLA ALETTA TAHITIANA
TAHITIANA SINGLE FLOPPER



FILETTATA
SCREWED

TAHITIANA TACCHE BLACK SHAFT GALVANIZZATA SINGLE FLOPPER ON TOP

DIAMETER	LENGHT	COD.
Ø 6,5mm	750mm	AG856
Ø 6,5mm	850mm	AG861
Ø 6,5mm	950mm	AG866
Ø 6,5mm	1150mm	AG871

TAHITIANA TACCHE BLACK SHAFT GALVANIZZATA FILETTATA

DIAMETER	LENGHT	COD.
Ø 6,5mm	620mm	AG835
Ø 6,5mm	720mm	AG840
Ø 6,5mm	820mm	AG842
Ø 6,5mm	970mm	AG844

TOP ARBALETE SUGGESTED SHAFTS

ARBALETE SPEARGUNS	SHAFTS DESCRIPTION	COD.
ARES CARBO 85	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1150 mm	ARB07085
ARES CARBO 95	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1250 mm	ARB07095
ARES CARBO 105	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1350 mm	ARB07105
ARES CARBO 115	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1450 mm	ARB07115
ARES 60	Asta/Shaft BOLT mono aletta ø 6,50 mm - 900 mm	AA165090
ARES 75	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1050 mm	AA165105
ARES 85	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1150 mm	AA165115
ARES 95	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1250 mm	AA165125
ARES 105	Asta/Shaft BOLT mono aletta ø 6,50 mm - 1350 mm	AA165135
ARES NIGHTMARE 75	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1050 mm	AA170105
ARES NIGHTMARE 85	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1150 mm	AA170115
ARES NIGHTMARE 95	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1250 mm	AA170125
ARES NIGHTMARE 105	Asta/Shaft BOLT mono aletta ø 7,00 mm - 1350 mm	AA170135
METAL 60/METAL ROLLER 60/METAL CARBO ROLLER/METAL KRYPSIS 60/V-PRO 60/WILD CARBO OPEN 60	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 950 mm	901009AY
METAL 75/METAL ROLLER 75/METAL CARBO ROLLER/METAL KRYPSIS 75/V-PRO 75/WILD CARBO OPEN 75	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1100 mm	901009C
METAL 85/METAL ROLLER 85/METAL CARBO ROLLER/METAL KRYPSIS 85/ V-PRO 85/WILD CARBO OPEN 85	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1200 mm	901009E
METAL 95 / METAL CARBO OPEN 95 / METAL ROLLER 95 /METAL KRYPSIS 95 / V-PRO 95	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1300 mm	901009F
METAL 105 / METAL CARBO OPEN 105 /METAL ROLLER 105 /METAL KRYPSIS 105 / V-PRO 105	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1400 mm	901009G
METAL CARBO OPEN 115 /METAL ROLLER 115	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1500 mm	901009H
METAL ROLLER 125	Asta/Shaft CAPTURE mono aletta ø 6,50 mm - 1600 mm	901009I
METAL CARBO ROLLER 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
METAL CARBO ROLLER 105	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1400 mm	901010G
METAL 115/ METAL KRYPSIS 115 / METAL CARBO ROLLER 115	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1500 mm	901010H
METAL 125	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1600 mm	901010I
WILD CARBO 60 / VOODOO 60	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 950 mm	AH181
WILD CARBO 75 / VOODOO 75	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1100 mm	AH184
WILD CARBO 85 / VOODOO 85	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1200 mm	AH195/1
VOODOO 95	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1300 mm	AH196
VOODOO 105	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 1400 mm	AH197
HERO 65 / HERO TOMAHAWK 65	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1050 mm	901010C
HERO 75 / HERO TOMAHAWK 75 / HERO NIGHTMARE 75	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1150 mm	901010D
HERO 85 / HERO TOMAHAWK 85 / HERO NIGHTMARE 85 / HERO STORM 85	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1200 mm	901010E
HERO 95 / HERO NIGHTMARE 95 / HERO STORM 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
TOMAHAWK 95	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1300 mm	901006F
HERO 105 / HERO TOMAHAWK 105 / HERO NIGHTMARE 105 / HERO STORM 105	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1400 mm	901006G
HERO 115 / HERO TOMAHAWK 115 / HERO NIGHTMARE 115 / HERO STORM 115	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1500 mm	901006H
HERO 125 / HERO TOMAHAWK 125 / HERO NIGHTMARE 125	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1700 mm	901006L
HERO 135 / HERO TOMAHAWK 135	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1800 mm	901006M
HERO ROLLER 65	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1050 mm	901010C
HERO ROLLER 75	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1150 mm	901010D
HERO ROLLER 85	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1200 mm	901010E
HERO ROLLER 95	Asta/Shaft CAPTURE mono aletta ø 7.0mm - 1300 mm	901010F
HERO ROLLER 105	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1400 mm	901006G
HERO ROLLER 115	Asta/Shaft PACIFIC mono aletta ø 7.5mm - 1500 mm	901006H
HERO ROLLER 125	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1700 mm	901006L
HERO ROLLER 135	Asta/Shaft PACIFIC mono aletta ø 7,5mm - 1800 mm	901006M

TOP ARBALETE SUGGESTED SHAFTS

ARBALETE SPEARGUNS	SHAFTS DESCRIPTION	COD.
WILD CARBO STONE 40	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 620 mm	AG879/1
WILD CARBO STONE 50	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 720 mm	AG881
WILD CARBO STONE 60	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 820 mm	AG885/1
WILD CARBO STONE 75	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 970 mm	AG887
WILD 40	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 620 mm	AG835
WILD 50	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 720 mm	AG840
WILD 60	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 820 mm	AG842
WILD 75	Asta/Shaft TAHITIANA TACCHE filettata ø 6.5mm - 970 mm	AG844
WILD PRO 40	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 750 mm	AG856
WILD PRO 50	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 850 mm	AG861
WILD PRO 60	Asta/Shaft TAHITIANA TACCHE mono aletta ø 6.5mm - 950 mm	AG866
WILD PRO 75	Asta/ShaftTAHITIANATACCHEmonoalettaø6.5mm-1150mm	AG871
METAL MONO 60 / MONO RAIL 60	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 950 mm	901008B
METAL MONO 75 / MONO RAIL 75	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 1100 mm	901008C1
METAL MONO 85 / MONO RAIL 85	Asta/Shaft CAPTURE mono aletta ø 6,25 mm - 1200 mm	901008E



photography by Alberto Balbi

ASTA PNEUMATICA PER SISTEMA VUOTO SALVIMAR
PNEUMATIC SHAFT FOR SALVIMAR VACUUM SYSTEM

Ø 7,0



Ø 7,5




Codolo con profilo inclinato a 45° che riduce sensibilmente l'impatto sulla guarnizione di tenuta della testata Vuoto migliorandone le performance e allungandone la vita utile

45-degree angle shank profile that significantly reduces the impact on the vacuum muzzle seal, improving its performance and extending its life





ALETTA CAPTURE INCASSATA
DOUBLE FLOPPER EMBEDDED



DOPPIA ALETTA
DOUBLE FLOPPER



FILETTATA M7
M7 SCREWED

PNEUMATIC SHAFT Ø 7,0 SINGLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGHT*		COD.
Ø 7,0mm	870mm	Salvimar 75	APNE170087
Ø 7,0mm	970mm	Salvimar 85	APNE170097
Ø 7,0mm	1120mm	Salvimar 100	APNE170112

PNEUMATIC SHAFT Ø 7,0 DOUBLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGHT*		COD.
Ø 7,0mm	870mm	Salvimar 75	APNE270087
Ø 7,0mm	970mm	Salvimar 85	APNE270097
Ø 7,0mm	1120mm	Salvimar 100	APNE2700112


PNEUMATIC SHAFT Ø 7,0 17-4PH - 45° ANGLE TILT

DIAMETER	LENGHT*		COD.
Ø 7,0mm	350mm	Salvimar 40	APNE070035
Ø 7,0mm	512mm	Salvimar 55	APNE070051
Ø 7,0mm	662mm	Salvimar 65	APNE070066





ALETTA PACIFIC NON INCASSATA
PACIFIC FLOPPER NOT EMBEDDED



DOPPIA ALETTA
DOUBLE FLOPPER



FILETTATA M7
M7 SCREWED

PNEUMATIC SHAFT Ø 7,5 SINGLE FLOPPER - 17-4PH - 45° ANGLE TILT

DIAMETER	LENGHT*		COD.
Ø 7,5mm	985mm	Salvimar 85	907202D
Ø 7,5mm	1135mm	Salvimar 100	907202F
Ø 7,5mm	1285mm	Salvimar 115	907202H
Ø 7,5mm	1435mm	Salvimar 130	907202L

PNEUMATIC SHAFT Ø 7,5 DOUBLE FLOPPER - 17-4PH - 45° ANGLE TILT


DIAMETER	LENGHT*		COD.
Ø 7,5mm	970mm	Salvimar 85	907204D
Ø 7,5mm	1120mm	Salvimar 100	907204F
Ø 7,5mm	1270mm	Salvimar 115	907204H
Ø 7,5mm	1420mm	Salvimar 130	907204L

PNEUMATIC SHAFT Ø 7,5 17-4PH - 45° ANGLE TILT

DIAMETER	LENGHT*		COD.
Ø 7,5mm	350mm	Salvimar 40	APNE075035
Ø 7,5mm	500mm	Salvimar 55	APNE075050
Ø 7,5mm	650mm	Salvimar 65	APNE075065
Ø 7,5mm	750mm	Salvimar 75	APNE075075

NB.: Misure riferite ad asta senza codolo - Sizes refer to the shafts with no tail

ASTA PNEUMATICA 17-4PH CON ALETTA
17-4PH PNEUMATIC SHAFTS WITH FLOPPER



Asta per fucili pneumatici Salvimar e Cyrano, fornita con rondella e scorri sagola
Salvimar and Cyrano shaft for pneumatic guns, supplied with washer and line slider






ALETTA CAPTURE INCASSATA
DOUBLE FLOPPER EMBEDDED

PNEUMATIC SHAFT Ø 7,0 SINGLE FLOPPER - 17-4PH

DIAMETER	LENGHT*		COD.
Ø 7,0mm	620mm	Salvimar 55 - Cyrano 550	AG305
Ø 7,0mm	770mm	Salvimar 65 - Cyrano 700	AG315
Ø 7,0mm	870mm	Salvimar 75	AG317
Ø 7,0mm	900mm	Cyrano 850	AG330
Ø 7,0mm	970mm	Salvimar 85	AG334
Ø 7,0mm	1050mm	Cyrano 970	AG340
Ø 7,0mm	1120mm	Salvimar 100	AG341
Ø 7,0mm	1200mm	Cyrano 1100	AG350
Ø 7,0mm	1270mm	Salvimar 115	AG352
Ø 7,0mm	1420mm	Salvimar 130	AG355



DOPPIA ALETTA
DOUBLE FLOPPER

PNEUMATIC SHAFT Ø 7,0 DOUBLE FLOPPER - 17-4PH

DIAMETER	LENGHT*		COD.
Ø 7,0mm	620mm	Salvimar 55 - Cyrano 550	AG305B
Ø 7,0mm	770mm	Salvimar 65- Cyrano 700	AG315B
Ø 7,0mm	870mm	Salvimar 75	AG317B
Ø 7,0mm	900mm	Cyrano 850	AG330B
Ø 7,0mm	970mm	Salvimar 85	AG334B
Ø 7,0mm	1050mm	Cyrano 970	AG340B
Ø 7,0mm	1120mm	Salvimar 100	AG341B
Ø 7,0mm	1200mm	Cyrano 1100	AG350B
Ø 7,0mm	1270mm	Salvimar 115	AG352B
Ø 7,0mm	1420mm	Salvimar 130	AG355B



ALETTA PACIFIC NON INCASSATA
PACIFIC FLOPPER NOT EMBEDDED

PNEUMATIC SHAFT Ø 8,0 SINGLE FLOPPER - 17-4PH

DIAMETER	LENGHT*		COD.
Ø 8,0mm	1135mm	Salvimar 100	907200/L
Ø 8,0mm	1285mm	Salvimar 115	907200/M
Ø 8,0mm	1435mm	Salvimar 130	907200/N

NB.: Misure riferite ad asta senza codolo - Sizes refer to the shafts with no tail

ASTA PNEUMATICA FILETTATA M7
PNEUMATIC SHAFTS M7 SCREWED





FILETTATA M7
M7 SCREWED

17-4PH - PNEUMATIC SCREWED SHAFT Ø 7,0

DIAMETER	LENGHT*		COD.
Ø 7,0mm	350mm	Salvimar 40 - Cyrano/Sten	AG190/174PH
Ø 7,0mm	512mm	Salvimar 55 - Cyrano/Sten	AG200/174PH
Ø 7,0mm	662mm	Salvimar 65 - Cyrano/Sten	AG210/174PH
Ø 7,0mm	750mm	Salvimar 75 - Cyrano/Sten	AG218/174PH
Ø 7,0mm	812mm	Cyrano/Sten	AG220/174PH
Ø 7,0mm	850mm	Salvimar 100	AG228/174PH
Ø 7,0mm	932mm	Salvimar	AG229/174PH





FILETTATA M7
M7 SCREWED

INOX - PNEUMATIC SCREWED SHAFT

DIAMETER	LENGHT*		COD.
Ø 7,0mm	1082mm	Salvimar 100 - Cyrano 1100	AG245
DIAMETER	**LENGHT***		**COD.**
Ø 8,0mm	350mm	Salvimar 40 - Miniministen	AG003
Ø 8,0mm	500mm	Salvimar 55 - Ministen	AG007
Ø 8,0mm	650mm	Salvimar 65 - Menisten	AG011
Ø 8,0mm	750mm	Salvimar 75 - Mirage	AG015
Ø 8,0mm	850mm	Salvimar 85 - Sten	AG019
Ø 8,0mm	970mm	Salvimar 100 - upersten	AG023
Ø 8,0mm	1070mm	Sten 115	AG027
DIAMETER	**LENGHT***		**COD.**
Ø 8,0mm	220mm	Asso30	AG055
Ø 8,0mm	350mm	Asso40 - SL40	AG065
Ø 8,0mm	500mm	Asso50 - SL55	AG075
Ø 8,0mm	650mm	Asso65 - SL70	AG085
Ø 8,0mm	750mm	Asso75	AG095
Ø 8,0mm	850mm	Asso90	AG105
Ø 8,0mm	950mm	SL100	AG086






FILETTATA M7
M7 SCREWED

GALVANIZED - PNEUMATIC SCREWED SHAFT

DIAMETER	LENGHT*		COD.
Ø 7,0mm	812mm	Salvimar 75 - Cyrano 850	AG220
Ø 7,0mm	932mm	Salvimar 85 - Cyrano 970	AG230
Ø 7,0mm	1082mm	Salvimar 100 - Cyrano 1100	AG240
DIAMETER	**LENGHT***		**COD.**
Ø 8,0mm	350mm	Salvimar 40 - Miniministen	AG001
Ø 8,0mm	500mm	Salvimar 55 - Ministen	AG005
Ø 8,0mm	650mm	Salvimar 65 - Medisten	AG009
Ø 8,0mm	750mm	Salvimar 75 - Mirage	AG013
Ø 8,0mm	850mm	Salvimar 85 - Sten	AG017
Ø 8,0mm	970mm	Salvimar 100 - Supersten	AG021
DIAMETER	**LENGHT***		**COD.**
Ø 8,0mm	350mm	Asso40 - SL40	AG060
Ø 8,0mm	500mm	Asso50 - SL55	AG070
Ø 8,0mm	650mm	Asso65 - SL70	AG080
Ø 8,0mm	750mm	Asso75	AG090
Ø 8,0mm	850mm	Asso90	AG100
Ø 8,0mm	1150mm	Asso 115	AG110
Ø 8,0mm	950mm	SL100	AG170

NB.: Misure riferite ad asta senza codolo - Sizes refer to the shafts with no tail



SLIP TIP CLAW Ø8,5 mm

- Punta a sgancio rapido in acciaio inox 17-4 ph trattato termicamente
- Dotato di ardiglione posteriore integrato realizzato in fase di lavorazione meccanica
- Profilo idrodinamico con sede di fissaggio sagola ribassata con angoli smussati
- Fresatura inferiore dedicata al diametro della sagola di ritenuta
- Sistema di rilascio rapido, testa sferica calibrata compatibile con aste filettate M7
- Scorri asta in acciaio inox compatibile con aste diametro 7, 7,5 e 8mm
- In dotazione sagola rivestita in PU Mono Green da 1,8mm carico di rottura 350Kg

- Heat-treated 17-4 ph stainless steel quick-release tip
- Integrated rear barb
- Hydrodynamic profile
- Lowered line-fixing seat
- Compatible with M7 threaded rods
- Shaft slide compatible with 7, 7.5 and 8mm diameter shafts
- 1.8mm Mono Green PU-coated line, 350Kg breaking load.

KIT	COD.
1 Kit	AC065

- Raccordo filettato 5/16 - M6


- Adapter thread 5/16 - M6



KIT	TREAD	COD.
Kit 2 pz	5/16	AC060/C
Kit 2 pz	M6	AC060/D
Kit 2 pz	M7	AC060/B

- Scorriasta ad anello, ferma cavetto Slip-Tip per asta ø 6,5/7,0 - 7,5 - 8 mm

- Ring shaft slider, Slip-Tip cable retainer for ø 6.5/7.0 - 7.5 - 8 mm rod



KIT	Ø	COD.
Kit 2 pz	6,5mm	AC060/I
Kit 2 pz	7mm	AC060/F
Kit 2 pz	7,5mm	AC060/G
Kit 2 pz	8mm	AC060/H

- Cavetto acciaio inox testato 270 kg

- Stainless stell tested cable 270 kg
- 2 pieces



KIT	COD.
Kit 2 pz	AE083

- Cono in acciaio inox 17-4PH
- Progettato per asta Tahitiana
- Resistente alla corrosione
- Ø 6,5mm - Ø 7mm - Ø 7,5mm


- 17-4PH stainless steel cone
- Designed for Tahitian shaft
- Corrosion resistant
- Ø 6,5mm - Ø 7mm - Ø 7,5mm



Ø 6,5mm Ø 7,0mm Ø 7,5mm

DIAMETER	KIT	COD.
Ø 6,5mm	Kit 5 pz	AE034/A
Ø 7,0mm	Kit 5 pz	AE034/B
Ø 7,5mm	Kit 5 pz	AE034/C

SCORRISAGOLA



- Scorrisagola in nylon caricato vetro
- Sede per la sagola
- Maggiore trazione a forte carico

- Fiberglass loaded nylon line slider
- Line seat
- Increased traction under heavy load

mm	COD.
Ø 7,0mm	AE025/B
Ø 8,0mm	AE025/D

SCORRISAGOLA MIM + RONDELLA

- Scorrisagola MIM in INOX 17.4PH
- Disponibile nei diametri: 7mm / 7,5mm

- MIM line slider in 17.4PH STAINLESS STEEL
- Available in diameters: 7mm / 7.5mm



MM	CONF.	COD.
1) 7,0mm	5pz	AE027/B
2) 7,5mm	5pz	AE027/C

SCORRISAGOLA + CODOLO 45° + RONDELLA

- Scorrisagola MIM in 17.4PH
- Codolo 45°
- Disponibile nei diametri: 7mm / 7,5mm
- Ideale per sistema VUOTO

- MIM line slider in 17.4PH
- 45° angle shank
-Available in Ø: 7mm / 7.5mm
- Ideal for VACUUM system



KIT	COD.
1) SC. MIM 7,0mm + Cod. 45°	AE027/B45
2) SC. MIM 7,5mm + Cod. 45°	AE027/C45

1 - cod. AE035 Ø 8 Asso/SL
2 - cod. AE039 Ø 7 Vintair Predathor Cyrano
3 - cod. AE033 Ø 8 Vintair PredathorSten

- Codolo asta
- Shaft tang



KIT	COD.
1) 10pz	AE035
2) 10pz	AE039
3) 10pz	AE033

KIT45

1 - cod. AE036KIT Ø 7,0 Testata Vuoto
2 - cod. AE037KIT Ø 7,5 Testata Vuoto

- Codolo e rondella con angolo a 45°, da usare con boccola di ammortizzo ø 9mm interno


- 45° angle shank and washer



KIT	COD.
1) 5pz	AE036KIT
2) 5pz	AE037KIT

- Scorrisagola e rondella
- Per asta Ø 7 mm

- Line slider and washer
- For Ø 7 mm shafts



COD.
AE022

- Scorrisagola, rondella e molla
- Per asta Ø 8 mm

- Line slider, washer and spring
- For Ø 8 mm shafts



COD.
AE020

STRONG BOCCOLE




- Ogiva articolata STRONG Boccole in Delrin
- STRONG articulated wishbone Delrin bushings

COD.
AP045



- Ogiva articolata con boccole in nylon
- Articulated wishbone with nylon threaded plugs

COD.
AP041



- Ogiva SMALL boccole nylon
- Wishbone SMALL, nylon threaded plugs

COD.
AP047/09



- Ogiva BIG boccole nylon
- Wishbone BIG with nylon threaded plugs


COD.
AP047/06



- Ogiva ECO
- Wishbone ECO

KIT	COD.
5pz	AP046


K-VELOX



- Ogiva snodata, archetto Velox
- Articulated Velox

COD.
400408

HYDRO VELOX



- Ogiva snodata con archetto ø 2mm removibile
- Articulated ø2mm removable

COD.
400405

TESSILE DYNEEMA



- Ogiva tessile DYNEEMA con Sfere INOX
- Zona di aggancio rinforzata
- DYNEEMA Textile Wishbone with stainless steel spheres
- Reinforced coupling area

COD.
AP043X



-Sfere ergonomiche per archetti tessili
-Egonomic spheres for textile wishbones


KIT	COD.
Kit 10 pz	400436

EUREKA EASY DYNEEMA



- Braccetti in metallo
- Ogive in Dyneema ad alta resistenza
- Metal arms
- High-strength Dyneema wishbones


COD.
400402



- Ogiva DYNEEMA con braccetti
- Wishbone DYNEEMA with arms


COD.
AP044

EUREKA KIT



- Adattatori per montare elastici al metro su testate filetatte
- Adaptors to set rubbers in metres on threaded muzzles

COD.
400401




- Ogiva snodata con archetto ø 2mm removibile
- Articulated removable wishbones ø 2mm

COD.
400406



- Kit Ogive TWIN con boccole in nylon
- Wishbone kit TWIN/B, nylon threaded plugs

COD.
AP047



- Kit Ogive TWIN con sfere
- Wishbone kit TWIN with spheres

COD.
AP047/18



- Ogiva BIG con sfere
- Wishbone BIG with spheres

COD.
AP047/24



- Ogiva SMALL con sfere
- Wishbone SMALL with spheres

COD.
AP047/27




- Archetto Velox
- Velox wishbone

KIT	COD.
Kit 5 pz	400431



- Porta fiocina e porta arpione per boa
- Harpoon and prongs holder for buoy

COD.
AP081



PARALYZER

- Paralyzer INOX 3 punt
- Lunghezza 24cm M7

- Paralyzer stainless 3 prongs
- Lenght 24cm M7

COD.
AA006/B

SPEED MUSTAD



- Fiocina base nylon 4 punte originali Mustad

- 4 Mustad prongs
- Nylon body

COD.
AA008/M

JET 3 PUNTE MUSTAD



- Fiocina base nylon 3 punte originali Mustad

- 3 Mustad prongs
- Nylon body

COD.
AA021M

JET 5 PUNTE MUSTAD



- Fiocina base nylon 5 punte originali Mustad

- 5 Mustad prongs
- Nylon body

COD.
AA023M

SPEED




- Fiocina nylon 4 punte
- In acciaio temperato zincato - Ø 4

- Nylon 4-tip prong
- Made of galvanized tempered steel - Ø 4

COD.
AA008

JET 3



- Fiocina 3 punte in acciaio temperato zincato
- Ø 4

- 3 prongs - Nylon body
- Tempered and galvanized steel - Ø 4

COD.
AA013

JET 5



- Fiocina 5 punte in acciaio temperato zincato
- Ø 4

- 5 prongs - Nylon body
- Tempered and galvanized steel - Ø 4

COD.
AA015

SPEED INOX



- Fiocina Inox base nylon 4 punte
- In acciaio inossidabile temperato - Ø 4

- 4 stainless prongs
- Nylon body
- Tempered stainless steel - Ø 4

COD.
AA008/S

JET 3 INOX



- Fiocina Inox base nylon 3 punte
- In acciaio inossidabile temperato Ø 4

- 3 stainless prongs - Nylon body
- Tempered stainless steel - Ø 4

COD.
AA025

JET 5 INOX



- Fiocina Inox base nylon 5 punte
- In acciaio inossidabile temperato Ø 4

- 5 stainless prongs - Nylon body
- Tempered stainless steel - Ø 4

COD.
AA027

MARTIN 3 PUNTE

- Martin base nylon 3 punte coniche in acciaio temperato zincato nero Ø 5

- Martin 3 heavy conic prongs
- Nylon body
- Tempered and black galvanized steel
- Ø 5



COD.
AA009N

MARTIN 5 PUNTE

- Martin base nylon a 5 punte coniche in acciaio temperato zincato nero Ø 5

- Martin 5 heavy conic prongs
- Nylon body
- Tempered and black galvanized steel
- Ø 6



COD.
AA011N

FIOCINA
ALETTE MOBILI

- Fiocina inox base nylon 3 punte inox con 2 alette mobili sulla parte esterna. Parte interna con ardiglione

- 3 Stainless prongs, Ø 5
- 2 movable floppers
- Nylon body
- Stainless steel



COD.
AA031N

3 PUNTE PESANTE

- Fiocina base nylon 3 punte pesanti in acciaio temperato zincato Ø 4.5

- 3 heavy prongs
- Nylon body
- Tempered and galvanized steel
- Ø 4.5



KIT	COD.
1pz	AA005
20pz	AA005N

4 PUNTE PESANTE

- Fiocina base nylon 4 punte pesanti in acciaio temperato zincato Ø 4.5

- 4 heavy prongs
- Nylon body
- Tempered and galvanized steel
- Ø 4.5



KIT	COD.
1pz	AA007
15pz	AA007N

3 PUNTE LEGGERA

- Fiocina base nylon 3 punte leggere in acciaio temperato zincato Ø 3.5

- 3 light prongs
- Nylon body
- Tempered and galvanized steel
- Ø 3.5




KIT	COD.
1pz	AA001
30pz	AA001N

4 PUNTE LEGGERA

- Fiocina base nylon 4 punte leggere in acciaio temperato zincato Ø 3.5

- 4 light prongs
- Nylon body
- Tempered and galvanized steel
- Ø 3.5



KIT	COD.
1pz	AA003
25pz	AA003N

3 PUNTE PESANTI INOX

- Fiocina base nylon 3 punte pesanti in acciaio temperato Ø 4.5

- 3 heavy prongs
- Nylon body
- Tempered and steel
- Ø 4.5



COD.
AA033N

4 PUNTE PESANTI INOX


- Fiocina base nylon 4 punte pesanti in acciaio temperato Ø 4.5

- 4 heavy prongs
- Nylon body
- Tempered and steel
- Ø 4.5



COD.
AA035N

ARPIONE T-REX



- Arpione doppia aletta folgore, L 160mm
- Materiale: Acciaio inossidabile 174Ph; Durezza 45 HRC
- Cono integrato atto a ridurre l'attrito
- Doppia aletta dall'apertura di 130mm per una maggiore trattenuta
- Filettatura interna M7

- Folgore double flopper harpoon
- L: 160mm
- Material: 174Ph stainless steel
- Hardness 45 HRC
- Integrated friction-reducing cone
- Double flopper with a 130mm opening
- M7 internal threading

COD.
AC048

ARPIONE RAPTOR




- Arpione doppia aletta concorde, L 126mm
- Materiale: Acciaio inossidabile 174Ph; Durezza 45 HRC zavorra invernale
- Cono integrato atto a ridurre l'attrito
- Doppia aletta dall'apertura di 100mm per una maggiore trattenuta
- Filettatura interna M7

- Folgore double flopper harpoon
- L: 126mm
- Material: 174Ph stainless steel
- Hardness 45 HRC
- Integrated friction-reducing cone
- Double flopper with a 100mm opening
- M7 internal threading

COD.
AC047

MOBY




- Arpione in acciaio 174 ph inossidabile temperato,
- 2 alette

- Tempered 174 ph stainless steel harpoon
- 2 floppers

COD.
AC050

K9




- Arpione Ø9mm.
- In acciaio inossidabile 17-4Ph
- Aletta incassata

- Harpoon Ø9mm.
- 17-4Ph stainless steel
- Embedded flopper

COD.
AC010A

K9 TRICUSPIDE



- Arpione Ø9mm.
- In acciaio inossidabile 17-4Ph
- Aletta incassata
- Punta tricuspide

- Harpoon Ø9mm.
- 17-4Ph stainless steel
- Embedded flopper
- Tricuspid tip

COD.
AC010B

PORTOGHESE




- Arpione in acciaio inossidabile
- 2 alette lunghe

- Stainless steel harpoon
- 2 long floppers

KIT	COD.
1pz	AC029S
5pz	AC029

PORTOGHESE 1 ALETTA




- Arpione in acciaio inossidabile
- 1 aletta lunga

- Stainless steel harpoon
- 1 long flopper

KIT	COD.
1pz	AC029/1S
5pz	AC029/1

MARTIN



- Arpione in acciaio inossidabile
- Punta tricuspide
- 2 alette lunghe

- Stainless steel harpoon
- Tricuspid tip
- 2 long floppers

COD.
AC040


MARTIN TRICUSPIDE



- Arpione in acciaio inossidabile, punta tricuspide temperata inter cambiabile con 2 alette lunghe
- Stainless steel harpoon
- Interchangeable tempered tricuspid tip. 2 long barbs

COD.
AC043
AC045


MEDIO/ALETTE SFASATE



- Arpione con alette sfasate corte in acciaio inossidabile
- Staggered short floppers harpoon stainless steel

KIT	COD.
1pz	AC033S
5pz	AC033


MEDIO



- Arpione medio in acciaio inossidabile con 2 alette corte
- Medio harpoon stainless steel with 2 short floppers

KIT	COD.
1pz	AC031S
5pz	AC031

LAZIO



- Arpione con 2 alette
- Harpoon 2 short floppers

KIT	COD.
1pz	AC005S
5pz	AC005


LAZIO INOX



- Arpione in acciaio inossidabile con 2 alette
- Harpoon in stainless steel
- 2 floppers

KIT	COD.
1pz	AC015S
5pz	AC015


MINICONCORDE



- Arpione in acciaio inossidabile con 2 alette corte
- Harpoon in stainless steel
- 2 short floppers

KIT	COD.
1pz	AC025S
5pz	AC025

CORTO



- Arpione corto in acciaio inossidabile con 2 alette corte
- Short harpoon in stainless steel
- 2 short floppers

KIT	COD.
1pz	AC035S
5pz	AC035


CONCORDE



- Arpione in acciaio inossidabile con 2 alette lunghe
- Hharpoon stainless steel with 2 long floppers

KIT	COD.
1pz	AC023S
5pz	AC023

ALETTA CAPTURE




- Aletta a profilo scalato
- Per aste monoaletta incassata da Ø 6,25mm / Ø 6,5mm / Ø 7mm
- Lunghezza: 79mm; Spessore: 1mm

- Scaled profile barb
- For Ø 6.25mm / Ø 6.5mm / Ø 7mm shafts with single embedded barb
- Length: 79mm; Thickness: 1mm

SHAFT	KIT	COD.
Ø6,25mm Ø6,50mm Ø7,00mm	5pz	AE026/A

ALETTA FOLGORE






- Aletta a profilo scalato
- Per aste monoaletta da Ø 6,25mm / Ø 6,5mm non incassata
- Per aste doppia aletta Ø 6,25mm / Ø 6,5mm / Ø7mm /Ø 7,5mm
- Lunghezza: 71; Spessore: 0,6/0,7mm

- Scaled profile barb
- For Ø 6.25mm / Ø 6.5mm single barb shafts not embedded
- For Ø 6.25mm / Ø 6.5mm / Ø7mm / Ø 7.5mm double barb shafts
- Length: 71; Thickness: 0,6/0,7 mm

SHAFT	KIT	COD.
Ø6,25mm Ø6,50mm Ø7,00mm Ø7,50mm	4pz	AE026/C

ALETTA RAPTOR







- Aletta acciaio inox Aisi 304
- Lunghezza 54mm
- Spessore 0,8 mm

- Aisi 304 stainless steel barb
- Length 54mm
- Thickness 0.8 mm

SHAFT	KIT	COD.
Ø6,25mm Ø6,50mm Ø7,00mm	5pz	AE026/E

ALETTA PACIFIC





- Aletta Pacific da 85mm di lunghezza x 1,2mm di spessore
- Per aste monoaletta da Ø 7mm / Ø 7,5mm / Ø8mm non incassata
- Kit composto da 3 pezzi

- 85mm long x 1.2mm thick Pacific Shaft
- For Ø 7mm / Ø 7.5mm / Ø8mm single embedded barb shafts
- 3-pieces kit

SHAFT	KIT	COD.
Ø7,00mm Ø7,50mm Ø8,00mm	3pz	400275

RETE PORTAPESCI LARGE

Robusta rete di nylon portapesci, con fibbia a sgancio rapido

Strong nylon net for fish, with quick unfastening buckle



COD.
AE081L

RETE PORTAPESCI

Robusta rete di nylon portapesci, con fibbia a sgancio rapido

Strong nylon net for fish, with quick unfastening buckle



COD.
AE081

KIT O-RING

- O-ring silicone
- Disponibile nelle dimensioni SMALL e LARGE

- Silicone O-rings
- Available in SMALL and LARGE sizes



SHAFT	KIT	COD.
Ø 7mm	10pz	AE054/7
Ø 8mm	10pz	AE054/8



- Protezione in gomma a T per pale in fibra
- T shape rubber protection for fiber blade

KIT	COD.
10mt	AP060

CARICHINI



Carichino per arpioni
Universal harpoon loader

cod. AE065



Carichino universale
Universal loader

cod. AE067

KIT	COD.
10pz	AE065
10pz	AE067

COPRIPUNTA PER FIOCINE



Copripunte per fiocine

Cover for pronged head

LENGHT	KIT	COD.
4,5 cm	10pz	AE057
5,5 cm	10pz	AE059
7 cm	10pz	AE060
8 cm	10pz	AE061
9 cm	10pz	AE062

APPOGGIO PER ARBALETE

- Accessorio da cintura
- Facilita il caricamento dell'asta

- Belt accessory
- Facilitates shaft loading



COD.
AE069

PROTEZIONE PER PUNTA

Protezione per punta asta tahitiana
Black protector for tahitian shaft prong

AE063 - GREEN --> Ø 6,00 - 6,25 - 6,50 mm

IMB070/7BL - BLUE --> Ø 7,50 - 8,00 mm



KIT	COD.
10pz	AE063
10pz	IMB070/7BL

PUNTA PORTAPESCI PRO




- Fuso portapesci in INOX 174Ph
- Godronatura esterna antiscivolo
- Foro centrale da 2,5mm
- Fresatura posteriore con perno ribattuto per consentire il passaggio di sagola con Ø 3,5mm

- Stainless steel fish holder 174Ph
- Non-slip outer knurling
- 2.5mm central hole
- Rear-milled with riveted pin for Ø3.5 mm line

COD.	KIT
AE085	6pz

ANELLO PORTAPESCI



- Filo in acciaio inossidabile Ø 3mm, aggancio rapido
- Stainless steel wire Ø 3mm, quick coupling

COD.
AE082

PORTAPESCI CON PORTAFUSO



- Portapesci cavetto nylon e portafuso per cintura

- Nylon fish holder and knuckle belt



COD.	COLOR
AE078	Black
AE078G	Acid Green
AE078MG	Military Green
AE078R	Red
AE078W	White

MULTITOOL



- Multitool per assemblaggio ogive su elastico

- Multitool to assemble wishbones on slings

COD.
AP040

CARICHINO MULTILOADER




- Carichino Multiloader

- Multiloader

COD.
AE068

PORTAPESCI



AE080

- Portapesci con cavetto in nylon


- Fish holder with nylon line

KIT	COD.
	AE079
6pz	AE080



photography by Alberto Balbi

NETTUNO




- Asta fiocinata Nettuno
- 4 punte leggere, acciaio temperato zincato, Ø 3.5 mm
- Corpo: Nylon PA6
- Configurazioni: 1 tubo da 80 cm o 2 tubi da 60 cm, rivestiti con guaina in plastica nera
- Inserto filettato maschio: M7x1

- Nettuno shaft with prong
- 4 light prongs, galvanized tempered steel, Ø 3.5 mm
- Body: Nylon PA6
- 1 tube 80 cm, coated with black plastic cover
- Male threaded insert: M7x1

STAFF LENGHT	COD.
80cm	AE001
60cm x 2	AE007

HUNT




- Asta Hunt con fiocina
- Fiocina: 4 punte leggere, acciaio temperato zincato, Ø 3.5 mm
- Corpo: Nylon PA6
- Asta: Acciaio inox o acciaio zincato, Ø 8 mm
- Lunghezza totale: 75 cm
- Attacco filettato maschio: M7x1

- Hunt shaft with prong
- 4 light prongs, galvanized tempered steel, Ø 3.5 mm
- Body: Nylon PA6
- Shaft: Galvanized steel, Ø 8 mm
- Total length: 75 cm
- Male threaded connection: M7x1

STAFF LENGHT	PROCESSING	COD.
75cm	GALVANIZED	AE010
75cm	INOX	AE012

RAFFIO




- Raffio tana in acciaio inox
- Diametro del raffio Ø 6 mm
- Lunghezza 70cm
- Larghezza 3,5cm

- Stainless steel gaff
- Diameter of the gaff Ø 6 mm
- Length 70cm

DIAMETER	LENGHT	COD.
6,00 mm	70cm	AE100


RAFFIO



- Raffio tana in acciaio inox
- Diametro del raffio Ø 6 mm
- Lunghezza 50cm
- Larghezza 3,5cm

- Stainless steel gaff
- Diameter of the gaff Ø 6 mm
- Length 50cm


DIAMETER	LENGHT	COD.
6,00 mm	50cm	AE095



- Raffio tana in acciaio inox
- Diametro del raffio Ø 8 mm
- Lunghezza 70cm
- Larghezza 7,0cm

- Stainless steel gaff
- Diameter of the gaff Ø 8 mm
- Length 70cm

DIAMETER	LENGHT	COD.
8,00 mm	70cm	AE110



- Raffio tana in acciaio inox
- Diametro del raffio Ø 8 mm
- Lunghezza 70cm
- Larghezza 8,0cm

- Stainless steel gaff
- Diameter of the gaff Ø 8 mm
- Length 70cm

DIAMETER	LENGHT	COD.
8,00 mm	50cm	AE105



SPEARFISHING WETSUITS

photography by Alberto Balbi

SPEARFISHING

YAMAMOTO

- Muta due pezzi con fodera esterna ultra elastica Spandex
- Materiale interno neoprene spaccato open cell YAMAMOTO 39
- Doppia cucitura interna non passante con sistema GBS (GLUED BLIND STITCHING) e incollaggio centrale bi-componente
- Rinforzo sul torace per agevolare il caricamento degli Arbalete
- Rinforzo ABRASION RESISTANT CM501 su ginocchia e seduta
- Rifiniture di tenuta in RSS su polsi, caviglie, viso e girovita
- Coda di castoro con doppio bottone di chiusura

- Two-piece wetsuit with ultra elastic Spandex outer lining
- YAMAMOTO 39 open cell split neoprene inner material
- Double non-pass-through inner stitching with GBS (GLUED BLIND STITCHING) system and bi-component central bonding
- Chest reinforcement to facilitate loading of Arbalete
- Reinforcement ABRASION RESISTANT CM501 on knees and seat
- RSS (Round Seal System) sealing trim on wrists, ankles, face and waistband
- Beavertail seal with double button closure







SPEARFISHING 3,5mm

	SIZE	THICKNESS	COD.
NEW	S	3,5mm	MUT009020
NEW	M	3,5mm	MUT009030
NEW	L	3,5mm	MUT009040
NEW	XL	3,5mm	MUT009050
NEW	XXL	3,5mm	MUT009060
NEW	XXXL	3,5mm	MUT009070

SPEARFISHING JACKET 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	MUT009020G
M	3,5mm	MUT009030G
L	3,5mm	MUT009040G
XL	3,5mm	MUT009050G
XXL	3,5mm	MUT009060G
XXXL	3,5mm	MUT009070G

SPEARFISHING TROUSERS 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	MUT009020P
M	3,5mm	MUT009030P
L	3,5mm	MUT009040P
XL	3,5mm	MUT009050P
XXL	3,5mm	MUT009060P
XXXL	3,5mm	MUT009070P

SPEARFISHING 5,0mm

	SIZE	THICKNESS	COD.
NEW	S	5,0mm	MUT009120
NEW	M	5,0mm	MUT009130
NEW	L	5,0mm	MUT009140
NEW	XL	5,0mm	MUT009150
NEW	XXL	5,0mm	MUT009160
NEW	XXXL	5,0mm	MUT009170

SPEARFISHING JACKET 5,0mm

SIZE	THICKNESS	COD.
S	5,0mm	MUT009120G
M	5,0mm	MUT009130G
L	5,0mm	MUT009140G
XL	5,0mm	MUT009150G
XXL	5,0mm	MUT009160G
XXXL	5,0mm	MUT009170G

SPEARFISHING TROUSERS 5,0mm

SIZE	THICKNESS	COD.
S	5,0mm	MUT009120P
M	5,0mm	MUT009130P
L	5,0mm	MUT009140P
XL	5,0mm	MUT009150P
XXL	5,0mm	MUT009160P
XXXL	5,0mm	MUT009170P

SPEARFISHING 7,0mm

	SIZE	THICKNESS	COD.
NEW	S	7,0mm	MUT009220
NEW	M	7,0mm	MUT009230
NEW	L	7,0mm	MUT009240
NEW	XL	7,0mm	MUT009250
NEW	XXL	7,0mm	MUT009260
NEW	XXXL	7,0mm	MUT009270

SPEARFISHING TROUSERS 7,0mm

SIZE	THICKNESS	COD.
S	7,0mm	MUT009220P
M	7,0mm	MUT009230P
L	7,0mm	MUT009240P
XL	7,0mm	MUT009250P
XXL	7,0mm	MUT009260P
XXXL	7,0mm	MUT009270P

SPEARFISHING JACKET 7,0mm

SIZE	THICKNESS	COD.
S	7,0mm	MUT009220G
M	7,0mm	MUT009230G
L	7,0mm	MUT009240G
XL	7,0mm	MUT009250G
XXL	7,0mm	MUT009260G
XXXL	7,0mm	MUT009270G

KRYPSIS 101 SCALES



- Muta due pezzi con fodera esterna in tessuto Spandex 3D Krypsis Mimetico, tecnologia di sublimazione con applicazione di squame trasparenti (Scales Effect) per riprodurre l'ambiente circostante
- Taglio anatomico con compressione orizzontale/graduale
- Doppia cucitura interna non passante con sistema GBS e incollaggio centrale bi-componente
- Protezione al torace e alle ginocchia con il sistema A.R.I.S
- Rifiniture di tenuta in CRSS su polsi, caviglie, viso e girovita
- Coda di castoro con doppio bottone di chiusura
- Pantalone a spessore differenziato

- Two-piece wetsuit with outer lining in Spandex 3D Krypsis Camouflage fabric, sublimation technology with application of transparent scales (Scales Effect) to reproduce the surrounding environment
- Anatomical cut with horizontal/gradual compression
- Double inner non-pass-through stitching with GBS system and bi-component central bonding
- Chest and knee protection with A.R.I.S. system
- CRSS sealing finishes on wrists, ankles, face and waist
- Beavertail with double button closure
- Trousers with differentiated thicknes





SIZE	THICKNESS	COD.
S	5,0mm	MUT002020
M	5,0mm	MUT002030
L	5,0mm	MUT002040
XL	5,0mm	MUT002050
XXL	5,0mm	MUT002060

KRYPSIS 101


CERTIFIED BY RINA

- Materiale esterno: fodera ultra-elastica Salvimar Camo
- Materiale interno: neoprene SHEICO-L FOAM medium density a cellula aperta
- Pantalone a spessore differenziato
- Protezioni e rinforzi su torace e ginocchia
- Doppia cucitura GBS ad incrocio
- Chiusura con coda di castoro a doppio bottone Salvimar
- Bordi di finitura in CRSS (Camo Round Seal System)

- Outer material: Salvimar Camo ultra-elastic liner
- Inner material: SHEICO-L FOAM medium density open cell neoprene
- Differentiated thickness pant
- Chest and knee protectors and reinforcements
- Double GBS cross seam
- Salvimar double button beavertail closure
- CRSS (Camo Round Seal System) external trims







KRYPSIS 101 - 3,5mm		
SIZE	**THICKNESS**	**COD.**
S	3,5mm	101350A
M	3,5mm	101350B
L	3,5mm	101350C
XL	3,5mm	101350D
XXL	3,5mm	101350E
XXXL	3,5mm	101350F

KRYPSIS 101 JACKET 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	101350A/G
M	3,5mm	101350B/G
L	3,5mm	101350C/G
XL	3,5mm	101350D/G
XXL	3,5mm	101350E/G

KRYPSIS 101 TROUSERS 3,5mm

SIZE	THICKNESS	COD.
S	3,5mm	101350A/P
M	3,5mm	101350B/P
L	3,5mm	101350C/P
XL	3,5mm	101350D/P
XXL	3,5mm	101350E/P

KRYPSIS 101 - 5,5mm		
SIZE	**THICKNESS**	**COD.**
S	5,5mm	101550A
M	5,5mm	101550B
L	5,5mm	101550C
XL	5,5mm	101550D
XXL	5,5mm	101550E
XXXL	5,5mm	101550F

KRYPSIS 101 JACKET 5,5mm

SIZE	THICKNESS	COD.
S	5,5mm	101550A/G
M	5,5mm	101550B/G
L	5,5mm	101550C/G
XL	5,5mm	101550D/G
XXL	5,5mm	101550E/G

KRYPSIS 101 TROUSERS 5,5mm

SIZE	THICKNESS	COD.
S	5,5mm	101550A/P
M	5,5mm	101550B/P
L	5,5mm	101550C/P
XL	5,5mm	101550D/P
XXL	5,5mm	101550E/P

KRYPSIS 101 - 7,0mm		
SIZE	**THICKNESS**	**COD.**
S	7mm	101700A
M	7mm	101700B
L	7mm	101700C
XL	7mm	101700D
XXL	7mm	101700E
XXXL	7mm	101700F

KRYPSIS 101 JACKET 7,0mm

SIZE	THICKNESS	COD.
S	7mm	101700A/G
M	7mm	101700B/G
L	7mm	101700C/G
XL	7mm	101700D/G
XXL	7mm	101700E/G

KRYPSIS 101 TROUSERS 7,0mm

SIZE	THICKNESS	COD.
S	7mm	101700A/P
M	7mm	101700B/P
L	7mm	101700C/P
XL	7mm	101700D/P
XXL	7mm	101700E/P



KRYPSIS OCEAN 101

- Muta due pezzi con giacca e pantalone
- Fodera ultra-elastica SPANDEX Salvimar Camo
- Materiale interno: neoprene JAKO a cellula aperta
- Protezioni e rinforzi su torace e ginocchia
- Doppia cucitura GBS ad incrocio
- Chiusura con coda di castoro a doppio bottone Salvimar
- Bordi esterni in CRSS su polsi, caviglie, viso e bordo vita
- Pantalone a spessore differenziato

- Two-piece wetsuit with jacket and pants
- SPANDEX Salvimar Camo ultra-elastic SPANDEX lining
- Inner material: JAKO open cell neoprene
- Protectors and reinforcements on chest and knees
- Double GBS cross seam
- Salvimar double button beavertail closure
- CRSS external trims on wrists, ankles, face and waistband
- Differentiated thickness pants





SIZE	THICKNESS	COD.
S	1,5mm	MUT006020
M	1,5mm	MUT006030
L	1,5mm	MUT006040
XL	1,5mm	MUT006050
XXL	1,5mm	MUT006060
XXXL	1,5mm	MUT006070

SIZE	THICKNESS	COD.
S	3,0mm	MUT006120
M	3,0mm	MUT006130
L	3,0mm	MUT006140
XL	3,0mm	MUT006150
XXL	3,0mm	MUT006160
XXXL	3,0mm	MUT006170



CERTIFIED BY RINA

N.A.T. 101

- Muta due pezzi
- Materiale esterno: fodera ultra elastica Spandex
- Materiale interno: Neoprene spaccato open cell Q-FOAM
- Texture fodera: Salvimar N.A.T Camo
- Rinforzi su sterno e ginocchia
- Cuciture esterne
- Chiusura con bottone regolabile
- Finiture caviglie e polsi in OVERLOCK

- Two-piece wetsuit
- Outer material: ultra elastic Spandex lining
- Inner material: Q-FOAM open cell split neoprene
- Liner texture: Salvimar N.A.T Camo
- Reinforcements on sternum and knees
- External seams
- Adjustable button closure
- OVERLOCK ankle and wrist finishes





SIZE	THICKNESS	COD.
S	3,5mm	101101A
M	3,5mm	101101B
L	3,5mm	101101C
XL	3,5mm	101101D
XXL	3,5mm	101101E

SIZE	THICKNESS	COD.
S	5,5mm	101102A
M	5,5mm	101102B
L	5,5mm	101102C
XL	5,5mm	101102D
XXL	5,5mm	101102E

SIZE	THICKNESS	COD.
S	7,0mm	101103A
M	7,0mm	101103B
L	7,0mm	101103C
XL	7,0mm	101103D
XXL	7,0mm	101103E



WET DROP CELL PLUS

- Muta due pezzi
- Materiale esterno: fodera in Nylon
- Materiale interno: neoprene spaccato open cell “Q - FOAM”
- Rinforzi su sterno e ginocchia
- Cuciture esterne
- Chiusura con bottone regolabile
- Finiture caviglie e polsi in OVERLOCK

- Two-piece
- External: Nylon lined
- Internal: “Q - FOAM” Open cell
- Reinforcements in the chest and knees
- External stitching
- Closure: Beavertail adjustable clip
- OVERLOCK finishes on wrists and ankles





SIZE	THICKNESS	COD.
S	3,0mm	MUT008020
M	3,0mm	MUT008030
L	3,0mm	MUT008040
XL	3,0mm	MUT008050
XXL	3,0mm	MUT008060
XXXL	3,0mm	MUT008070

SIZE	THICKNESS	COD.
S	5,0mm	MUT008120
M	5,0mm	MUT008130
L	5,0mm	MUT008140
XL	5,0mm	MUT008150
XXL	5,0mm	MUT008160
XXXL	5,0mm	MUT008170

SIZE	THICKNESS	COD.
S	7,0mm	MUT008220
M	7,0mm	MUT008230
L	7,0mm	MUT008240
XL	7,0mm	MUT008250
XXL	7,0mm	MUT008260
XXXL	7,0mm	MUT008270



COMFORTY BIFODERATA/DOUBLE NYLON

- Muta Apnea due pezzi con neoprene CR doppia fodera Nylon stretch
- Taglio anatomico con compressione orizzontale/graduale per facilitare i movimenti e la respirazione
- Doppia cucitura interna/esterna non passante con sistema GBS e incollaggio centrale bi-componente
- A.R.I.S (Abrasion Resistant Ink System) al centro del torace e alle ginocchia per aumentare la protezione nei punti di maggior contatto
- Rifinitura Overlock su polsi, caviglie, giro vita e giro faccia
- Coda di Castoro con singolo bottone di chiusura SALVIMAR a sgancio rapido

- Two-piece Apnea Wetsuit with CR neoprene double Nylon stretch lining
- Anatomical cut with horizontal/gradual compression to facilitate movement and breathing
- Double inner/outer non-pass-through stitching with GBS system and bi-component center bonding
- A. R.I.S (Abrasion Resistant Ink System) at the center chest and knees to increase protection at the points of greatest contact
- Overlock finishes on wrists, ankles, waist and face
- Beavertail with single SALVIMAR quick-release fastening button





SIZE	THICKNESS	COD.
S	3,0mm	MUT004020
M	3,0mm	MUT004030
L	3,0mm	MUT004040
XL	3,0mm	MUT004050
XXL	3,0mm	MUT004060

SIZE	THICKNESS	COD.
S	5,0mm	MUT004120
M	5,0mm	MUT004130
L	5,0mm	MUT004140
XL	5,0mm	MUT004150
XXL	5,0mm	MUT004160



ABYSS RASH GUARD

- Rash Guard due pezzi con cappuccio per acque temperate
- Materiale: super elastico 230 gr
- Texture fodera: Salvimar Camo
- Chiusura con bottone regolabile
- Cuciture Flat-lock
- Protezione UV e da animali urticanti
- Supporto sternale
- Sottopiede di fissaggio

- Two-piece hooded rash guard for temperate waters
- Material: super elastic 230 gr
- Texture lining: Salvimar Camo
- Adjustable button closure
- Flat-lock seams
- UV and animal protection
- Sternal support
- Fixing insole





SIZE	COD.
S	100500A
M	100500B
L	100500C
XL	100500D
XXL	100500E




JAKO

SCALES LADY

- Muta Apnea due pezzi
- Fodera esterna ultra elastica Spandex Mimetico con tecnologia di sublimazione
- Applicazione di squame trasparenti per mimetizzare con l'ambiente circostante
- Taglio anatomico con compressione orizzontale/graduale per facilitare i movi menti e la respirazione
- Protezione al torace e alle ginocchia con il sistema A.R.I.S (Abrasion Resistant Ink System)
- Rifiniture di tenuta in CRSS (Camo Scales Round Seal System) su polsi, caviglie, viso e girovita
- Chiusura con coda di castoro e singolo bottone

- Two-piece Apnea Wetsuit
- Ultra elastic Spandex Camouflage outer lining with sublimation technology
- Application of transparent scales to camouflage with surroundings
- Anatomical cut with horizontal/gradual compression for ease of movement and breathing
- Protection at chest and knees with system A.R.I.S (Abrasion Resistant Ink System)
- CRSS (Camo Scales Round Seal System) sealing finishes on wrists, ankles, face and waist
- Beavertail and single button closure





SIZE	THICKNESS	COD.
XS	5,0mm	MUT003010
S	5,0mm	MUT003020
M	5,0mm	MUT003030
L	5,0mm	MUT003040
XL	5,0mm	MUT003050
XXL	5,0mm	MUT003060



JAKO

CERTIFIED BY RINA

SEA WALKER LADY

- Muta due pezzi
- Realizzata con materiali specifici per le esigenze dello spearfishing femminile
- Materiale esterno: fodera ultra-elastica SPANDEX Salvimar Camo
- Materiale interno: neoprene Q-FOAM a cellula aperta
- Protezioni e rinforzi su torace e ginocchia
- Doppia cucitura GBS ad incrocio per una massima resistenza e tenuta
- Chiusura con coda di castoro
- Bordi esterni in CRSS (Camo Round Seal System) su polsi, caviglie, ovale volto e bordo vita

- Two-piece wetsuit
- Made with materials specifically for the needs of women's spearfishing
- Outer material: SPANDEX Salvimar Camo ultra-elastic lining
- Inner material: Q-FOAM open cell neoprene
- Protections and reinforcements on chest and knees
- Double GBS cross seam for maximum strength and hold
- Beavertail closure
- CRSS (Camo Round Seal System) external trims on wrists, ankles, face and waistline





SIZE	THICKNESS	COD.
XS	1,5mm	100710A
S	1,5mm	100710B
M	1,5mm	100710C
L	1,5mm	100710D
XL	1,5mm	100710E
XXL	1,5mm	100710F

SIZE	THICKNESS	COD.
XS	3,5mm	100711A
S	3,5mm	100711B
M	3,5mm	100711C
L	3,5mm	100711D
XL	3,5mm	100711E
XXL	3,5mm	100711F

SIZE	THICKNESS	COD.
XS	5,5mm	100712A
S	5,5mm	100712B
M	5,5mm	100712C
L	5,5mm	100712D
XL	5,5mm	100712E
XXL	5,5mm	100712F



JAKO

SEA WALKER BLACK LADY

- Muta due pezzi
- Realizzata in tessuto ultra elastico Spandex e neoprene Q Foam a cellule aperte
- Taglio anatomico con compressione orizzontale/graduale
- A.R.I.S (Abrasion Resistant Ink System) al centro del torace e alle ginocchia
- Anelli di tenuta in neoprene Black Spandex/Open Cell
- Chiusura con coda di castoro e singolo bottone di chiusura SALVIMAR a sgancio rapido

- Two-piece wetsuit
- Made of ultra elastic Spandex fabric and open-cell Q Foam neoprene
- Anatomical cut with horizontal/gradual compression
- A.R.I.S (Abrasion Resistant Ink System) at center chest and knees
- Black Spandex/Open Cell neoprene rings
- Beavertail and single SALVIMAR quick-release fastening button.





SIZE	THICKNESS	COD.
XS	3,5mm	MUT005010
S	3,5mm	MUT005020
M	3,5mm	MUT005030
L	3,5mm	MUT005040
XL	3,5mm	MUT005050
XXL	3,5mm	MUT005060

SIZE	THICKNESS	COD.
XS	5,0mm	MUT005110
S	5,0mm	MUT005120
M	5,0mm	MUT005130
L	5,0mm	MUT005140
XL	5,0mm	MUT005150
XXL	5,0mm	MUT005160



SCUBA WATERSPORTS SNORKELING WETSUITS

photography by Alberto Balbi



CERTIFIED BY

AVAILABLE 2026

MARINA MAN & LADY

- Muta monopezzo in neoprene Jako ad alta memoria elastica, garantisce eccellente elasticità
- Certificazione termica rilasciata da RINA: massima protezione e minima dispersione di calore
- Spalle, torace ed ascelle con fodera aqua-stretch ad alta elasticità: facilita la vestizione e migliora la mobilità
- Preformatura anatomica su braccia e gambe: per migliorare l'ergonomia e ridurre l'affaticamento muscolare durante la pinneggiata
- Cerniera posteriore YKK con cursore in acciaio: robusta e duratura
- Shock Absorbing System: pannello lombare elastico e rinforzato che protegge la cerniera da tensioni e rotture
- Ginocchiere rinforzate in Supratex: elevata resistenza all'abrasione nei punti di maggior contatto
- Water Stop System su avambracci e polpacci: sigillatura efficace contro le infiltrazioni d'acqua

- One-piece wetsuit made of Jako neoprene with high elastic memory, ensuring excellent elasticity
- Thermal certification issued by RINA: maximum protection and minimal heat loss
- Shoulders, chest, and armpits lined with high-elasticity aqua-stretch fabric: facilitates dressing and improves mobility
- Anatomical pre-shaped arms and legs: improves ergonomics and reduces muscle fatigue during finning
- YKK rear zipper with steel slider: robust and durable
- Shock Absorbing System: elastic and reinforced lumbar panel that protects the zipper from tension and breakage
- Reinforced Supratex knee pads: high abrasion resistance in high-contact areas
- Water Stop System on forearms and calves: effective sealing against water infiltration









SIZE	THICKNESS	COD.
S	5,0mm	MD00102
M	5,0mm	MD00103
L	5,0mm	MD00104
XL	5,0mm	MD00105
XXL	5,0mm	MD00106
XXXL	5,0mm	MD00107

SIZE	THICKNESS	COD.
S	7,0mm	MD00121
M	7,0mm	MD00122
L	7,0mm	MD00123
XL	7,0mm	MD00124
XXL	7,0mm	MD00125
XXXL	7,0mm	MD00126

CERTIFIED BY

AVAILABLE 2026



7,0mm

CE **EN 14225-1: 2017**

Muta Umida per immersioni con autorespiratore - SCUBA Diving wetsuit
Classe Termica/ Thermal **Class: A**
Utilizzo - Range of Use: From **07C° to 12C°**

5,0mm

CE **EN 14225-1: 2017**

Muta Umida per immersioni con autorespiratore - SCUBA Diving wetsuit
Classe Termica/ Thermal **Class: B**
Utilizzo - Range of Use: From **10C° to 16C°**









SIZE	THICKNESS	COD.
XS	5,0mm	MD00111
S	5,0mm	MD00112
M	5,0mm	MD00113
L	5,0mm	MD00114
XL	5,0mm	MD00115
XXL	5,0mm	MD00116

SIZE	THICKNESS	COD.
XS	7,0mm	MD00131
S	7,0mm	MD00132
M	7,0mm	MD00133
L	7,0mm	MD00134
XL	7,0mm	MD00135
XXL	7,0mm	MD00136

MARINA GLOVES



- Realizzati in Neoprene Jako con fodera esterna in black lycra superelastica per una perfetta aderenza alla mano e massima libertà di movimento
- Fodera interna in tessuto Acqua Stretch: elevato comfort, ottima elasticità unita ad un'asciugatura rapida dopo l'uso
- Protezione sul palmo con grip antiscivolo abbinato ad un ottimale comfort tattile
- Taglio anatomico preformato a palmo aperto: garantisce una vestibilità naturale e riduce l'affaticamento della mano

- Made of Jako neoprene with an outer lining in super-stretch black lycra for a perfect fit and maximum freedom of movement
- Inner lining in Acqua Stretch fabric: high comfort, excellent elasticity and quick drying after use
- Palm protection with non-slip grip and excellent tactile comfort
- Anatomical preformed open-palm cut: ensures a natural fit and reduces hand fatigue

THICKNESS 3,0mm

SIZE	COD.
XS	GUA005000
S	GUA005010
M	GUA005020
L	GUA005030
XL	GUA005040
XXL	GUA005050

THICKNESS 5,0mm

SIZE	COD.
XS	GUA005100
S	GUA005110
M	GUA005120
L	GUA005130
XL	GUA005140
XXL	GUA005150

MARINA BOOTS



- Suola antiscivolo in gomma vulcanizzata, ideale per muoversi su superfici sconnesse anche con attrezzatura indossata
- Talloniera preformata per una perfetta compatibilità con pinne a scarpetta aperta
- Rinforzi in gomma antiscivolo su punta e collo per maggiore protezione e durata
- Cerniera laterale interna con soffietto impermeabile, facilita la calzata e limita le infiltrazioni

- Vulcanized rubber anti-slip sole, ideal for moving on uneven surfaces even with gear on
- Preformed heel for perfect compatibility with open-heel fins
- Non-slip rubber reinforcements on toe and instep for greater protection and durability
- Inner side zipper with waterproof gusset, facilitates donning and limits water intrusion

THICKNESS 5,0mm

SIZE	COD.
35/36	CALD0010
36/37	CALD0011
38/39	CALD0012
40/41	CALD0013
42/43	CALD0014
43/44	CALD0015
44/45	CALD0016
45/46	CALD0017
46/47	CALD0018

SUPERIOR HOOD





- Neoprene Jako con fodera esterna in lycra superelastica per un perfetto fitting
- Fodera interna in tessuto Acqua Stretch: comfort elevato ed eccellente elasticità
- Zona viso e collo in Smooth Skin per una tenuta stagna efficace
- Struttura a doppia camera con fori di scarico nella parte superiore per il rilascio controllato dell'aria in eccesso
- Taglio anatomico per migliorare il comfort e ridurre l'affaticamento cervicale

- Jako neoprene with outer lining in super-stretch lycra for a perfect fit
- Inner lining in Acqua Stretch fabric: high comfort and excellent elasticity
- Face and neck area in Smooth Skin for effective watertight sealing
- Double-layer structure with exhaust holes on top for controlled release of trapped air
- Anatomical cut to enhance comfort and reduce neck fatigue
- Designed for use with wetsuits without an integrated hood

THICKNESS 3,0mm

SIZE	COD.
S	ADNEO0030
M	ADNEO0031
L	ADNEO0032
XL	ADNEO0033

THICKNESS 5,0mm

SIZE	COD.
S	ADNEO0040
M	ADNEO0041
L	ADNEO0042
XL	ADNEO0043


Alessia Zecchini
BE-ONE
1,5 E 3,0mm
SPECIAL
EDITION!
SALVIMAR
Ford
Milani
SEIKO
SALVIMAR
SALVIMAR
SALVIMAR
SALVIMAR



YAMAMOTO


ZEERO THERMO EVO

- Muta Monopezzo spessore 1,5mm per Apnea
- Neoprene Smooth Skin YAMAMOTO di media densità con memoria elastica
- Trattamento esterno Black Coated per resistenza al contatto
- Fodera interna in U.T Super Stretch per massima compattezza ed elasticità
- Cerniera YKK Superior #5 resistente alla corrosione
- Raw Edge finiture polsi e caviglie per una tenuta ottimale senza rinforzi esterni

- One-piece wetsuit 1.5mm thick for Apnea
- YAMAMOTO Smooth Skin medium-density neoprene with elastic memory
- Black Coated external treatment for contact resistance
- U.T Super Stretch inner lining for maximum compactness and elasticity
- YKK Superior #5 corrosion-resistant zipper
- Raw Edge finishes on wrists and ankles with a raw cut system









MAN

SIZE	THICKNESS	COD.
S	1,5 mm	MWS00602
M	1,5 mm	MWS00603
L	1,5 mm	MWS00604
XL	1,5 mm	MWS00605
XXL	1,5 mm	MWS00606

LADY

SIZE	THICKNESS	COD.
XS	1,5 mm	MWS00611
S	1,5 mm	MWS00612
M	1,5 mm	MWS00613
L	1,5 mm	MWS00614
XL	1,5 mm	MWS00615



YAMAMOTO

APNEA RISE

- Muta Monopezzo spessore 1,5mm per Apnea
- Neoprene Smoothly Skin YAMAMOTO di media densità con memoria elastica
- Fodera interna in U.T Super Stretch per massima compattezza ed elasticità
- Cerniera YKK Superior #5 resistente alla corrosione
- Raw Edge finiture polsi e caviglie per una tenuta ottimale senza rinforzi esterni

- One-piece wetsuit 1.5mm thickness for Apnea
- YAMAMOTO Smoothly Skin medium-density neoprene with ela stic memory
- U.T Super Stretch inner lining for maximum tightness and elasticity
- YKK Superior #5 corrosion-resistant zipper
- Raw Edge trim cuffs and ankles for optimal fit without external reinforcement





MAN

SIZE	THICKNESS	COD.
S	1,5mm	MWS00502
M	1,5mm	MWS00503
L	1,5mm	MWS00504
XL	1,5mm	MWS00505
XXL	1,5mm	MWS00506

LADY

SIZE	THICKNESS	COD.
XS	1,5mm	MWS00511
S	1,5mm	MWS00512
M	1,5mm	MWS00513
L	1,5mm	MWS00514
XL	1,5mm	MWS00515



CARIBE 1,5mm

- Muta in Neoprene Q-FOAM da 1,5mm bifoderato mixed
- Fodera mixed Ultratender e Aquastretch per elasticità e comfort
- Monopezzo senza cappuccio
- Cerniera posteriore con cursore in metallo anticorrosione
- Fodera superelastica zona toracica
- Chiusura collo regolabile con velcro
- Aquastretch su polsi e caviglie per facilitare la vestizione e prevenire infiltrazioni d'acqua
- Temperatura consigliata dell'acqua > 24°C (75.20 °F)

- Q-FOAM 1,5 mm Double-lined Mixed Neoprene Wetsuit
- Mixed Ultratender and Aquastretch lining
- One-piece without hood
- Back zipper with anti-corrosion metal slider
- Superelastic chest area lining
- Adjustable neck closure with Velcro
- Aquastretch on cuffs and ankles for easy donning and to prevent water seepage
- Recommended water temperature > 24°C (75.20 °F)





CARIBE 1,5mm MAN

SIZE	THICKNESS	COD.
S	1,5 mm	MWS00322
M	1,5 mm	MWS00323
L	1,5 mm	MWS00324
XL	1,5 mm	MWS00325
XXL	1,5 mm	MWS00326
XXXL	1,5 mm	MWS00327

CARIBE 1,5mm LADY

SIZE	THICKNESS	COD.
XS	1,5 mm	MWS00371
S	1,5 mm	MWS00372
M	1,5 mm	MWS00373
L	1,5 mm	MWS00374
XL	1,5 mm	MWS00375
XXL	1,5 mm	MWS00376



CARIBE

- Muta in Neoprene Q-FOAM da 3mm bifoderato mixed
- Fodera mixed Ultratender e Aquastretch per elasticità e comfort
- Monopezzo senza cappuccio
- Parte frontale torace in neoprene fine mesh per rapida asciugatura
- Cerniera posteriore con cursore in metallo anticorrosione
- Fodera superelastica zona toracica
- Chiusura collo regolabile con velcro
- Aquastretch su polsi e caviglie per facilitare la vestizione e prevenire infiltrazioni d'acqua
- Temperatura consigliata dell'acqua > 21°C (69,8°F)

- Q-FOAM 3mm Double-lined Mixed Neoprene Wetsuit
- Mixed Ultratender and Aquastretch lining
- One-piece without hood
- Fine mesh neoprene chest front for quick drying
- Back zipper with anti-corrosion metal slider
- Superelastic chest area lining
- Adjustable neck closure with Velcro
- Aquastretch on cuffs and ankles for easy donning and to prevent water seepage
- Recommended water temperature > 21°C (69.8°F)





CARIBE MAN BLUE

SIZE	THICKNESS	COD.
S	3,0 mm	MWS00302
M	3,0 mm	MWS00303
L	3,0 mm	MWS00304
XL	3,0 mm	MWS00305
XXL	3,0 mm	MWS00306
XXXL	3,0 mm	MWS00307

CARIBE LADY PURPLE

SIZE	THICKNESS	COD.
XS	3,0 mm	MWS00361
S	3,0 mm	MWS00362
M	3,0 mm	MWS00363
L	3,0 mm	MWS00364
XL	3,0 mm	MWS00365
XXL	3,0 mm	MWS00366




YAMAMOTO

AVAILABLE 2026

SWIM PRO

- Muta monopezzo per nuoto in acque libere
- Spessore differenziato 1.5-3.0 mm
- Neoprene ad alte prestazioni YAMAMOTO 39
- Maggiore flottabilità e stabilità dell'assetto
- Comfort superiore e ampia libertà di movimento
- Ottima termoregolazione anche in acque fredde
- Prestazioni migliorate e minore affaticamento muscolare

- One-piece wetsuit for swimming and open water
- Varying thickness: 1.5 – 3.0 mm
- High-performance YAMAMOTO 39 neoprene
- Increased buoyancy and improved body position
- Superior comfort and full range of motion
- Excellent thermal regulation, even in cold water
- Enhanced performance and reduced muscular fatigue









MAN

SIZE	THICKNESS	COD.
S	1,5/3,0mm	MWS00802
M	1,5/3,0mm	MWS00803
L	1,5/3,0mm	MWS00804
XL	1,5/3,0mm	MWS00805
XXL	1,5/3,0mm	MWS00806

LADY

SIZE	THICKNESS	COD.
XS	1,5/3,0mm	MWS00811
S	1,5/3,0mm	MWS00812
M	1,5/3,0mm	MWS00813
L	1,5/3,0mm	MWS00814
XL	1,5/3,0mm	MWS00815



YAMAMOTO

SWIM RISE

- Muta monopezzo per nuoto in acque libere
- Neoprene ad alte prestazioni YAMAMOTO 39 spessore 2,0mm
- Fodera interna mixed Ultratender e Aquastretch per massimo comfort ed elasticità
- Polsi e caviglie in Smoothskin Ultratender per facilitare la vestizione ed impedire infiltrazioni d'acqua
- Cucitura flatlock con filo super elastico
- Cerniera con cursore in metallo resistente alla corrosione

- One-piece wetsuit for swimming and open water swimming
- YAMAMOTO 39 high-performance neoprene 2.0mm thick
- Mixed Ultratender and Aquastretch inner lining for maximum comfort and elasticity
- Smoothskin Ultratender wrists and ankles for easy dressing and to prevent water infiltration
- Flatlock stitching with super elastic thread
- Zipper with corrosion-resistant metal slider





MAN

SIZE	THICKNESS	COD.
S	2,0mm	MWS00402
M	2,0mm	MWS00403
L	2,0mm	MWS00404
XL	2,0mm	MWS00405
XXL	2,0mm	MWS00406

LADY

SIZE	THICKNESS	COD.
S	2,0mm	MWS00411
M	2,0mm	MWS00412
L	2,0mm	MWS00413
XL	2,0mm	MWS00414
XXL	2,0mm	MWS00415

SWIM SKIN



SWIN SKIN Man
- Sottomuta performante con cappuccio, spessore 2,0 mm
- Smooth Skin esterno per facilitare la vestizione e la tenuta termica

SWIN SKIN Lady
- Sottomuta performante con cappuccio, spessore 2,0 mm
- Smooth Skin esterno per facilitare la vestizione e la tenuta termica
- Aggiunta di un taglio particolarmente performante, adatto alla figura femminile

SWIN SKIN Man
- Hooded high-performance undersuit, 2.0 mm thick
- Outer Smooth Skin for easy dressing and thermal tightness

SWIN SKIN Lady
- Hooded undersuit, 2.0 mm thick
- Outer Smooth Skin for easy dressing and thermal tightness
- Particularly high-performance cut, suitable for the female figure





MAN

SIZE	THICKNESS	COD.
S	2,0mm	ACNEO0120
M	2,0mm	ACNEO0130
L	2,0mm	ACNEO0140
XL	2,0mm	ACNEO0150
XXL	2,0mm	ACNEO0160

LADY

SIZE	THICKNESS	COD.
XS	2,0mm	ACNEO0210
S	2,0mm	ACNEO0220
M	2,0mm	ACNEO0230
L	2,0mm	ACNEO0240
XL	2,0mm	ACNEO0250

HYDRO CAP



- Cuffietta nuoto con sottomento di tenuta
- Realizzata in neoprene 3,5 mm superelastico
- Ideale per nuoto in acque libere con temperature tra 10 e 22°C

- Swimming cap with under-chin seal
- Made of superelastic 3.5 mm neoprene
- Ideal for open water swimming in temperatures between 10 and 22°C

SIZE	THICKNESS	COD.
S	3,5mm	ACNEO0320
M	3,5mm	ACNEO0330
L	3,5mm	ACNEO0340





SURF SHELL

- Muta short in neoprene da 2 mm bifoderato in nylon superelastico
- Monopezzo senza cappuccio, maniche e pantaloni corti
- Parte frontale torace in neoprene fine mesh per una rapida asciugatura
- Cerniera posteriore
- Chiusura collo regolabile con velcro
- Temperatura consigliata dell'acqua > 22°C (71,6°F)

- 2 mm neoprene short wetsuit double-lined with superelastic nylon
- One-piece wetsuit without hood, sleeves and shorts
- Fine mesh neoprene chest front for quick drying
- Zipper on the back - Adjustable neck closure with Velcro
- Recommended water temperature > 22°C (71.6°F)





SURF SHELL MAN

SIZE	THICKNESS	COD.
S	2 mm	MWS00202
M	2 mm	MWS00203
L	2 mm	MWS00204
XL	2 mm	MWS00205
XXL	2 mm	MWS00206
XXXL	2 mm	MWS00207

SURF SHELL LADY

SIZE	THICKNESS	COD.
XS	2 mm	MWS00211
S	2 mm	MWS00212
M	2 mm	MWS00213
L	2 mm	MWS00214
XL	2 mm	MWS00215
XXL	2 mm	MWS00216



AQUATIC

- Muta short in neoprene 2mm bifoderato
- Monopezzo senza cappuccio, maniche e pantaloni corti
- Cerniera frontale per una facile vestizione
- Temperatura acqua consigliata > 22°C – 71,6° F

- Double-lined 2mm neoprene short wetsuit
- One-piece without hood, sleeves and shorts
- Front zipper for easy fitting
- Recommended water temperature > 22°C - 71.6°





AQUATIC MAN

SIZE	THICKNESS	COD.
S	2 mm	MWS00102
M	2 mm	MWS00103
L	2 mm	MWS00104
XL	2 mm	MWS00105
XXL	2 mm	MWS00106
XXXL	2 mm	MWS00107

AQUATIC LADY

SIZE	THICKNESS	COD.
XS	2 mm	MWS00111
S	2 mm	MWS00112
M	2 mm	MWS00113
L	2 mm	MWS00114
XL	2 mm	MWS00115
XXL	2 mm	MWS00116



AQUATIC JR

- Muta short in neoprene 2mm bifoderato
- Taglio adeguato all'utilizzo del bambino
- Monopezzo senza cappuccio, maniche e pantaloni corti
- Cerniera frontale per una facile vestizione
- Temperatura acqua consigliata > 22°C – 71,6° F

- Appropriate cut for the child's use
- One-piece without hood, sleeves and short pants
- Front zipper for easy fitting
- Recommended water temperature > 22°C - 71.6° F

AQUATIC BOY

SIZE	THICKNESS	COD.
6-8Y	2,0mm	MWS00702
8-10Y	2,0mm	MWS00703
10-12Y	2,0mm	MWS00704
12-14Y	2,0mm	MWS00705

AQUATIC GIRL

SIZE	THICKNESS	COD.
6-8Y	2,0mm	MWS00712
8-10Y	2,0mm	MWS00713
10-12Y	2,0mm	MWS00714
12-14Y	2,0mm	MWS00715



SWIMMER - NEOPRENE

- Maglietta girocollo in neoprene da 2.0 mm
- Consigliata per attività marine di superficie e come sotto-muta
- Estremamente elastica "Hyper Stretch" e confortevole
- Fodera elastica in Ultra Tender – Neoprene CR /Q foam – Aqua stretch
- Striscia in neoprene liscio su bordo maglietta "Bottom Grip"
- Manica ripiegata "doppio-bordo

- 2.0 mm neoprene crew-neck T-shirt
- Recommended for surface marine activities and as an under-suit
- Extremely elastic Hyper Stretch and comfortable
- Ultra Tender elastic lining
- Neoprene CR /Q foam
- Aqua stretch
- Smooth neoprene strip on shirt edge Bottom Grip
- Folded sleeve double-edge

SIZE	THICKNESS	COD.
S	2,0mm	MWS01102
M	2,0mm	MWS01103
L	2,0mm	MWS01104
XL	2,0mm	MWS01105
XXL	2,0mm	MWS01106



OASI RASH GUARD
SHORT SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material



BLACK & BLUE - MAN

SIZE	COD.
S	ASN00112
M	ASN00113
L	ASN00114
XL	ASN00115
XXL	ASN00116



BLACK & WHITE - LADY

SIZE	COD.
XS	ASN00151
S	ASN00152
M	ASN00153
L	ASN00154
XL	ASN00155



BLACK & GREY - MAN

SIZE	COD.
S	ASN00122
M	ASN00123
L	ASN00124
XL	ASN00125
XXL	ASN00126



BLACK & PINK - LADY

SIZE	COD.
S	ASN00141
M	ASN00142
L	ASN00143
XL	ASN00144
XXL	ASN00145



OASI RASH GUARD
LONG SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material

BLACK & BLUE
MAN

SIZE	COD.
S	ASN00102
M	ASN00103
L	ASN00104
XL	ASN00105
XXL	ASN00106

BLACK & PINK
LADY

SIZE	COD.
XS	ASN00131
S	ASN00132
M	ASN00133
L	ASN00134
XL	ASN00135



OASI RASH GUARD
LONG SLEEVE

- Tessuto con protezione UPF +50 contro i raggi UV
- Ideale per snorkeling e sport acquatici
- Protezione da sole, abrasioni e contatto con animali marini urticanti
- Materiale super elastico mixed Spandex per una vestibilità ottimale

- Fabric with UPF +50 protection against UV rays
- Ideal for snorkeling and water sports
- Super elastic mixed Spandex material

WHITE & LIGHT BLUE BOY

SIZE	COD.
6 years	ASN00162
8 years	ASN00163
10 years	ASN00164
12 years	ASN00165

WHITE & PINK GIRL

SIZE	COD.
6 years	ASN00172
8 years	ASN00173
10 years	ASN00174
12 years	ASN00175



PONCHO


- Poncho impermeabile Salvimar
- Taglia unica
- Ampio cappuccio e tasche
- Realizzato con materiale a rapida asciugatura interna in spugna
- Materiale esterno waterproof/windproof

- Salvimar waterproof poncho
- One size fits all
- Large hood and pockets
- Made of quick-drying terrycloth material inside
- Waterproof/windproof outer material

COD.
ABB005




Materiale interno: spugna
Inside material: terrycloth






MAN



WOMAN



SPEARFISHING WETSUITS **MAN**

Spearfishing - Serie Krypsis 101 - N.A.T. 101 - Wet Drop Cell Plus - Comforty - Abyss

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
S	162/175	64/69	57/66	126/145	85/92	33/36
M	172/185	68/73	67/77	148/170	93/100	36/39
L	178/188	70/74	78/88	172/194	101/112	39/44
XL	182/193	72/76	85/95	187/209	110/120	43/47
XXL	185/196	73/77	93/110	205/242	115/125	45/49
XXXL	190/196	75/77	-	-	122/129	48/51

SPEARFISHING WETSUITS **WOMAN**

Scales Lady - Serie Sea Walker Lady

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
XS	150/163	59/64	46/53	101/117	78/83	31/33
S	162/172	64/68	54/61	119/134	83/90	33/35
M	165/175	65/69	60/67	132/148	88/95	35/37
L	167/177	66/70	65/72	143/159	94/99	37/39
XL	177/186	70/73	73/80	161/176	99/104	39/41
XXL	180/190	71/75	78/90	172/198	104/114	41/45

WATERSPORTS WETSUITS **MAN**

Zeero Thermo Evo - Apnea Rise - Serie Caribe - Swim Rise - Swim Pro - Swimmer
Surf Shell - Aquatic - Oasi Rash Guard

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
S	162/172	64/68	60/66	132/145	90/95	35/37
M	167/177	66/70	67/74	148/163	95/99	37/39
L	173/187	68/74	75/82	165/181	98/105	39/41
XL	182/192	72/76	82/89	181/196	105/110	41/43
XXL	185/193	73/76	89/98	196/216	108/116	42/46
XXXL	190/196	75/77	-	-	122/129	48/51

WATERSPORTS WETSUITS **WOMAN**

Zeero Thermo Evo - Apnea Rise - Serie Caribe - Swim Rise - Swim Pro - Swimmer
Surf Shell - Aquatic - Oasi Rash Guard

SIZES	1) ALTEZZA/HEIGHT		2) PESO/WEIGHT		3) TORACE/CHEST	
	cm	Inch	Kg.	Lbs.	cm	Inch
XS	145/160	57/63	46/53	101/117	78/83	31/33
S	160/168	63/66	54/61	119/134	83/90	32/35
M	165/177	65/70	60/67	132/148	88/95	35/37
L	170/185	67/73	65/72	143/159	94/99	37/39
XL	177/189	70/74	73/80	161/176	99/104	39/41
XXL	180/190	71/75	78/90	172/198	104/114	41/45

SCUBADIVING WETSUITS **MAN**

Marina 5,0 / 7,0mm

SIZES	1) ALTEZZA/HEIGHT		3) TORACE/CHEST		4) VITA/WAIST		5) BACINO/HIP	
	cm	Inch	cm	Inch	cm.	Inch.	cm	Inch
S	165/171	64/67	95/102	37/40	76/82	30/32	91/98	36/38
M	170/176	67/69	100/107	39/42	79/87	31/34	95/103	37/40
L	175/181	68/71	104/111	41/44	84/91	33/36	100/107	39/42
XL	180/186	70/73	110/117	43/46	90/97	35/38	106/113	42/45
XXL	185/191	73/75	116/123	46/48	96/103	38/40	112/119	44/47
XXXL	190/196	75/77	122/129	48/51	102/109	40/43	118/125	46/49

SCUBADIVING WETSUITS **WOMAN**

Marina 5,0 / 7,0mm

SIZES	1) ALTEZZA/HEIGHT		3) TORACE/CHEST		4) VITA/WAIST		5) BACINO/HIP	
	cm	Inch	cm	Inch	cm.	Inch.	cm	Inch
XS	154/160	61/63	83/90	33/35	68/75	27/30	91/98	36/39
S	159/165	63/65	88/95	35/37	72/79	28/31	95/102	37/40
M	164/170	65/67	93/100	37/39	76/83	30/33	99/106	39/42
L	169/175	67/69	98/105	39/41	80/87	32/34	103/110	41/43
XL	174/180	68/71	103/110	41/43	84/91	33/36	107/114	42/45
XXL	179/185	70/73	108/115	43/45	88/95	35/37	111/118	44/46



GLOVES & SOCKS

photography by Alberto Balbi

TENTACLE GLOVES



- Guanto performante super stretch, ottimo grip e comfort tattile unico
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico per un miglior movimento delle dita
- Spessore omogeneo garantito
- Comfort tattile unico
- Sistema di protezione del tessuto con trama lamellare in PU, per aumentare la resistenza all'abrasione senza rinunciare all'elasticità
- Fodera interna super elastica con trama tessuto con effetto "warm surface"
- Designed by Salvimar

- High performance glove super stretch, excellent grip and unique tactile comfort
- Tightly woven stitching with salt-resistant thread, ultra-resistant over time, compact and elastic for better finger movement.
- Homogeneous thickness guaranteed
- Unique tactile comfort for excellent grip sensitivity in all conditions.
- Fabric protection system with PU lamellar weave
- Super elastic inner lining with fabric texture with 'warm surface' effect.
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S	GUA001020
M	GUA001030
L	GUA001040
XL	GUA001050
XXL	GUA001060

THICKNESS 5,0mm

SIZE	COD.
S	GUA001120
M	GUA001130
L	GUA001140
XL	GUA001150
XXL	GUA001160

TENTACLE SOCKS



- Calzare elastico con ottimo grip sul plantare
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Sistema di protezione del tessuto con trama lamellare in PU, per aumentare la resistenza all'abrasione senza rinunciare all'elasticità
- Fodera interna super elastica con trama tessuto con effetto "warm surface"
- Designed by Salvimar

- Elastic shoe with excellent grip on the sole
- Tightly woven stitching with salt-resistant thread, ultra-resistant over time, compact and elastic
- Homogeneous thickness guaranteed
- Unique tactile comfort for excellent grip sensitivity in all conditions
- Fabric protection system with PU lamellar weave
- Super elastic inner lining with fabric texture with warm surface effect
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	CAL003020
M / 41-42	CAL003030
L / 43-44	CAL003040
XL / 45/46	CAL003050
XXL 47/49	CAL003060

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	CAL003120
M / 41-42	CAL003130
L / 43-44	CAL003140
XL / 45/46	CAL003150
XXL 47/49	CAL003160



DROP PLUS GLOVES



- Guanto performante con ottime caratteristiche di elasticità e comfort
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Materiale fodera interna: Nylon; Materiale fodera esterna: AQUASTRETCH
- Designed by Salvimar

- Performance glove with excellent elasticity and comfort characteristics
- Tightly weave stitching with saline-resistant thread, ultra-durable, compact and elastic
- Guaranteed homogeneous thickness
- Inner lining material: Nylon; Outer lining material: AQUASTRETCH
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S	GUA004020
M	GUA004030
L	GUA004040
XL	GUA004050
XXL	GUA004060

THICKNESS 5,0mm

SIZE	COD.
S	GUA004120
M	GUA004130
L	GUA004140
XL	GUA004150
XXL	GUA004160

DROP PLUS SOCKS



- Calzare performante con ottime caratteristiche di elasticità e comfort
- Cucitura a trama fitta con filo resistente al salino, ultra resistente nel tempo, compatto ed elastico
- Spessore omogeneo garantito
- Materiale fodera interna: Nylon; Materiale fodera esterna: AQUASTRETCH
- Designed by Salvimar


- Performance socks with excellent elasticity and comfort characteristics
- Tightly weave stitching with saline-resistant thread, ultra-durable, compact and elastic
- Guaranteed homogeneous thickness
- Inner lining material: Nylon; Outer lining material: AQUASTRETCH
- Designed by Salvimar

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	CAL004020
M / 41-42	CAL004030
L / 43-44	CAL004040
XL / 45/46	CAL004050
XXL 47/49	CAL004060

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	CAL004120
M / 41-42	CAL004130
L / 43-44	CAL004140
XL / 45/46	CAL004150
XXL 47/49	CAL004160



TACTILE GLOVES

1,5mm



- Guanti a tenuta stagna di nuova generazione
- Disponibili in spessori da 1.5mm, 3.0mm e 5.0mm
- Bandatura esterna in Heat Tape e neoprene CR Foam
- Tessuti in Ultra Stretch/Aqua-Stretch per massimo comfort e percezione tattile

- New generation of watertight gloves
- Thickness 1.5mm, 3.0mm e 5.0mm
- Externa banding in Heat Tape and neoprene CR Foam
- Ultra Stretch/Aqua-Stretch fabric



3,0mm



5,0mm

THICKNESS 1,5mm

SIZE	COD.
S / 7	200481A
M / 8	200481B
L / 9	200481C
XL / 10	200481D
XXL / 11	200481E

THICKNESS 3,0mm

SIZE	COD.
S / 7	200483A
M / 8	200483B
L / 9	200483C
XL / 10	200483D
XXL / 11	200483E

THICKNESS 5,0mm

SIZE	COD.
S / 7	200485A
M / 8	200485B
L / 9	200485C
XL / 10	200485D
XXL / 11	200485E

TACTILE SOCKS

1,5mm



- Calzari a tenuta stagna di nuova generazione
- Disponibili in spessori da 1.5mm, 3.0mm e 5.0mm
- Bandatura esterna in Heat Tape, suola protettiva e tessuto in nylon stretch
- Nuova forma anatomica per massimo comfort e protezione

- New generation of watertight socks
- Thickness 1.5mm, 3.0mm e 5.0mm
- Externa banding in Heat Tape and neoprene CR Foam
- Nylon Stretch fabric



3,0mm



5,0mm

THICKNESS 1,5mm

SIZE	COD.
S / 38-40	200581A
M / 41-42	200581B
L / 43-44	200581C
XL / 45/46	200581D
XXL 47/49	200581E

THICKNESS 3,0mm

SIZE	COD.
S / 38-40	200583A
M / 41-42	200583B
L / 43-44	200583C
XL / 45/46	200583D
XXL 47/49	200583E

THICKNESS 5,0mm

SIZE	COD.
S / 38-40	200585A
M / 41-42	200585B
L / 43-44	200585C
XL / 45/46	200585D
XXL 47/49	200585E

SKINWIND 35 GLOVES & SOCKS



- Guanti ergonomici con superficie liscia esternamente
- Materiale interno Ultrastretch
- Il neoprene liscio esterno garantisce una rapida asciugatura
- Palmo rinforzato con materiale antiabrasione
- Ergonomic gloves with smooth outer surface
- Ultrastretch inner material
- Smooth outer neoprene ensures quick drying
- Reinforced palm with abrasion resistant material

THICKNESS 3,5mm

SIZE	COD.
S / 7	200490A
M / 8	200490B
L / 9	200490C
XL / 10	200490D
XXL / 11	200490E

- Calzari ergonomici
- Materiale interno Ultrastretch
- Il neoprene liscio esterno garantisce una rapida asciugatura
- Pianta rinforzata in materiale antiabrasione
- Ergonomic socks
- Ultrastretch inner material
- Smooth outer neoprene ensures quick drying
- Reinforced sole made of abrasion-resistant material

THICKNESS 3,5mm

SIZE	COD.
S / 38-40	200590A
M / 41-42	200590B
L / 43-44	200590C
XL / 45-46	200590D
XXL / 47-49	200590E

DY.MAX GLOVES



- Tessuto in filo continuo in Dy-max
- Nuovo robusto palmo in nitrile
- Polsino rinforzato

- The use of continuos thread of Dy-max line
- New robust palm impregnated in nitrile
- Tightest cuff

THICKNESS 0,8mm

SIZE	COD.
S / 7	200400
M / 8	200401
L / 9	200402
XL / 10	200403
XXL / 11	200404

FIT PRO SOCKS

2,0mm
FLAT LOCK stiching

4,0mm
GBS stiching



- Calzare sistema Fitting Pro con calzata differenziata Destro/Sinistro
- Zona frontale in tessuto super elastico evidenziato
- Suola in neoprene rinforzata con sistema Honey Comb PU
- Parte superiore del frontale dita in Supratex anti-abrasione
- Sistema di cucitura GBS con incollaggio e doppia cucitura

- Socks with Fitting Pro system right left fit
- Front area with super elastic fabric
- Reinforced neoprene sole with Honey Comb PU system
- Abrasion resistant Supratex toe upper front area
- GBS stitching system with gluing and double stitching

THICKNESS 2,0mm

SIZE	COD.
S / 38-40	200520A
M / 41-42	200520B
L / 43-44	200520C
XL / 45-46	200520D
XXL 47/49	200520E

THICKNESS 4,0mm

SIZE	COD.
S / 38-40	200521A
M / 41-42	200521B
L / 43-44	200521C
XL / 45-46	200521D
XXL 47/49	200521E

CASPER SOCKS



- Calzare corto con profilo destro e sinistro
- Parte anteriore in tessuto super elastico UT
- Suola rinforzata e antiscivolo in PU dots con disegno Honey Comb
- Puntale in Supratex per una migliore protezione e resistenza
- Cuciture passanti Flat-Lock a doppio filo rinforzato

- Short boot with right and left profile
- Front of foot made of UT super elastic fabric
- Reinforced, non-slip PU dots sole with Honey Comb design
- Supratex toe cap for better protection and added resistance
- Double-thread reinforced Flat-Lock pass-through seams.

THICKNESS 2,0mm

SIZE	COD.
S / 38-40	CAL00220
M / 41-42	CAL00230
L / 43-44	CAL00240
XL / 45-46	CAL00250
XXL 47/49	CAL00260

KRYPSIS GLOVES & SOCKS



GLOVES
- Potere termico elevato
- Super elastico
- Ottima vestibilità
- Palmo esterno con rinforzo

- High thermal power
- Super elastic
- excellent fit
- Reinforced palm outside
- Krypsis camo

SOCKS
- Potere termico elevato
- Super elastico
- Plantare esterno allungato con rinforzo
- Open cell

- High thermal power
- Super elastic
- Elongated outer footbed with reinforcement
- Open cell

KRYPSIS GLOVES
THICKNESS 3,0mm

SIZE	COD.
S / 7	200470A
M / 8	200470B
L / 9	200470C
XL / 10	200470D
XXL / 11	200470E

KRYPSIS GLOVES
THICKNESS 5,0mm

SIZE	COD.
S / 7	200475A
M / 8	200475B
L / 9	200475C
XL / 10	200475D
XXL / 11	200475E

KRYPSIS SOCKS
THICKNESS 3,5mm

SIZE	COD.
S / 38-40	200560A
M / 41-42	200560B
L / 43-44	200560C
XL / 45-46	200560D
XXL 47/49	200560E

KRYPSIS SOCKS
THICKNESS 5,5mm

SIZE	COD.
S / 38-40	200565A
M / 41-42	200565B
L / 43-44	200565C
XL / 45-46	200565D
XXL 47/49	200565E





KRYPSIS BACK PACK





LEAD ANKLE
PAG. 129



- Schienalino ergonomico, spallacci in neoprene per il massimo comfort
- Nuove tasche porta piombi per un' ottima distribuzione dei pesi
- 6kg di cui n°4 posteriori in linea e n° 2 anteriori

- Ergonomic back pack, neoprene shoulder straps for extreme comfort
- New optimal weight distribution
- 6kg of which 4 rear in line and 2 front

SIZE	COD.
M - L	200318B
XL - XXL	200318C

DROP BACK PACK



- Schienalino ergonomico
- Materiale spallacci: Neoprene
- Peso: 6 kg

- Ergonomic backpack
- Shoulder strap material: Neoprene
- Weight: 6 kg.

SIZE	COD.
S - M	200310
L - XL	200312
XL - XXL	200315

BERMUDA



- Bermuda a vita alta
- Taglio: Preformato

- High-waisted Bermuda Shorts
- Cut: Preformed

THICKNESS 2,5mm

SIZE	COD.
M	200240
L	200241
XL	200242
XXL	200243

P.CHANNEL



- Materiale: Neoprene spaccato
- Spessore: 3,5 mm
- Estremamente elastico

- Material: split neoprene
- Thickness: 3.5 mm
- Extremely elastic

THICKNESS 2,5mm

	COD.
BLACK	ACNEO0010
KRYPSIS CAMU	ACNEO0011

PIT STOP CR TROUSERS



- Pantalone con pissette assemblata
- Materiale esterno: Fodera in nylon super elastico
- Materiale interno: Neoprene spaccato Q-FOAM open cell
- Cuciture: Sistema GBS waterproof

- Pant with set up pissette
- Outer material: Super stretch nylon lining
- Inner material: Q-FOAM Open cell neoprene
- Seams: GBS waterproof system

THICKNESS 5,5mm

SIZE	COD.
S	MUT001020
M	MUT001030
L	MUT001040
XL	MUT001050
XXL	MUT001060

PLASTIC SNAP BUTTON



- Clip di chiusura muta 3,5 - 5,5 - 7,0mm
- Sgancio rapido
- Viti di fissaggio in acciaio inox

- Wetsuit fastening clips 3.5 - 5.5 - 7.0mm
- Quick release
- Stainless steel fixing screws

PAIR	COD.
n° 1	200100

MASTICE PER MUTE



- Mastice per riparazioni mute - 30gr
- Wetsuit repair glue - 30gr

SUGGESTED PACK
15pz.

COD.
400600




SALVIMAR



FINS

photography by Alberto Balbi

SPEEDER Line

La pinna Speeder è frutto di un attento lavoro diricerca sulla dinamica del movimento. L'innovativa scarpetta è rinforzata con una soletta rigida posta sotto la pianta del piede, questo consente un trasferimento di energia ottimale durante la pinneggiata. Angolo di 29 gradi, soletta rigida e longheroni laterali che girano sotto la pianta del piede conferiscono alla scarpetta una struttura meccanica senza eguali ma soprattutto la possibilità di utilizzare gomme anche molto morbide per un comfort eccezionale. Durante la fase di sviluppo oltre ad aver prestato particolare attenzione alle caratteristiche dei due componenti che costituiscono una pinna, scarpetta e pala, abbiamo implementato l'interazione fra di essi attraverso il perfezionamento del sistema di innesto, migliorando di fatto la funzionalità complessiva del prodotto.

The Speeder fin is the result of a careful research into the dynamics of movement. The innovative foot pocket is reinforced with a rigid insole placed under the sole of the foot; this allows optimal energy transfer during finning. 29-degree angle, rigid insole and side spars that turn under the sole of the foot give the foot pocket an unparalleled mechanical structure but above all the possibility of using even very soft rubbers for exceptional comfort. During the development phase, in addition to paying particular attention to the characteristics of the two components that make up a fin, foot pocket and blade, we implemented the interaction between them through the improvement of the coupling system, effectively improving the overall functionality of the product.

SPEEDER

- Scarpetta rinforzata con soletta rigida sotto la pianta del piede
- Pala in polipropilene angolo 29 gradi
- Spessore differenziato della pala: 3,5 mm al tallone, 1,8 mm alla punta
- Pinneggiata con trasferimento di energia ottimale
- Scarpetta morbida per comfort eccellente

- Reinforced footpocket with rigid insole placed under the sole of the foot
- Polypropylene blade 29 degree angle
- Differentiated thickness blade: 3,5 mm heel, 1,8 mm toe
- Finning with optimal energy transfer
- Soft foot pocket for excellent comfort





SPEEDER

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN01039
41/42	8/8½	PIN01041
43/44	9½/10	PIN01043
45/46	11/12	PIN01045

SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER	2pz	PPIN011

SPEEDER CARBO

- Materiale: Fibra di carbonio TW-K03 Pre-Peg
- Processo di produzione: Realizzato in autoclave
- Modulo elastico: Elevato
- Struttura: Spessore differenziato per ottimizzare flessione e spinta
- Grazie al carbonio, offre una migliore resa a parità di sforzo applicato

- Material: Carbon fibre TW-K03 Pre-Peg
- Production process: Made in autoclave:
- Elastic modulus: High
- Structure: Differentiated thickness to optimize bending and thrust
- Thanks to carbon, it offers a better performance with the same effort applied





SPEEDER CARBO

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN02039
41/42	8/8½	PIN02041
43/44	9½/10	PIN02043
45/46	11/12	PIN02045

SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER CARBO	2pz	PPIN021

SPEEDER HD Line

La pinna SpeederHD è indicata per i fisici più allenati. Questo grazie alla combinazione di maggiore consistenza della scarpetta e di rigidità della pala. L'innovativa scarpetta è rinforzata con una soletta rigida posta sotto la pianta del piede, questo consente un trasferimento di energia durante la pinneggiata.
Angolo di 29 gradi, soletta rigida e longheroni laterali che girano sotto la pianta del piede conferiscono alla scarpetta una struttura meccanica senza eguali ma soprattutto la possibilità di utilizzare gomme anche molto morbide per un comfort eccezionale. Durante la fase di sviluppo oltre ad aver prestato particolare attenzione alle caratteristiche dei due componenti che costituiscono una pinna, scarpetta e pala, abbiamo implementato l'interazione fra di essi attraverso il perfezionamento del sistema di innesto, migliorando di fatto la funzionalità complessiva del prodotto..

The SpeederHD fin is suitable for the more trained physiques. This is thanks to the combination of foot pocket consistency and blade rigidity. The innovative foot pocket is reinforced with a rigid insole placed under the sole of the foot; this allows optimal energy transfer during finning. 29-degree angle, rigid insole and side spars that turn under the sole of the foot give the foot pocket an unparalleled mechanical structure but above all the possibility of using even very soft rubbers for exceptional comfort.
During the development phase, in addition to paying particular attention to the characteristics of the two components that make up a fin, foot pocket and blade, we implemented the interaction between them through the improvement of the coupling system, effectively improving the overall functionality of the product.

SPEEDER HD

- Scarpetta rinforzata con soletta rigida sotto la pianta del piede
- Pala dotata di maggiore rigidità per migliore prestazione della pinneggiata
- Pala in polipropilene angolo 29 gradi
- Spessore differenziato della pala: 3,5 mm al tallone, 1,8 mm alla punta
- Pinneggiata con trasferimento di energia ottimale

- Reinforced footpocket with rigid insole placed under the sole of the foot
- Blade equipped with increased stiffness for better finning performance
- Polypropylene blade 29 degree angle
- Differentiated thickness blade: 3,5 mm heel, 1,8 mm toe
- Finning with optimal energy transfer





SPEEDER HD

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN01539
41/42	8/8½	PIN01541
43/44	9½/10	PIN01543
45/46	11/12	PIN01545

SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER HD	2pz	PPIN016

SPEEDER CARBO HD

- Materiale: Fibra di carbonio TW-K03 Pre-Peg
- Processo di produzione: Realizzato in autoclave
- Modulo elastico: Elevato
- Struttura: Spessore differenziato per ottimizzare flessione e spinta
- Grazie al carbonio, offre una migliore resa a parità di sforzo applicato

- Material: Carbon fibre TW-K03 Pre-Peg
- Production process: Made in autoclave:
- Elastic modulus: High
- Structure: Differentiated thickness to optimize bending and thrust
- Thanks to carbon, it offers a better performance with the same effort applied





SPEEDER CARBO HD

SIZE EU	SIZE US	COD.
39/40	5½/7	PIN02539
41/42	8/8½	PIN02541
43/44	9½/10	PIN02543
45/46	11/12	PIN02545

SUGGESTED PACK
3pz.

BLADE SPARE PARTS

MODEL	PACK	COD.
SPEEDER CARBO HD	2pz	PPIN027

MADE IN ITALY

FIBRA 151

- Scarpetta/pala angolo inclinato a 29°
- Materiale della pala: fibra di vetro
- La scarpetta è realizzata in gomma naturale 55 shore
- Spessori differenziati nella pala

- Footpocket blade angle 29 degrees
- Material: Fiber
- Construction: Blade with different thickness
- Footpocket material: natural rubber 55 shore







SUGGESTED PACK
3pz.

FIBRA 151

SIZE EU	SIZE US	COD.
38/40	5½/7	000093A
41/42	8/8½	000093B
43/44	9½/10	000093C
45/46	11/12	000093D
47/49	13/14	000093E

BLADE SPARE PARTS

MODEL	PACK	COD.
FIBRA 151	1pz	000093

CARBO 151

- Scarpetta/pala angolo inclinato a 29°
- Materiale della pala: fibra di carbonio Pre-Peg TW-K03 ad alto modulo
- Processo di polimerizzazione meccanica a pressioni elevate in autoclave
- La scarpetta è realizzata in gomma naturale 55 shore

- Footpocket blade angle 29 degrees
- Material: high module carbon fiber Pre-Peg TW-K03
- Construction: Mechanically polymerized high pressure autoclave moulding
- Footpocket material: natural rubber 55 shore







SUGGESTED PACK
3pz.

CARBO 151

SIZE EU	SIZE US	COD.
38/40	5½/7	600300A
41/42	8/8½	600300B
43/44	9½/10	600300C
45/46	11/12	600300D
47/49	13/14	600300E

BLADE SPARE PARTS

MODEL	PACK	COD.
CARBO 151	1pz	600300
EDGES	1Kit	400264

TURN 151

- Scarpetta/pala angolo inclinato a 29°
- Materiale della pala: Polipropilene
- Materiale della scarpetta: gomma naturale con una durezza di 55 shore
- Spessori differenziati nella pala per migliorare la risposta elastica

- Footpocket blade angle 29 degrees
- Material: Polypropylene
- Construction: Blade with different thickness
- Footpocket material: natural rubber 55 shore





BLACK TURN 151

SIZE EU	SIZE US	COD.
38/40	5½/7	600100A
41/42	8/8½	600100B
43/44	9½/10	600100C
45/46	11/12	600100D
47/49	13/14	600100E

SUGGESTED PACK
3pz.

GREEN BLACK TURN 151

SIZE EU	SIZE US	COD.
38/40	5½/7	600100AG
41/42	8/8½	600100BG
43/44	9½/10	600100CG
45/46	11/12	600100DG
47/49	13/14	600100EG

BLADE SPARE PARTS

MODEL	PACK	COD.
TURN151 BLADE	1pz	600100
TURN 151 BLADE GEEN	1Kit	600100GA

REACT

- Pala amovibile in polipropilene
- Scarpetta realizzata in termoplastica con durezza 60 shore
- Canalizzazione dell'acqua controllata per ottimizzare la spinta
- Terminale idrodinamico sulla pala per ridurre la resistenza

- Moduar freediving fin with polypropylene interchangeable blade
- Footpocket material: Thermoplastic rubber
- Controlled water channeling
- Blade with hydrodynamic terminal





SUGGESTED PACK
4pz.


REACT

SIZE EU	SIZE US	COD.
36/37	4/ 4½	600106/Y
38/39	5½/7	600106/Z
40/41	8/8½	600106/A
42/43	9½/10	600106/B
44/45	11/12	600106/C
46/47	13/14	600106/D

BLADE SPARE PARTS

MODEL	PACK	COD.
REACT BLADE	1pz	600206

COME SCEGLIERE LA MISURA DELLA SCARPETTA
HOW TO CHOOSE THE SIZE OF THE FOOT POCKET



1 Indossa il calzare dello spessore desiderato, appoggia il tallone alla parete e posa il piede sul foglio

Wear the sock of the desired thickness, lean your heel against the wall and place your foot on the sheet

2 Misura il disegno dal tallone al dito più lungo

Measure the design from the heel to the longest toe


3 Segna la lunghezza e la larghezza della pianta del piede

Mark the length and width of the sole of the foot

4 Confronta le misure con la tabella di riferimento sotto riportata e scegli la scarpetta corrispondente

Compare the measurements with the reference table below and choose the corresponding foot pocket

4



GUIDA ALLE TAGLIE/ SHOE SIZE

LENGHT	WIDHT	EU	UK	USA
26,7 cm	9,9 cm	39/40	6	7
28,1 cm	10,3 cm	41/42	7/8	8/9
29,5 cm	10,7 cm	43/44	9/10	10/11
30,9 cm	11,1 cm	45/46	11/12	12/13

FOOTPOCKET SPEEDER - 55 SHORE



- Migliorie sull'idrodinamica e l'efficienza del movimento
- Clip rigide costampate per connessione solida scarpetta-pala
- Soletta in polipropilene per rigidità e leggerezza
- Ottimizzazione peso e resistenza
- Design leggero senza compromettere la robustezza
- Parte anteriore chiusa per protezione delle dita
- Materiale: termoplastica 55 shore

- Maximum efficiency with every movement
- Co-moulded spare clips for a strong connection with the footpocket
- Co-moulded rigid insole
- Differentiated thickness footpocket -Light design without losing robustness
- Closed front piece to protect the toes
- Material: Thermoplastic 55 Shore

BLADE SPARE PARTS: PLASTIC and CARBOON





MODEL	PACK	COD.
KIT FIXING PLASTIC BLADES	1pz	ACPIN050
KIT FIXING CARBOON	1pz	ACPIN060

SIZE EU	SIZE US	COD.
39/40	7/8	SPIN01039
41/42	9/10	SPIN01041
43/44	11/12	SPIN01043
45/46	13	SPIN01045

FOOTPOCKET SPEEDER MILITARY GREEN - 65 SHORE



- Migliorie sull'idrodinamica e l'efficienza del movimento
- Clip rigide costampate per connessione solida scarpetta-pala
- Soletta in polipropilene per rigidità e leggerezza
- Ottimizzazione peso e resistenza
- Design leggero senza compromettere la robustezza
- Parte anteriore chiusa per protezione delle dita
- Materiale: termoplastica 65 shore

- Maximum efficiency with every movement
- Co-moulded spare clips for a strong connection with the footpocket
- Co-moulded rigid insole
- Differentiated thickness footpocket -Light design without losing robustness
- Closed front piece to protect the toes
- Material: Thermoplastic 55 Shore

BLADE SPARE PARTS: PLASTIC and CARBOON





MODEL	PACK	COD.
KIT FIXING PLASTIC BLADES	1pz	ACPIN050
KIT FIXING CARBOON	1pz	ACPIN060

SIZE EU	SIZE US	COD.
39/40	7/8	SPIN01539
41/42	9/10	SPIN01541
43/44	11/12	SPIN01543
45/46	13	SPIN01545

K-REINFORCED



- Scarpetta realizzata in gomma naturale con durezza 55 shore
- Design ottimizzato per massimo comfort e resistenza
- Kit fissaggio incluso

- Footpocket material: Natural rubber 55 shore
- Maximum comfort and strenght
- Sizes: from 38 to 49
- Co-moulded spare clips for a strong connection with the blade
- Fixing kit included

BLADE SPARE PARTS



MODEL	PACK	COD.
BLADES FIXING KIT	1pz	AQ050

SIZE EU	SIZE US	COD.
38/40	5½/7	AQ005C
41/42	8/8½	AQ007C
43/44	9½/10	AQ009C
45/46	11/12	AQ011C
47/49	13/14	AQ013C



NOBILIS

- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.







NOBILIS Blue

SIZE	COD.
34/35	WB0400/34BL
36/37	WB0400/36BL
38/39	WB0400/38BL
40/41	WB0400/40BL
42/43	WB0400/42BL
44/45	WB0400/44BL
46/47	WB0400/46BL

NOBILIS Yellow

SIZE	COD.
34/35	PIN10034Y
36/37	PIN10036Y
38/39	PIN10038Y
40/41	PIN10040Y
42/43	PIN10042Y

NOBILIS Black

SIZE	COD.
34/35	000099A
36/37	000099B
38/39	000099C
40/41	000099D
42/43	000099E
44/45	000099F
46/47	000099G

SUGGESTED PACK
6pz.

WATERSPORTS

TRAINING





- Pinna corta per il nuoto
- Pala reattiva e leggera
- Scarpetta: Thermoflex

- Short fin, specifically designed for swimming
- Reactive and light blade for quick strokes
- Footpocket: Thermoflex

SUGGESTED PACK
6pz.

SIZE	COD.
34/35	000096A
36/37	000096B
38/39	000096C
40/41	000096D
42/43	000096E
44/45	000096F
46/47	000096G

SCUBADIVING & SPEARFISHING MASKS



photography by Alberto Balbi


DRAKE ANTI FOG



HYDROPHOBIC GLASS ANTI FOG







- Trattamento Anti Fog integrato direttamente nel vetro Hydrophobic Glass
- Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre applicazioni
- Design monovetro "Frameless" con facciale in silicone costampato direttamente sulla lente in vetro temperato
- Ampio campo visivo per una visione panoramica ottimale
- Silicone anallergico e ultra-morbido per un'eccellente aderenza al viso
- Doppia opzione di fissaggio: versione con fascia elastica oppure cinghiolo in silicone regolabile
- Versatile nell'uso: sviluppata per la subacquea ricreativa ma adatta anche allo snorkeling
- Design e Technical Concept made in Salvimar


- Hydrophobic Glass anti-fog treatment integrated directly into the lens
- The treatment activates by simply wetting the glass before use, no additional application required
- Frameless single-lens design with hypoallergenic silicone skirt co-molded directly onto the tempered glass
- Wide field of view for optimal panoramic vision
- Ultra-soft, hypoallergenic silicone for excellent facial sealing and comfort
- Dual fastening option: elastic strap or adjustable silicone strap version
- Versatile use: designed for recreational diving but also suitable for snorkeling
- Design e Technical Concept made in Salvimar

190 gr.


SUGGESTED PACK
12pz.



PACKAGING: Box



DRAKE ANTI FOG **GREY**



DRAKE ANTI FOG **SHINING BLU**



DRAKE ANTI FOG **WHITE**



COD.	COLOR	STRAP
MS0010	BLACK	Black Silicone Strap
MS0020	BLACK	Black Elastic Strap
MS0011	SHINING BLU	Shining Blu Silicone Strap
MS0021	SHINING BLU	Shining Blu Elastic Strap
MS0012	GREY	Grey Silicone Strap
MS0022	GREY	Grey Elastic Strap
MS0013	WHITE	White Silicone Strap
MS0023	WHITE	White Elastic Strap

NEO ANTI FOG




HYDROPHOBIC GLASS ANTI FOG



- **Monolente in vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre appicazioni**
- Tecnologia co-stampaggio
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar
- Conforme alla normativa D.P.I. EN 16805:2015

- **Monocular tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the glass before use and does not require any additional applications**
- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Adjustable buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar
- Certified to EN 16805:2015 PPE standards




BLACK


MILITARY GREEN


SHINING BLU


PETROL


WHITE


AQUAMARINE


PURPLE

170 gr.


SUGGESTED PACK
12pz.




PACKAGING: Blister box


COD.	COLOR
7300BAF	BLACK
7300GAF	MILITARY GREEN
7300SAF	SHINING BLU
SN051AF	PETROL
SN050AF	WHITE
SN053AF	AQUAMARINE
SN054AF	PURPLE

ENDLESS ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





160 gr.


SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Vetro monoculare temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre appicazioni**
- Maschera di concezione Frameless
- Ridotto volume interno
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone ipoallergenico
- Design e Technical Concept made in Salvimar
- Conforme alla normativa D.P.I. EN 16805:2015

- **Monocular tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the glass before use and does not require any additional applications**
- Co-molding tachnology
- Wide filed of view
- 3D comfort preformed nose
- Buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Tecnical Concept made in Salvimar
- Certified to EN 16805:2015 PPE standards


SHINING BLU


BLACK


PINK


COD.	COLOR
7200BBAF	BLACK
SN062AF	SHINING BLU
SN061AF	PINK

MORPHEUS ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





150 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

>> Pag. 160 Lenti graduate - Prescription lenses

- Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica
- Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvimar
- Maschera con D.P.I. EN 16805:2015

- Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition
- The treatment is activated by wetting the lenses before use and does not require any additional applications
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvimar
- Certified to EN 16805:2015 PPE standards


BLACK - BLACK


BLACK - GREEN


BLACK - BLUE


BLACK - YELLOW


SHINING BLUE


PETROL - YELLOW


CLEAR - BLUE


CLEAR - BLACK


CLEAR - LIGHT BLUE

	COD.	COLOR
	7400BBAF	BLACK - BLACK
	7400BGAF	BLACK - GREEN
	000060BBAF	BLACK - BLUE
	000060BYAF	BLACK - YELLOW
	000060SBAF	SHINING BLU
	000060PYAF	PETROL - YELLOW
	000060BLAF	CLEAR - BLUE
NEW	000060CBAF	CLEAR - BLACK
NEW	000060CAF	CLEAR - LIGHT BLUE

MORPHEUS MID ANTI FOG

AVAILABLE 2026





BLACK - BLACK

Versione con fibbia in nylon regolabile
Version with adjustable nylon buckle






T. - PETROL / YELLOW



T. - AQUAMARINE / CLEAR

Versione con fascia elastica regolabile
Version with adjustable elastic band

HYDROPHOBIC GLASS ANTI FOG



140 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Facciale in 100% silicone anallergico
- Vetro temperato
- Design e Technical Concept made in Salvimar

- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- 100% hypoallergenic silicone skirt
- Tempered glass
- Design and Technical Concept made in Salvimar


COD.	COLOR
SN080AF	BLACK
SN082AF	TRANSP. - PETROL/YELLOW
SN083AF	TRANSP. - AQUAMARINE/CLEAR

TRINITY ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





172 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

>> **Pag. 160 Lenti graduate - Prescription lenses**

- **Lenti in vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro, tramite la sua speciale composizione chimica**

- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Maschera in silicone con attacco Action Cam integrato
- Vetro temperato
- Silicone anallergico di alta qualità
- Volume interno ridotto
- Design e Technical Concept made in Salvimar

- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**

- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- Silicone mask with integrated Action Cam attachment
- Tempered glass
- High quality hypoallergenic silicone
- Low volume inside
- Design and Technical Concept made in Salvimar



BLACK - BLACK


COD.	COLOR
7500BBAF	BLACK - BLACK

HATHOR ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





138 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Lenti in vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro, tramite la sua speciale composizione chimica**

- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Maschera per Pesca e Apnea con volume interno ridotto ed ampio campo visivo
- Fibbia in nylon regolabile con fissaggio millimetrico del cinturino
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar
- Conforme alla normativa D.P.I. EN 16805:2015

- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**

- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- Low-volume spearfishing and freediving mask with a wide field of view
- Adjustable buckle with micrometrically adjustable strap attachment
- Matte inner silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar
- Certified to EN 16805:2015 PPE standards



BLACK



KRYPSIS




COD.	COLOR
7800BAF	BLACK
7800KAF	KRYPSIS

NOAH ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





140 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre appicazioni**
- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio micrometrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- **Tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the glass before use and does not require any additional applications**
- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar


BLACK - BLACK


BLACK - ACID GREEN


BLACK - MILITARY GREEN


GREEN - BLACK


SHINING BLU - GREY


COD.	COLOR
7000BBAF	BLACK - BLACK
000053GAF	BLACK - ACID GREEN
7000BGAF	BLACK - MILITARY GREEN
7000GBAF	GREEN - BLACK
7000SGAF	SHINING BLUE - GREY

NOAH COMFORT FIT ANTI FOG



HYDROPHOBIC GLASS ANTI FOG





140 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

- **Lenti in vetro temperato con innovativo trattamento Anti Fog integrato direttamente nel vetro Hydrophobic Glass**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre applicazioni**
- Maschera con volume interno ridotto, ampio campo visivo
- Telaio realizzato tramite costampaggio integrato
- Fibbia regolabile con sistema di regolazione a scatti di precisione
- Silicone interno anallergico e opaco antiriflesso
- Facciale 100% silicone anallergico
- Superficie di contatto ampliata per una migliore adattabilità a diverse conformazioni del viso
- Design e Technical Concept made in Salvimar

- **Tempered glass lenses with integrated Hydrophobic Glass anti-fog treatment**
- **Treatment activates by simply wetting the lenses before use, no additional application required**
- Low-volume mask with wide panoramic field of view
- One-piece frame made with integrated co-molding process
- Adjustable buckle with precision step-by-step regulation system
- Matte internal silicone to reduce reflections
- Skirt made of 100% hypoallergenic silicone
- Enlarged contact surface for better adaptability to different facial shapes
- Design and technical concept by Salvimar


BLACK - BLACK


SHINING BLU - GREY

COD.	COLOR
7100BB	BLACK - BLACK
7100SB	SHINING BLU - GREY

GOBLIN ANTI FOG



HYDROPHOBIC GLASS ANTI FOG



- **Vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre appicazioni**
- Maschera realizzata con tecnologia MonoShell: costampaggio a 2 fasi di lenti, telaio in nylon e facciale in silicone
- Scelta dei materiali di alta qualità: silicone anallergico vetro temperato 3mm, nylon caricato vetro
- Ampio campo visivo
- 100% silicone anallergico
- Maschera a volume ridotto
- Ampio campo visivo
- Compensazione agevolata grazie all'ergonomia del naso.
- Cinghiolo regolabile tramite fissaggio millimetrico della fibbia
- Il Cinghiolo è dotato di un apertura posteriore che permette il fissaggio del boccaglio, riduce le vibrazioni della discesa e risalita

- **Tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the glass before use and does not require any additional applications**
- Mask made with MonoShell technology: 2-phase co-molding of lenses, nylon frame and silicone facepiece
- Choice of high-quality materials: hypo-allergenic silicone 3mm tempered glass
- glass-filled nylon
- 100% hypoallergenic silicone
- Volume-reduced mask
- Wide field of view
- Easier compensation due to ergonomic nose.
- Adjustable strap via millimeter buckle attachment
- The rear part of the strap is enlarged to anable the mask to have a good seal



BLACK

160 gr.

SUGGESTED PACK
12pz.



PACKAGING: Blister box

COD.	COLOR
7600BAF	BLACK



photography by Alberto Balbi

FLY

- Maschera dal volume interno ridotto
- Fibbia regolabile, fissaggio micrometrico del cinturino
- Compensazione agevolata
- Tecnologia co-stampaggio di 3 materiali
- Forma lenti studiate per ottimo campo visivo
- Silicone interno ed esterno antiriflesso
- Materiale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask with low internal volume
- Adjustable buckle with micrometrically adjustable strap
- Facilitated compensation
- 3-material co-molding technology
- Lens shape designed for excellent field of vision
- Anti-reflective inner and outer silicone
- 100% hypoallergenic silicone material
- Design and Technical Concept made in Salvimar



138 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
7700B	BLACK
7700G	MILITARY GREEN


BLACK


MILITARY GREEN

MIMIC

- Volume estremamente ridotto
- Tecnologia innovativa con telaio co-stampato
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio micrometrico del cinturino
- Vetro temperato ultra resistente
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Extremely low volume
- Innovative technology with co-molded frame
- 3D comfort preformed nose
- Micrometrically adjustable strap attachment xxbuckle
- Ultra-resistant tempered glass
- Opaque inner silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



130 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
7900B	BLACK
7900G	MILITARY GREEN


BLACK


MILITARY GREEN

NOAH

- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio micrometrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



140 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
7000GG	GREY- GREY
7000GB	GREEN - BLACK
7000BB	BLACK - BLACK
000053WB	WHITE - BLUE



GREY - GREY



GREEN - BLACK



BLACK - BLACK



WHITE - BLUE

HATHOR

- Maschera per Pesca e Apnea con volume interno ridotto ed ampio campo visivo
- Fibbia in nylon regolabile con fissaggio micrometrico del cinturino
- Vetro temperato ultra resistente
- Silicone interno opaco per evitare la riflessione della luce
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- Mask for Spearfishing and Apnea with low internal volume and wide field of vision
- Nylon buckle with micrometrically adjustable strap
- Ultra-resistant tempered glass
- Opaque internal silicone to prevent light reflection
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



138 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
7800SB	SHINING BLU
7800B	BLACK



SHINING BLU



BLACK

GOBLIN

- Maschera realizzata con tecnologia MonoShell: costampaggio a 2 fasi di lenti, telaio in nylon e facciale in silicone
- Scelta dei materiali di alta qualità: silicone anallergico vetro temperato 3mm, nylon caricato vetro
- Ampio campo visivo
- 100% silicone anallergico
- Maschera a volume ridotto
- Ampio campo visivo
- Compensazione agevolata grazie all'ergonomia del naso.
- Cinghiolo regolabile tramite fissaggio millimetrico della fibbia
- Il Cinghiolo è dotato di un apertura posteriore che permette il fissaggio del boccaglio, riduce le vibrazioni della discesa e risalita

- Mask made with MonoShell technology: 2-phase co-molding of lenses, nylon frame and silicone facepiece
- Choice of high-quality materials: hypo-allergenic silicone 3mm tempered glass - glass-filled nylon
- 100% hypoallergenic silicone
- Volume-reduced mask
- Wide field of view
- Easier compensation due to ergonomic nose.
- Adjustable strap via millimeter buckle attachment
- The rear part of the strap is enlarged to anable the mask to have a good seal



160 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
7600B	BLACK



BLACK

NEO

- Tecnologia co-stampaggio
- Lente monoculare realizzata in vetro temperato
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio micrometrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- 3D comfort preformed nose
- Adjustable silicone strap
- Millimeter buckle
- Design and Technical Concept made in Salvimar



170 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN051	PETROL
SN050	WHITE
SN052	YELLOW
SN053	AQUAMARINE
SN054	PURPLE



PETROL



WHITE



YELLOW



AQUAMARINE



PURPLE

ENDLESS

- Maschera di concezione Frameless
- Ridotto volume interno
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio micrometrico del cinturino
- Vetro monoculare temperato ultraresistente
- Facciale 100% silicone ipoallergenico
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale conforme alla normativa D.P.I. EN 16805:2015

- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar



160 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN060	WHITE
SN061	PINK



WHITE



PINK

MORPHEUS

- Maschera dal volume interno ridotto
- Facciale in 100% silicone anallergico
- Fibbia in nylon regolabile con fissaggio micrometrico del cinturino
- Vetro temperato
- Design e Technical Concept made in Salvimar

- Mask with low internal volume
- 100% hypoallergenic silicone skirt
- Nylon adjustable buckle with micrometrically adjustable strap attachment
- Tempered glass
- Design and Technical Concept made in Salvimar



>> **Pag. 160 Lenti graduate - Prescription lenses**

150 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
000060SB	SHINING BLU
7400BB	BLACK - BLACK
7400BG	BLACK - GREEN
000060BL	BLUE - CLEAR
000060G	YELLOW - CLEAR



SHINING BLU



BLACK - BLACK



BLACK - GREEN



BLUE - CLEAR



YELLOW - CLEAR

MORPHEUS MID

- Facciale in 100% silicone anallergico
- Fibbia in nylon regolabile con fissaggio micrometrico del cinturino
- Vetro temperato
- Design e Technical Concept made in Salvimar

- 100% hypoallergenic silicone skirt
- Nylon adjustable buckle with micrometrically adjustable strap attachment
- Tempered glass
- Design and Technical Concept made in Salvimar



96 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN080	BLACK
SN081	SHINING BLU - BLACK
SN084	PETROL - YELLOW


BLACK


SHINING BLU / BLACK


PETROL / YELLOW

MORPHEUS MID

- Facciale in 100% silicone anallergico
- Fascia elastica regolabile
- Lenti con trattamento antiappannante in policarbonato
- Design e Technical Concept made in Salvimar

- 100% hypoallergenic silicone skirt
- Adjustable elastic band
- Lenses with polycarbonate anti-fog treatment
- Design and Technical Concept made in Salvimar



ANTI-FOG
SAFETY LENSES

96 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN082	TRANSP. - PETROL/YELLOW
SN083	TRANSP. - AQUAMARINE/CLEAR


T. - AQUAMARINE / CLEAR


T. - PETROL / YELLOW

TRINITY

- Maschera in silicone con attacco Action Cam integrato
- Vetro temperato
- Silicone anallergico di alta qualità
- Volume interno ridotto
- Design e Technical Concept made in Salvimar

- Silicone mask with integrated Action Cam attachment
- Tempered glass
- High quality hypoallergenic silicone
- Low volume inside
- Design and Technical Concept made in Salvimar



>> Pag. 160 Lenti graduate - Prescription lenses

172 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
000061BL	CLEAR - BLUE



CLEAR - BLUE




SNORKELING MASKS

photography by Alberto Balbi

INCREDIBLE

- Maschera di concezione “Minimal” ultra compatta e leggera
- Facciale 100% silicone, ipoallergenico di alta qualità
- Lenti con trattamento antiappannante in policarbonato
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Ultra compact and lightweight “Minimal” concept mask
- 100% silicone, high quality hypoallergenic skirt
- Lenses with polycarbonate anti-fog treatment
- Adjustable silicone strap
- Buckle with micrometric adjustment
- Design and Technical Concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device



60 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

ADULTsize

COD.	COLOR
000078B	CLEAR - CLEAR
000078A	BLUE - CLEAR
000078G	BLUE - WHITE
000078E	CLEAR - BLACK
000078C	SHINING BLU - CLEAR
000078D	AQUAMARINE - CLEAR



CLEAR - CLEAR



BLUE - CLEAR



CLEAR - BLACK



SHINING BLU - CLEAR



AQUAMARINE - CLEAR

CORAL

- Facciale 100% silicone ipoallergenico
- Lente monoculare realizzata in vetro temperato
- Ampio campo visivo
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- Wide field of vision
- Adjustable silicone strap
- Millimeter buckle
- D.P.I. EN 16805:2015 Individual Protection Device



192 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

ADULTsize

COD.	COLOR
SN011	YELLOW - PETROL
SN012	BLUE - CLEAR
SN010	RED - CLEAR



YELLOW - PETROL



BLUE - CLEAR



RED - CLEAR

HORIZON

- Facciale 100% silicone ipoallergenico mid size
- Trattamento speciale per antiappannamento
- Maschera con ampio campo visivo
- Mono lente Safety Lens
- Fascia elastica regolabile
- Design e Technical Concept made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone mid size skirt
- Special treatment for anti-fog
- Mask with wide field of view
- Single lens Safety Lens
- Adjustable elastic strap
- Design and Technical Concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device



ANTI-FOG SAFETY LENSES

MIDsize

120 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN072	PETROL-YELLOW
SN071	AQUAMARINE-WHITE
SN070	BLUE-WHITE



PETROL - YELLOW | WHITE-AQUAMARINE | WHITE-BLUE

RAY

- Facciale 100% silicone ipoallergenico
- Ampio campo visivo
- Vetro monoculare temperato ultraresistente
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% hypoallergenic silicone skirt
- Wide field of vision
- Ultra-strong tempered monocular glass
- Adjustable silicone strap
- Buckle with micrometric adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



MIDsize

173 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
SN020	BLACK - TRANSPARENT LIME - CLEAR
SN021	BLACK - TRANSPARENT PINK - CLEAR
SN022	YELLOW - PETROL - CLEAR



BLACK - T. LIME - CLEAR | BLACK - T. PINK - CLEAR | YELLOW - PETROL - CLEAR

FRANCY PRO Silicone

- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro bioculare "Safety Lens"
- Lenti con trattamento antiappannante
- Cinturino regolabile in silicone
- Design e concetto tecnico made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- 100% silicone skirt, high quality hypoallergenic
- Wide field of vision
- Biocular glass "Safety Lens"
- Lenses with anti-fog treatment
- Adjustable silicone strap
- Design and technical concept made in Salvimar
- D.P.I. EN 16805:2015 Individual Protection Device



135 gr.

SUGGESTED PACK 12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

MIDsize

COD.	COLOR
SN031	BLUE - CLEAR
SN030	YELLOW - CLEAR
SN032	RED - CLEAR



BLUE - CLEAR



YELLOW - CLEAR




RED - CLEAR

FULL VISION

- Facciale 100% Softil ipoallergenico di alta qualità
- Trattamento speciale per Antiappanamento
- Maschera con ampio campo visivo
- Lente monoculare "Safety Lens"
- Cinturino regolabile in Softil
- Fibbia con regolazione rapida
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- High-quality 100% Softil hypoallergenic skirt
- Special treatment for Anti-fog
- Biocular "Safety Lens" frame
- Adjustable Softil strap
- Buckle with rapid adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



165 gr.

SUGGESTED PACK 12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

ADULTsize

COD.	COLOR
WB0288BL	SOFTIL BLUE



SOFTIL BLUE

VICTORIA

- Facciale 100% Softil ipoallergenico di alta qualità
- Trattamento speciale per Antiappanamento
- Telaio Bioculare "Safety Lens"
- Cinturino regolabile in Softil
- Fibbia con regolazione rapida
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Skirt made of 100% Softil, a high-quality hypoallergenic material
- Wide field of vision
- Safety Lens biocular glass with anti-fog treatment
- Adjustable Softil strap
- Buckle with quick adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



150 gr.

SUGGESTED PACK 12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

ADULTsize

COD.	COLOR
WB0289BL	SOFTIL BLUE



SOFTIL BLUE

EMILY

- Facciale 100% Softil ipoallergenico di alta qualità
- Trattamento speciale per Antiappanamento
- Telaio Bioculare "Safety Lens"
- Cinturino regolabile in Softil
- Fibbia con regolazione rapida
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Skirt made of 100% Softil, a high-quality hypoallergenic material
- Wide field of vision
- Safety Lens biocular glass with anti-fog treatment
- Adjustable Softil strap
- Buckle with quick adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



135 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

MIDsize

COD.	COLOR
WB0294BL	SOFTIL BLUE



SOFTIL BLUE

FRANCY

- Facciale in Softil al 100%, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro bioculare Safety Lens con trattamento anti-appannamento
- Cinturino regolabile in Softil
- Fibbia con regolazione rapida
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Skirt made of 100% Softil, a high-quality hypoallergenic material
- Wide field of vision
- Safety Lens monocular glass with anti-fog treatment
- Adjustable Softil strap
- Buckle with quick adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



135 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

MIDsize

COD.	COLOR
WB0249BL	SOFTIL BLUE



SOFTIL BLUE

MILLY

- Facciale in Softil al 100%, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro monoculare Safety Lens con trattamento anti-appannamento
- Cinturino regolabile in Softil
- Fibbia con regolazione rapida
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

- Skirt made of 100% Softil, a high-quality hypoallergenic material
- Wide field of vision
- Safety Lens monocular glass with anti-fog treatment
- Adjustable Softil strap
- Buckle with quick adjustment
- D.P.I. EN 16805:2015 Individual Protection Device



150 gr.

SUGGESTED PACK
12pz.

PACKAGING: Blister box

ANTI-FOG SAFETY LENSES

CHILDsize

COD.	COLOR
SN041	BLUE - CLEAR



BLUE - CLEAR

LENTI GRADUATE
PRESCRIPTION LENSES



- Materiale: vetro temperato
- Compatibile con maschere Morpheus e Trinity
- Correzione della miopia -1.0° a -4.0
- Facili da montare
- Confezionate singolarmente

- Material: tempered glass
- Compatible with Morpheus and Trinity masks
- Correction of myopia from -1.0° to -4.0°
- Easy to install
- Individually packaged

	LENTE GRADUATA/ PRESCRIPTION LENS	COD.
	Lente Graduata -1.00 DX Morpheus e Trinity	LEN100D
	Lente Graduata -1.50 DX Morpheus e Trinity	LEN150D
	Lente Graduata -2.00 DX Morpheus e Trinity	LEN200D
	Lente Graduata -2.50 DX Morpheus e Trinity	LEN250D
	Lente Graduata -3.00 DX Morpheus e Trinity	LEN300D
	Lente Graduata -3.50 DX Morpheus e Trinity	LEN350D
	Lente Graduata -4.00 DX Morpheus e Trinity	LEN400D
NEW	Lente Graduata -4.50 DX Morpheus e Trinity	LEN450D
NEW	Lente Graduata -5.00 DX Morpheus e Trinity	LEN500D
	Lente Graduata -1.00 SIN Morpheus e Trinity	LEN100S
	Lente Graduata -1.50 SIN Morpheus e Trinity	LEN150S
	Lente Graduata -2.00 SIN Morpheus e Trinity	LEN200S
	Lente Graduata -2.50 SIN Morpheus e Trinity	LEN250S
	Lente Graduata -3.00 SIN Morpheus e Trinity	LEN300S
	Lente Graduata -3.50 SIN Morpheus e Trinity	LEN350S
	Lente Graduata -4.00 SIN Morpheus e Trinity	LEN400S
NEW	Lente Graduata -4.50 SIN Morpheus e Trinity	LEN450S
NEW	Lente Graduata -5.00 SIN Morpheus e Trinity	LEN500S

MONTAGGIO LENTI GRADUATE / GRADED LENS ASSEMBLY




MORPHEUS


TRINITY

TELAIO INTERNO
INNER FRAM

- Telaio interno di ricambio per il montaggio delle lenti sulle maschere Morpheus e Trinity

- Replacement inner frame for mounting lenses on Morpheus and Trinity masks

COD.	MASK	PACK
7400IF	MORPHEUS	PAIO
7500IF	TRINITY	PAIO



ANTIAPPANNANTE

- Antiappannante

- Antifog

SUGGESTED PACK
15pz.

COD.	ML.
400265	30

LACCIO SILICONE MASCHERA LUCIDO



- Cinturino in silicone lucido, compatibile con tutte le maschere Salvimar
- Massima elasticità, avvolgente e confortevole

- Shiny silicone strap, compatible with all Salvimar masks
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar

COLOR	COD.
BLACK	7000L
WHITE	7000LW
TRANSPARENT	7000LT

LACCIO SILICONE MASCHERA OPACO




- Cinturino in silicone opaco, compatibile con tutte le maschere Salvimar
- Massima elasticità, avvolgente e confortevole
- Design made in Salvimar

- Shiny silicone strap, compatible with all Salvimar masks
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar



COLOR	COD.
BLACK	7800L
SHINING BLU	7800LS

LACCIO SILICONE MASCHERA DRAKE



- Cinturino in silicone opaco
- Massima elasticità, avvolgente e confortevole
- Design made in Salvimar

- Shiny silicone strap
- Maximum elasticity, wrap-around and comfortable
- Design made in Salvimar

COLOR	COD.
BLACK	MSA001
SHINING BLU	MSA002
GREY	MSA003
WHITE	MSA004

BANDA ELASTICA MASCHERA DRAKE



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
BLACK	MSA006
WHITE	MSA007
ACID GREEN	MSA008

BANDA ELASTICA MASCHERA MORPHEUS MID



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
PETROL-YELLOW	SNA072/M
WHITE-AQUAMARINE	SNA071/M

BANDA ELASTICA MASCHERA HORIZON



- Banda elastica in tessuto morbido ed estensibile, confortevole e resistente
- Elastic band in soft, stretchable, comfortable and durable fabric

COLOR	COD.
PETROL-YELLOW	SNA072
WHITE-AQUAMARINE	SNA071
WHITE-BLUE	SNA070

BITE AIR

- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design



BLACK PETROL SHINING BLU



MILITARY GREEN WHITE YELLOW ACQUA MARINE PURPLE







SUGGESTED PACK
12pz.

	COLOR	COD,
	PETROL	700300P
	SHINING BLU	700300SB
	MILITARY GREEN	700300G
	BLACK	700300B
	WHITE	700300W
	YELLOW	700300Y
	ACQUA MARINE	700300A
NEW	PURPLE	700300PU

ELLIPSIS

- Snorkel con morso preformato in silicone anallergico
- Tubo in PVC morbido di forma ellittica
- Lunghezza del tubo adatta per la respirazione anche con mare formato
- Posizionamento regolabile dello snorkel sulla testa per una comoda e personalizzata vestibilità

- Snorkel with preformed, hypoallergenic silicone mouthpiece
- Soft, elliptical-shaped PVC tube
- Length of snorkel suitable for breathing even in big seas
- Adjustable snorkel placement on the head for a comfortable, customized fit



MILITARY GREEN



KRYPSIS CAMU



BLACK







SUGGESTED PACK
12pz.

COLOR	COD,
BLACK	700400B
MILITARY GREEN	700400G
KRYPSIS CAMU	700400K

TIME

- Snorkel con tubo flessibile e morbido
- Morso realizzato in silicone anallergico
- Passante fissa tubo regolabile in altezza

- Snorkel with soft flexible tube
- Mouthpiece made of hypoallergenic silicone
- Fixing loop of the tube adjustable in height



BLACK



SUGGESTED PACK
12pz.

COLOR	COD,
BLACK	700200B

TIME SPLASH

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



BLUE - CLEAR



YELLOW - CLEAR



BLACK - CLEAR



SUGGESTED PACK
12pz.

COLOR	COD,
BLUE - CLEAR	000171BL
YELLOW - CLEAR	000171G
BLACK - CLEAR	000171BK

DORY

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale ad area maggiorata

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Oversized area directional splash guard



BLUE - CLEAR



CLEAR BLUE - CLEAR



YELLOW - CLEAR



SUGGESTED PACK
12pz.

COLOR	COD,
BLUE - CLEAR	SNB010
CLEAR BLUE - CLEAR	SNB011
CLEAR YELLOW - CLEAR	SNB012

DEB

- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



YELLOW - CLEAR



AQUAMARINE - CLEAR



PETROL - CLEAR



SUGGESTED PACK
12pz.

COLOR	COD,
AQUAMARINE - CLEAR	SNB023
PETROL - CLEAR	SNB020
YELLOW - CLEAR	SNB021

CLASSIC

- Boccaglio in softil ipoallergenico
- Passante fissatubo regolabile
- Fascetta "Mirror" 360°, per una rapida identificazione

- Hypoallergenic softil mouthpiece
- Adjustable hose-fixing loop
- 360° "Mirror" strap for quick identification



BLACK



SUGGESTED PACK
12pz.

COLOR	COD,
BLACK - CLEAR	WB0364BK

COMBO SET NOAH ANTI FOG

NOAH ANTI FOG Mask + BITE AIR Snorkel



HYDROPHOBIC GLASS ANTI FOG

NOAH ANTI FOG Mask + BITE AIR Snorkel
- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Maschera con volume interno ridotto
- Tecnologia innovativa con telaio co-stampato
- Design del naso preformato
- Ampio campo visivo
- Fibbia regolabile con fissaggio micrometrico
- Vetro temperato ultra resistente
- Silicone interno opaco
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

BITE AIR Snorkel
- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

NOAH ANTI FOG Mask + BITE AIR Snorkel
- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- Mask with low internal volume
- Innovative technology with co-molded frame
- Preformed nose design
- Wide field of vision
- Micrometrically adjustable buckle
- Ultra tough tempered glass
- Opaque inner silicone to avoid reflections
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar

BITE AIR Snorkel
- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design

COD.	COLOR
BLACK - BLACK	SNC090

SUGGESTED PACK
6pz.



photography by Alberto Balbi



COMBO SET NEO ANTI FOG

NEO ANTI FOG Mask + BITE AIR Snorkel



HYDROPHOBIC GLASS ANTI FOG

NEO ANTI FOG Mask + BITE AIR Snorkel
- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso,non necessita di altre appicazioni**
- Tecnologia co-stampaggio
- Lente monoculare realizzata in vetro temperato
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio micrometrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar

BITE AIR Snorkel
- Snorkel extrasoft con morso anatomico in silicone anallergico per un prolungato utilizzo
- Passante fissa tubo regolabile in altezza
- Design made in Salvimar

NEO ANTI FOG Mask + BITE AIR Snorkel
- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- 100% hypoallergenic silicone skirt
- Monocular lens made of tempered glass
- 3D comfort preformed nose
- Adjustable silicone strap
- Millimeter buckle
- Design and Technical Concept made in Salvimar

BITE AIR Snorkel
- Extrasoft snorkel with anatomical hypoallergenic silicone mouthpiece for prolonged use
- Fixing loop of the tube adjustable in height
- Salvimar-made design



BLACK



SHINING BLU

COD.	COLOR
SNC060	BLACK
SNC061	SHINING BLU
SNC062	AQUAMARINA

SUGGESTED PACK
6pz.

COMBO SET MORPHEUS ANTI FOG

MORPHEUS Mask + TIME SPLASH Snorkel



HYDROPHOBIC GLASS ANTI FOG

MORPHEUS Mask
- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvimar

TIME SPLASH Snorkel
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

MORPHEUS Mask
- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvimar

TIME SPLASH Snorkel
- Hypoallergenic silicone snorkel
- Silicone drain-fixing loop
- Adjustable hose-fixing loop
- Directional splash guard



BLUE - CLEAR



BLACK - BLACK

COD.	COLOR
SNC070	BLUE - CLEAR
SNC071	BLACK - BLACK

SUGGESTED PACK
6pz.

COMBO SET MORPHEUS MID ANTI FOG

MORPHEUS MID Mask + DEB Snorkel



HYDROPHOBIC GLASS ANTI FOG

MORPHEUS Mask
- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare Safety Lens
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Design e concetto tecnico made in Salvimar

DEB Snorkel
- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Paraspruzzi direzionale
- Passante fissatubo regolabile

MORPHEUS MID Mask
- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens Safety Lens
- Adjustable elastic strap
- Design and technical concept made in Salvimar

DEB Snorkel
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



AQUAMARINE



AQUAMARINE

COD.	COLOR
SNC080	PETROL - YELLOW
SNC081	AQUAMARINE

SUGGESTED PACK
6pz.

COMBO SET HORIZON

HORIZON Mask + DEB Snorkel



ANTI-FOG SAFETY LENSES

HORIZON Mask
- Facciale 100% silicone ipoallergenico mid size
- Trattamento speciale per antiappannamento
- Maschera con ampio campo visivo
- Mono lente Safety Lens
- Fascia elastica regolabile
- Design e Technical Concept made in Salvimar

DEB Snorkel
- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

HORIZON Mask
- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens Safety Lens
- Adjustable elastic strap
- Design and technical concept made in Salvimar

DEB Snorkel
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard



PETROL - YELLOW



AQUAMARINE

COD.	COLOR
SNC040	PETROL - YELLOW
SNC041	AQUAMARINE

SUGGESTED PACK
6pz.

COMBO SET RAY

RAY Mask + DEB Snorkel



RAY Mask
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro monoculare temperato ed ultraresistente
- Cinturino in silicone con fibbia regolabile

DEB Snorkel
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

RAY Mask
- 100% silicone skirt, high quality hypoallergenic
- Wide field of vision
- Tempered high resistant monocular glass
- Silicone strap with adjustable buckle

DEB Snorkel
- Hypoallergenic silicone mouthpiece
- Adjustable hose-fixing loop
- "Mirror" 360° strap.



YELLOW - BLACK

COD.	COLOR
SNC020	YELLOW - BLACK

SUGGESTED PACK
6pz.

COMBO SET FRANCY PRO

FRANCY PRO Mask + TEDDY Snorkel



ANTI-FOG SAFETY LENSES

FRANCY Mask
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare Safety Lens, anti - fog
- Cinturino in silicone con fibbia regolabile
- Design e concetto tecnico made in Salvimar

TEDDY Snorkel
- Boccaglio in silicone ipoallergenico
- Passante fissatubo regolabile
- Fascetta "Mirror" 360°

FRANCY pro Mask
- 100% silicone skirt, high quality hypoallergenic
- Wide field of vision
- "Safety Lens" biocular glass, anti-fog
- Silicone strap with adjustable buckle

TEDDY Snorkel
- Hypoallergenic silicone mouthpiece
- Adjustable hose-fixing loop
- "Mirror" 360° strap.



BLUE - CLEAR



YELLOW - CLEAR

COD.	COLOR
SNC031	BLUE - CLEAR
SNC030	YELLOW - CLEAR

SUGGESTED PACK
6pz.

COMBO SET MORPHEUS

MORPHEUS Mask + TIME SPLASH Snorkel



MORPHEUS Mask
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Vetro bioculare temperato ed ultraresistente
- Cinturino in silicone con fibbia regolabile
- Design e concetto tecnico made in Salvimar
- Dispositivo di protezione individuale D.P.I. EN 16805:2015

TIME SPLASH Snorkel
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

MORPHEUS Mask
- 100% silicone, high-quality hypoallergenic skirt
- Wide field of view
- Tempered, ultra-strong biocular glass
- Silicone strap with adjustable buckle
- Design and technical concept made in Salvimar

TIME SPLASH Snorkel
- Hypoallergenic silicone snorkel
- Silicone drain-fixing loop
- Adjustable hose-fixing loop
- Directional splash guard



BLUE - CLEAR



YELLOW - CLEAR

COD.	COLOR
000065BL	BLUE - CLEAR
000065G	YELLOW - CLEAR

SUGGESTED PACK
6pz.

COMBO SET MORPHEUS MID

MORPHEUS MID Mask + DEB Snorkel



MORPHEUS Mask
- Facciale 100% silicone, ipoallergenico di alta qualità
- Ampio campo visivo
- Lente bioculare Safety Lens
- Cinturino regolabile in silicone
- Fibbia con regolazione micrometrica
- Design e concetto tecnico made in Salvimar

DEB Snorkel
- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Paraspruzzi direzionale
- Passante fissatubo regolabile

MORPHEUS MID Mask
- 100% silicone skirt, high quality hypoallergenic
- Wide field of view
- Special treatment for anti-fog
- Biocular lens Safety Lens
- Adjustable elastic strap
- Design and technical concept made in Salvimar

DEB Snorkel
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard
- Directional splash guard



PETROL - YELLOW



AQUAMARINE

COD.	COLOR
SNC050	PETROL / YELLOW
SNC051	AQUAMARINE

SUGGESTED PACK
6pz.

MORPHEUS ANTI FOG NOBILIS TRIS





PACKAGING: PVC bag

MORPHEUS Mask Blue
- **Lenti in vetro temperato con innovativo trattamento Anti Fog, integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando le lenti prima dell'uso, non necessita di altre appicazioni**
- Maschera con volume interno ridotto
- Facciale 100% silicone ipoallergenico
- Telaio bioculare ribassato centralmente
- Naso preformato 3D comfort
- Cinturino regolabile in silicone
- Fibbia millimetrica
- Design e Technical Concept made in Salvimar
- Maschera con D.P.I. EN 16805:2015

TIME SPLASH Snorkel Clear
- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

NOBILIS Fins Blue
- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

MORPHEUS Mask Blue
- **Tempered glass lenses, with an innovative Anti-Fog treatment integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the lenses before use and does not require any additional applications**
- Centrally lowered dual-lens frame
- 3D pre-shaped nose for comfort
- Adjustable silicone strap
- Micro-adjust buckle
- Design & technical concept made in Salvimar
- Certified to EN 16805:2015 PPE standards

TIME SPLASH Snorkel Blue
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard

NOBILIS Fins Blue
- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.

HYDROPHOBIC GLASS ANTI FOG

COD.	COLOR	SIZES
SNT01234	BLUE	34/35
SNT01236	BLUE	36/37
SNT01238	BLUE	38/38
SNT01240	BLUE	40/41
SNT01242	BLUE	42/43
SNT01244	BLUE	44/45
SNT01246	BLUE	46/47

NEO ANTI FOG NOBILIS TRIS





PACKAGING: PVC bag

NEO Mask Black
- **Monolente in vetro temperato, con innovativo trattamento Anti Fog integrato direttamente nel vetro tramite la sua speciale composizione chimica**
- **Il trattamento si attiva bagnando il vetro prima dell'uso, non necessita di altre appicazioni**
- Tecnologia co-stampaggio
- Ampio campo visivo
- Naso preformato 3D comfort
- Fibbia regolabile con fissaggio millimetrico del cinturino
- Facciale 100% silicone anallergico
- Design e Technical Concept made in Salvimar
- Conforme alla normativa D.P.I. EN 16805:2015

TIME SPLASH Snorkel Black
- Tubo con curvatura anatomica
- Boccaglio in silicone ipoallergenico
- Valvola di scarico in silicone
- Passante fissatubo regolabile
- Paraspruzzi direzionale

NOBILIS Fins Black
- Pinna da snorkeling leggera e confortevole
- Versione a scarpetta chiusa in materiale morbido e resistente
- Pala performante con ottimo ritorno elastico, ottimizza le prestazioni
- Scarpetta: Thermoflex inclinata
- Pala: P.P. ad alto grado di performance

NEO Mask Black
- **Monocular tempered glass with an innovative Anti-Fog treatment, integrated directly into the glass through its special chemical composition**
- **The treatment is activated by wetting the glass before use and does not require any additional applications**
- Co-molding technology
- Wide field of view
- 3D comfort preformed nose
- Adjustable buckle with micrometrically adjustable strap attachment
- 100% hypoallergenic silicone skirt
- Design and Technical Concept made in Salvimar
- Certified to EN 16805:2015 PPE standards

TIME SPLASH Snorkel Black
- Anatomically curved tube
- Hypoallergenic silicone mouthpiece
- Silicone drain valve
- Adjustable hose-fixing loop
- Directional splash guard

NOBILIS Fins Black
- Lightweight and comfortable snorkeling fin
- Full foot pocket version made of soft and durable material
- Performing blade with excellent elastic reaction, optimizes performance
- Shoe: sloping Thermoflex
- Blade: high performance P.P.


HYDROPHOBIC GLASS ANTI FOG

COD.	COLOR	SIZES
SNT01334	BLACK	34/35
SNT01336	BLACK	36/37
SNT01338	BLACK	38/38
SNT01340	BLACK	40/41
SNT01342	BLACK	42/43
SNT01344	BLACK	44/45
SNT01346	BLACK	46/47

JEKO

- Lenti con trattamento antiappannante in policarbonato
- Tecnologia innovativa con lenti co-stampate
- Ottimo campo visivo
- Facciale avvolgente in silicone per una massima aderenza al viso
- Nessun segno intorno agli occhi
- Fibbia con regolazione micrometrica del cinturino
- Lenti Blue, Clear e Smoked
- Design e concetto tecnico made in Salvimar

- Polycarbonate anti-fog treated lenses
- Innovative technology with co-molded lenses
- Excellent field of vision
- Silicone wrap-around facepiece for maximum adherence to the face
- No marks around the eyes
- Buckle with micrometric strap adjustment
- Design and technical concept made in Salvimar



SUGGESTED PACK
24pz.

PACKAGING: Blister box

	COD.	COLOR
	000076A	CLEAR - BLUE
	000076B	CLEAR - CLEAR
	000076C	CLEAR - SMOKED
	000076D	BLACK - SMOKED
NEW	000076E	BLACK - CLEAR
NEW	000076F	SHINING BLU - SMOKED

ANTI-FOG SAFETY LENSES


CLEAR - BLUE


CLEAR - CLEAR


CLEAR - SMOKED


BLACK - SMOKED


BLACK - CLEAR


SHINING BLU - SMOKED

FREEDOM

- Occhialini nuoto piscina/mare in silicone
- Ampio campo visivo
- Fibbie a regolazione rapida
- Lenti con trattamento antiappannante in policarbonato

- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate anti-fog treated lenses



SUGGESTED PACK
12pz.

PACKAGING: Blister box

COD.	COLOR
OCC112	YELLOW - PETROL
OCC111	LIGHT BLUE - CLEAR
OCC110	GREY - BLACK

ANTI-FOG SAFETY LENSES


YELLOW - PETROL


LIGHT BLUE - CLEAR


GREY - BLACK

FREEDOM JR

- Occhialini nuoto piscina/mare in silicone
- Ampio campo visivo
- Fibbie a regolazione rapida
- Lenti con trattamento antiappannante in policarbonato

- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate anti-fog treated lenses



ANTI-FOG SAFETY LENSES

SUGGESTED PACK 12pz.

PACKAGING: Blister box

COD.	COLOR
OCC121	RED - CLEAR
OCC122	YELLOW - LIGHT BLUE
OCC120	LIGHT BLUE - CLEAR


RED - CLEAR


YELLOW - LIGHT BLUE


LIGHT BLUE - CLEAR

FRIPP

- Occhiale nuoto piscina/mare in silicone
- Ampio campo visivo
- Super confortevole
- Fibbie a regolazione rapida
- Lenti con trattamento antiappannante in policarbonato

- Silicone pool/sea swimming goggles
- Wide field of vision
- Quick-adjust buckles
- Polycarbonate anti-fog treated lenses



SUGGESTED PACK 12pz.

PACKAGING: Blister box

COD.	COLOR
OCC130	RED - WHITE
OCC131	LIGHT BLUE - WHITE


RED - WHITE


LIGHT BLUE - WHITE

NOSE CLIP



- Molla in acciaio inox
- Cuscinetti in lattice naturale
- Design ergonomico
- Leggero e resistente

- Stainless steel spring
- Natural latex bearings
- Ergonomic design
- Lightweight and durable

COLOR	COD.
AWS0020	ACID GREEN

SWIM CAP



- Materiale: 100% silicone di alta qualità
- Ottima elasticità per un comfort superiore
- Resistente al cloro
- Spessore variabile per una compression ottimale

- Material: 100% high-quality silicone
- Excellent elasticity for superior comfort
- Chlorine-resistant
- Variable thickness for optimal compression

COLOR	COD.
AWS0010	BLACK
AWS0011	ROYAL BLUE
AWS0012	SILVER

KIT COPPER SLEEVES



Ø	KIT	COD.
1,6	25	AP051
2,3	25	AP051/2
1,6	500	400270/16
2,3	500	400270/23

SNAP CLIP



- Moschettone con girella in ottone SNAP CLIP
- Quick rolling SNAP in tainless Steel/Pure Brass

KIT	COD.
5 pz	AP072

MOSCHETTONE INOX



Moschettone inox
Snap clip stainless steel

MAX LOAD CAPACITY	Ø	LENGHT	KIT	COD.
50	2,0mm	80 mm	5 pz	AP070/20
100	2,6mm	100mm	5 pz	AP070/26
150	3,0mm	100mm	3 pz	AP070/30
200	3,5mm	125mm	2 pz	AP070/35


MOSCHETTONI



Moschettone inox
Snap clip stainless steel

MAX LOAD CAPACITY	LENGHT	KG.	COD.
HEAVY DUTY INOX AISI 316	50mm	100 kg	AP073/050
HEAVY DUTY INOX AISI 316	70mm	300 kg	AP073/070
HEAVY DUTY INOX AISI 316	100mm	500 kg	AP073/100
SINGOLO INOX AISI 316	80mm	100 kg	AP074/080
SINGOLO INOX AISI 316	100mm	150 kg	AP074/100
SINGOLO INOX AISI 316	120mm	180 kg	AP074/120
DOPPIO INOX AISI 316	76mm	40 kg	AP075/076
DOPPIO INOX AISI 316	100mm	90 kg	AP075/100
DOPPIO INOX AISI 316	115mm	110 kg	AP075/115

SWIVEL



- Realizzato in ottone resistente alla corrosione
- Trattamento di nichelatura per una maggiore durabilità
- Include O-ring in NBR/90 per una perfetta tenuta

- Made of corrosion-resistant brass
- Nickel-plated for enhanced durability
- Includes NBR/90 O-ring for optimal sealing

	KIT	COD.		KIT	COD.
NEW	5	AFRUST01A	NEW	20	AFRUST01B

TAPPO DI PROTEZIONE ATTACCO DIN PER EROGATORE



- Materiale: Delrin
- Compatibile con attacchi DIN per erogatori
- Filettatura interna per avvitamento sicuro
- Protegge da polvere, sabbia, umidità e salsedine
- Leggero e resistente alla corrosione
- Colore: nero

- Material: Delrin
- Compatible with DIN regulator connections
- Internal thread for secure screwing
- Protects against dust, sand, moisture, and salt
- Lightweight and corrosion-resistant
- Color: black

	COD.
NEW	ACCD001

SHAKER AVVISATORE ACUSTICO



Shaker avvisatore acustico

Shaker

COLOR	COD.
BLUE	AP031
BLACK	AP031B

BOCCAGLIO IN SILICONE



Boccaglio in silicone per erogatori

Silicon mouthpiece for regulators

COLOR	COD.
BLACK	AE140
CLEAR	AE140TR

ADATTATORE DIN



- Adattatore/inserto per rubinetto della bombola
- In ottone cromato
- Facile inserimento
- Converte la rubinetteria da DIN a INT e viceversa

- Conversion bracket for DIN connections.
- Made of chrome-plated brass
- Easy insertion
- Converts a DIN 200 BAR connection into an INT connection

COD.
ACSC001

SALVIMAR Officine introduce una vasta gamma di fruste conformi all'attuale direttiva europea 89/686/CE aventi come norma di riferimento la EN250:2014.
Ogni frusta viene accuratamente assemblata con macchine di ultima generazione e successivamente testate.
Nell'ampia gamma troviamo le fruste di bassa pressione per erogatori, fruste per giubbetti ad assetto variabile e fruste HP per manometri, tutte disponibili in varie lunghezze.
Il "Made in Italy" garantisce affidabilità, sicurezza, assortimento e disponibilità immediata.

SALVIMAR Workshops introduces a wide range of hoses compliant with the current European directive 89/686/EC having EN250:2014 as reference standard.
Each hose is carefully assembled with the latest generation machines and then tested.
The wide range includes low pressure hoses for regulators, hoses for buoyancy control jackets and HP hoses for pressure gauges, all available in various lengths.
"Made in Italy" guarantees reliability, safety, stock and immediate availability.



FRUSTA BASSA PRESSIONE JACKET

Frusta LP con attacco 3/8" e innesto rapido standard. Robusta, flessibile e compatibile con tutti i GAV più comuni. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

Jacket Low Pressure Hose LP hose with 3/8" connector and standard quick coupling. Robust, flexible and compatible with all common BCDs. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
BLACK	74cm	ACDVF010



FRUSTA BASSA PRESSIONE EROGATORE

Frusta LP con attacco 3/8"M e raccordo 9/16"F, robusta e flessibile. Compatibile con la maggior parte degli erogatori in commercio. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

Regulator Low Pressure Hose LP hose with 3/8"M connector and 9/16"F fitting, robust and flexible. Compatible with most regulators on the market. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
BLACK	71cm	ACDVF011
BLACK	76cm	ACDVF012



FRUSTA BASSA PRESSIONE OCTOPUS

Frusta LP cm 100 con attacco 3/8"M e raccordo 9/16"F, robusta e flessibile. Compatibile con la maggior parte degli erogatori in commercio nella versione Octopus. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

Octopus Low Pressure Hose LP hose, 100 cm, with 3/8"M connector and 9/16"F fitting, robust and flexible. Compatible with most regulators on the market in the Octopus version. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
YELLOW	100cm	ACDVF013





FRUSTA HP

Frusta manometro alta pressione con attacchi 7/16"M e 7/16"F, dotata di swivel inserito. Prodotto conforme all'uso come parte dei DPI (Dispositivi di Protezione Individuale).

HP Hose High pressure gauge hose with 7/16"M and 7/16"F connectors, equipped with inserted swivel. Product compliant for use as part of PPE (Personal Protective Equipment).

COLOR	LENGTH	COD.
BLACK	18cm	ACDVF014
BLACK	80cm	ACDVF015


SALVIMAR



TORCHES

photography by Alberto Balbi

ANTARES



- Ricarica USB-C incorporata
- LED: SST40 (Max 1800 Lumen)
- Temperatura Colore: 6500 K
- Autonomia: 120 min
- Parabola: alluminio con superficie liscia
- Ampiezza del fascio di luce: 16° hot spot
- Trattamento della superficie: anodizzazione
- Batteria: 21700/5000mAh Li-ion
- Protezione in caso di inserimento della batteria con polaritxxà invertita
- Impermeabilità IPX8: fino a - 60 metri
- Dimensioni: 172 mm (lunghezza) x 42,5 mm (Ø max testata-torcia).
- Peso netto: circa 263 g. (senza batteria)

- Built-in USB-C charging
- LED: SST40 (Max 1800 lumens)
- Color temperature: 6500 K
- Runtime: 120 min
- Reflector: aluminum with smooth surface
- Light beam angle: 16° hot spot
- Surface treatment: anodization
- Battery: 21700/5000mAh Li-ion
- Protection in case of battery insertion with reversed polarity
- IPX8 waterproofing: up to
- 60 meters
- Dimensions: 172 mm (length) x 42.5 mm (lamp head max Ø).
- Net weight: approximately 263 g (without battery)

LENGHT	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
172mm	263gr.	- 100mt	SST40	1800LM	6000K	21700 Lithium-ion	120 min

COLOR	COD.
BLACK	TOR040

SUGGESTED PACK
6pz.

GALACTIKA



- Ricarica a connessione magnetica
- LED SST40 1500 Lumen
- Ampiezza del fascio di luce: 11° hot spot
- Autonomia: 140 min
- Tempo di ricarica: 5h
- Batteria: 1 x 21700 Ioni litio integrata non sostituibile.
- Impermeabilità: IPX8 fino a -100 metri
- Dimensioni: diametro 38 x 161 mm
- Peso netto: 196g
- La torcia ha un unico tasto a scorrimento e 2 modalità di utilizzo:
  1. Scorrimento
- accensione torcia a 1500 Lumen 2. Scorrimento e tenuta per più di 2 secondi
- modalità di emergenza (La modalità di emergenza consiste nell'accensione intermittente del LED posto nella parte posteriore della torcia)
- Led luminoso verde, carica 100%
- Ricarica a connessione magnetica
- Per i cicli di carica/scarica della batteria GALACTIKA, il totale dei cicli è superiore a 1000 volte

- Magnetic connection recharge
- LED SST40 1500 lumens
- Light beam angle: 11° hot spot
- Runtime: 140 min
- Recharge time: 5h
- Battery: 1 x 21700 Lithium Ion built-in non-replaceable.
- Waterproofness: IPX8 down to -100 meters
- Dimensions: diameter 38 x 161 mm
- Net weight: 196g
- The flashlight has a single slide button and 2 modes of use: 1. Sliding
- turn on flashlight at 1500 lumens 2. Sliding and hold for more than 2 seconds
- emergency mode
- Green LED light, 100% charge
- Charging by magnetic connection
- For GALACTIKA battery charge/discharge cycles, it is total cycle times more than 1000 times

LENGHT	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
161mm	196gr	-100 m	1500 LM	6500K	n°1 x 21700 Li - Ion	140 min

COLOR	COD.
GREEN - BLACK	TOR010

SUGGESTED PACK
12pz.

LIGHT BLAST





- LED XM-L2 U2
- Temperatura colore: 6500 K
- Luminosità massima: 1200 Lumen
- Parabola: alluminio con superficie liscia
- Trattamento superficiale: anodizzazione premium aggiuntiva
- Protezione contro lo scarico eccessivo della batteria
- Protezione contro l'inversione di polarità
- Voltaggio operativo: da 4.2 V a 2.8 V
- Profondità operativa: fino a -60 metri
- Ricarica USB-C incorporata, con indicatore di stato

- LED XM-L2 U2
- Color temperature: 6500 K
- Maximum brightness: 1200 lumens
- Reflector: aluminum with smooth surface
- Surface treatment: additional premium anodizing
- Battery over discharge protection
- Reverse polarity protection
- Operating voltage: 4.2 V to 2.8 V
- Operating depth: down to -60 meters
- Built-in USB-C charging, with status indicator


LENGHT	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
158mm	205gr	-60 m	1200 LM	6500K	n° 1 18650 Li-ion	120 min

COLOR	COD.
BLACK	400020

SUGGESTED PACK
12pz.

SPOTLIGHT





- Indicatore di carica e interruttore
- Power light and switch

- LED XP-G2 R5 (Max 400 Lumen)
- Temperatura Colore: 6500 K
- Autonomia: 120 min
- Parabola: alluminio con superficie liscia
- Lente: 4 mm in vetro temperato
- Ampiezza del fascio di luce: 8° hot spot
- Trattamento della superficie: anodizzazione premium aggiuntiva
- Batteria: AAA x 3
- Protezione dall'inversione di polarità
- Range di voltaggio: da 4.5 V a 2.7 V
- Profondità operativa: fino a - 100 metri
- Dimensioni: 130 mm (lunghezza) *40 mm (diametro max della testa) * 30 mm (diametro del corpo)
- Peso netto: circa 200 g. (senza batterie)
- Peso lordo: circa 234 g. (con batterie)
- Peso sott'acqua: circa 130 g. (con batterie)
- Batterie non fornite di serie

- LED XP-G2 R5 (Max 400 lumens)
- Color temperature: 6500 K
- Runtime: 120 min
- Reflector: aluminum with smooth surface
- Lens: 4 mm tempered glass
- Light beam angle: 8° hot spot
- Surface treatment: additional premium anodization
- Battery: AAA x 3
- Reverse polarity protection
- Voltage range: from 4. 5 V to 2.7 V
- Operating depth: up to
- 100 meters
- Dimensions: 130 mm (length) *40 mm (max head diameter) * 30 mm (body diameter)
- Net weight: about 200 g. (without batteries)
- Gross weight: about 234 g. (with batteries)
- Underwater weight: about 130 g. (with batteries)
- Batteries not supplied as standard

LENGHT	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
130mm	200 g	-100 m	400 LM	6500 K	AAA x 3	120 min

COLOR	COD.
BLACK	400030

SUGGESTED PACK
12pz.

LECOLED





- CREE led Q5 da 3w - dissipatore in alluminio
- CREE 3W Q5 LED - aluminum dissipator

- Potente e compatta torcia
- Ideale per la pesca subacquea
- Corpo in policarbonato
- Ghiera di dissipazione in alluminio
- Parabola in materiale sintetico anti ossidazione
- Utilizza un singolo CREE led Q5 da 3w, in grado di sprigionare 340 lumen (circa 7000 lux ad 1 m)
- Fascio concentrato(XR-E led size) a temperatura colore di 6000K
- Alimentazione con 4 batterie AA da 1,5V o AA ricaricabili (2700mAh)
- Autonomia 5 ore, equivalente a 17 ore con accensioni intermittenti* (60 sec on, 180 sec off)
- Subacquea fino a 50m
- Accensione magnetica

* L'autonomia e le prestazioni possono variare in funzione delle batterie utilizzate

- Powerful and compact flashlight
- Ideal for spearfishing
- Polycarbonate body
- Aluminum dissipation ring
- Reflector made of anti-oxidation synthetic material
- Uses a single 3w CREE led Q5, capable of giving off 340 lumens (about 7000 lux at 1 m)
- Concentrated beam(XR-E led size) at color temperature of 6000K
- Powered by 4 x 1 AA batteries, 5V or rechargeable AA (2700mAh)
- Autonomy 5 hours or up to 17 hours with intermittent switching (60 sec on, 180 sec off)
- Underwater up to 50m
- Magnetic switch-on
- Autonomy and performance may vary depending on batteries used

LENGHT	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
160mm/6.3inch	230gr.	- 50mt	high power 3W CREE	340LM	6000K	4 x AA 1.5V	5 - 17h*

COLOR	COD.
BLACK	400000


SUGGESTED PACK
12pz.



photography by Cristian Umili

GALACTIKA MAX PRO









- Potenza luminosa: 3 LED SST40 – fino a 4500 lumen
- Fascio luminoso: stretto, con hot spot a 8° per illuminazione concentrata
- Autonomia:
  4500 lm: fino a 250 minuti
  2200 lm (risparmio): fino a 450 minuti
- Modalità operative (controllo con tasto a scorrimento):
  1° scorrimento: accensione massima potenza
  2° scorrimento (entro 5 sec): modalità risparmio energetico
  3° scorrimento (entro 5 sec): modalità SOS
  Scorrimento dopo 5 sec: spegnimento
- Batteria: integrate, 3x21700 Li-Ion da 15000 mAh (non sostituibili)
- Ricarica: magnetica tramite cavo USB (in dotazione)
- Indicatore carica:
  Lampeggio LED sotto il 15% di carica
  LED fisso: batteria completamente carica
- Impermeabilità: certificazione IPX8, resistente fino a -100 metri
- Dimensioni: 57 x 232 mm
- Peso: 535 g

- Light output: 3 SST40 LEDs – up to 4500 lumens
- Beam angle: narrow 8° hot spot for focused lighting
- Runtime:
  4500 lm: up to 250 minutes
  2200 lm (eco mode): up to 450 minutes
- Operating modes (controlled by sliding switch):
  1st slide: turn on at full power
  2nd slide (within 5 sec): power-saving mode
  3rd slide (within 5 sec): SOS mode
  Slide after 5 sec: power off
- Battery: built-in 3x21700 Li-Ion, 15000 mAh (non-replaceable)
- Charging: magnetic connection with USB cable (included)
- Charge indicator:
  Flashing LED: battery below 15%
  Steady LED: fully charged
- Waterproof: rated IPX8, resistant up to -100 meters
- Dimensions: 57 x 232 mm
- Weight: 535 g

LENGHT	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
232mm/9.13inch	535gr.	- 100mt	3*SST40	4500 Lumen	6500K	3x 21700, 1500 mAh (Li-ion)	250 min

SUGGESTED PACK
12pz.



PACKAGING: Box rigido

COLOR	COD.
BLACK	TOR012

RIGEL





- n° 3 LED XM-L2 U2
- Tempertura colore: 6500 K
- Livello max. luminosità: 3800 Lumens
- Autonomia:250 min
- Parabola: alluminio con superficie Liscia
- Trattamento superficie: Anodizzazione Premium aggiuntiva
- Batteria: n°2 batterie 26650 Lithium-ion ricaricabile (4000 mAh,3,7 V)
- Protezione contro lo scarico eccessivo della batteria
- Protezione contro l'inversione di polarità
- Operatività di voltaggio 4.2 V a 2.8 V
- Profondità operativa : fino a -100 metri
- Dimensioni 255mm (Lunghezza) * 60 mm (diametro max. della testa)
- Peso Netto: circa 580 gr. (senza Batteria)
- Ricarica USB-C incorporata, con indicatore

- No. 3 XM-L2 U2 LEDs
- Color temperature: 6500 K
- Max. brightness level: 3800 Lumens
- Autonomy:250 min
- Reflector: aluminum with Smooth surface
- Surface treatment: Additional Premium Anodizing
- Battery: No. 2 26650 Lithium-ion rechargeable batteries (4000 mAh,3.7 V)
- Battery over discharge protection
- Reverse polarity protection
- Voltage operation 4. 2 V to 2.8 V
- Waterproof up to 100 meters
- Dimensions 255mm (Length) * 60 mm (max. head diameter)
- Net weight: about 580 g (without Battery)
- Built-in USB-C charging, with indicator

LENGHT	WEIGHT	WATERTIGHT	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
255mm	580gr	-100 m	3800 LM	6500K	n°2 26650 Li-ion	250 min

COLOR	COD.
BLACK	400060

SUGGESTED PACK
6pz.

MIZAR







- Ricarica USB-C incorporata
- LED 3xSST40 - 4200 Lumen
- Autonomia: 250 min
- Batteria: 2 x 26650 Ioni litio/9000mAh
- Impermeabilità: IPX8 fino a - 100 metri
- Dimensioni: 255 mm x 73 mm
- Peso netto: 710 g.
- La torcia ha 4 modalità di utilizzo :
  Prima pressione - 2200 Lumen
  Seconda pressione - 660 Lumen
  Terza pressione: modalità S.O.S.
- Tenendo premuto per più di 2 secondi - 4200 Lumen (dopo 8 minuti passa automaticamente a 2200 Lumen per evitare l'eccessivo surriscaldamento)

- Built-in USB-C charging
- 3xSST40 LED
- 4200 lumens
- Autonomy: 250 min
- Battery: 2 x 26650 Lithium-ion/9000mAh
- Waterproof: IPX8 to -100 meters
- Dimensions: 255 mm x 73 mm
- Net weight: 710 g.
- The flashlight has 4 modes of use : First press -2200 lumens; Second press -660 lumens; Third press: S.O.S. mode
- Keeping pressed the switch button above 2 seconds -4200 lumen (after 8 minutes it automatically switches to 2200 lumens to avoid overheating)

LENGHT	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
225mm/8.8inch	710gr.	- 100mt	CREE 3xSST40	4200LM	6000K	2 x 26650 Ioni litio	250 min

COLOR	COD.
BLACK	TOR020

SUGGESTED PACK
6pz.

FOCUS







- Ricarica USB-C incorporata
- LED XHP50 (Max 3000 Lumens)
- Temperatura Colore: 6500 K
- Autonomia: 180 min
- Parabola: alluminio con superficie liscia
- Lente: 4 mm in vetro temperato
- Ampiezza del fascio di luce: regolabile 11° ~ 73°
- Trattamento superficiale: anodizzazione premium aggiuntiva
- Batteria: 26650 Lithium-ion* 1 Ricaricabile - (5000 mAh , 3,7 V)
- Protezione contro lo scarico eccessivo della batteria, protezione in caso di polarità opposta
- Operatività di voltaggio: da 4.2 V a 2.8 V
- Profondità operativa: fino a -100 metri
- Dimensioni:
  202 mm (lunghezza)
  54 mm (diametro max testata-torcia) 36 mm (diametro del corpo torcia)
- Peso netto: circa 446 g. (senza batteria)
- Peso lordo: circa 545 g. (con batteria)

- Built-in USB-C charger
- LED XHP50 (Max 3800 Lumens)
- Color temperature: 6500 K
- Runtime: 180 min
- Reflector: glossy aluminum reflector
- Lens: 4 mm toughened glass
- Angle of light beam: adjustable 11° ~ 73°
- Surface treatment: premium anodizing
- Battery: 26650 lithium-ion battery * 1 - (5000 mAh , 3,7 V)
- With battery over-discharging protection, polarity reversing protection
- Operation voltage: 4.2 V to 2.8 V
- Waterproof: up to 100 Meters
- Dimensions:
  202mm (length)
  54mm (dia. of lamp head)
  36 mm (dia. of lamp body)
- Net weight: approx. 446g. (without battery)
- Gross weight: approx. 545g. (with battery)

LENGHT	WEIGHT	WATERTIGHT	LED	LUMINOUS FLUX	COLOR TEMPERATURE	BATTERIES	BURNING LIFE
202mm/7.9inch	446gr.	- 100mt	high power 3W CREE	3000LM	6000K	26650 Lithium-ion	180 min

COLOR	COD.
BLACK	TOR030

SUGGESTED PACK
6pz.

RICAMBI TORCE / SPARE PARTS TORCHES

SPARE PARTS	COD.
Corpo plastica Torcia LECOLED	400000/A
ELETRONIC SYSTEM/corpo led Torcia LECOLED	400000/C
Testa alluminio Torcia LECOLED	400000/D
Interruttore Verde Torcia LECOLED	400000/FG
Batteria per torcia DAYLIGHT / BLAST LIGHT	400010/A
Batteria per Torcia FIRELED / FOCUS	400040/A
Batteria (2x26650) per RIGEL / MIZAR	400060/A
Cavo magnetico Connessione GALACTIKA	ACTOR010
Batteria per torcia ANTARES	TOR040/A

FREEDIVE



- Orologio-computer subacqueo
- Profondimetro 100 mt
- Funzioni: tempo di immersione, tempo di superficie, temperatura acqua, ecc.
- Nuovo sensore di profondità (aggiornamenti ad intervalli ogni 0,5ms)
- Allarmi regolabili
- Memorizzazione dati di immersione fino a 99 sessioni al giorno per 30 giorni
- Funzioni extra: cronometro, timer, ora mondiale T-Dual, sveglie e retroilluminazione
- Cinturino maggiorato per migliore adattabilità

- Dive watch-computer
- 100 mt depth gauge
- Functions: dive time, surface time, water temperature, etc.
- New depth sensor (updates at intervals every 0.5ms)
- Adjustable alarms
- Dive data storage for up to 99 sessions per day for 30 days
- Extra functions: stopwatch, timer, T-Dual world time, alarms and backlighting
- Oversized strap for better fit









	DIVING DEPTH 100 mt.		100 YEARS CALENDAR	EL	EL BACKLIGHT
8 LAP	STOPWATCH	100	100M WATER RESISTANT		FIVE INTERMEDIATE DEPTHS SETTING
	WORLD TIME		TEMPERATURE		BATTERY (CR2032)
	CHIME		COUNTDOWN TIMER		NEW GENERATION OF DEPTH SENSOR
	ALARM				

COLOR	COD.
BLACK	8020

SUGGESTED PACK
6pz.

DEEPER




- Profondimetro: 100 mt
- Tempo di immersione
- Tempo di superficie
- Temperatura acqua
- Memorizzazione dati di immersione
- Impostazione allarme:
- Massima profondità
- Tempo massimo di immersione
- Cinque di profondità intermedia
- Sospensione funzioni non subacquee durante l'immersione
- Cinturino maggiorato

-Depthmeter: 100 mt
- Dive time
- Surface time
- Water temperature
- Dive data storage
- Alarm setting: Maximum depth; Maximum dive time; Five intermediate depths
- Suspend non-dive functions while diving
- Increased strap









	DIVING DEPTH 100 mt.		100 YEARS CALENDAR		EL BACKLIGHT
	STOPWATCH		100M WATER RESISTANT		FIVE INTERMEDIATE DEPTHS SETTING
	WORLD TIME		TEMPERATURE		BATTERY (CR2032)
	CHIME		COUNTDOWN TIMER		

COLOR	COD.
BLACK - ACID GREEN	8010

SUGGESTED PACK
6pz.

ONE PLUS SENSOR PRO



- Orologio subacqueo con funzionalità avanzate
- Profondimetro 100 metri
- Sensore di ultima generazione che assicura misurazioni ancora più affidabili e precise
- Funzioni: tempo di immersione, tempo di superficie, temperatura acqua
- Registra dati di immersione
- Software aggiornato per prestazioni senza problemi

- Dive watch with advanced features
- 100-meter depth gauge
- Next-generation sensor that ensures even more reliable and precise measurements
- Functions: dive time, surface time, water temperature
- Records dive data
- Updated software for trouble-free performance







	DIVING DEPTH 100 mt.		100 YEARS CALENDAR	EL	EL BACKLIGHT
8 LAP	STOPWATCH	100	100M WATER RESISTANT		FIVE INTERMEDIATE DEPTHS SETTING
	WORLD TIME		TEMPERATURE		BATTERY (CR2032)
	CHIME		COUNTDOWN TIMER		NEW GENERATION OF DEPTH SENSOR
	ALARM				

COLOR	COD.
BLACK	8000SP

SUGGESTED PACK
6pz.

RICAMBI OROLOGI / SPARE PARTS WATCH

KIT	COD.
Kit O-RING+ 4pz caseback screws ONEPLUS/DEEPER/FREEDIVE	8000/A
Kit cinturino + 2 perni ONEPLUS	8000/C
Kit cinturino + 2 perni DEEPER/ FREEDIVE	8010/C

KNIVES



photography by Alberto Balbi

KNIVES DISPLAY



Espositore coltelli da banco, SALVIMAR spearfishing
- Made in Italy
- **Comprensivo della gamma coltelli Salvimar, 1 per colore:**
  n° 2 ARES knives
  n° 3 GOEMON knives
  n° 2 ST BLADE 75 knives
  n° 2 ST-ATLANTIS 100 knives
  n° 6 PREDATHOR knives

Counter knife display, SALVIMAR spearfishing
- Made in Italy
- **Including the Salvimar knife range, 1 per colour:**
  n° 2 ARES knives
  n° 3 GOEMON knives
  n° 2 ST BLADE 75 knives
  n° 2 ST-ATLANTIS 100 knives
  n° 6 PREDATHOR knives

COLOR
4001KIT



ARES



MILITARY GREEN

- Lunghezza totale 22cm - lunghezza lama 12cm
- Lama con profilo asimmetrico
- Realizzata in acciaio speciale anticorrosione
- Impugnatura ergonomica anti-scivolo
- Doppia fessura di fissaggio sul fodero
- Materiale Nylon caricato vetro 30%
- Profilo dentellato
- Fodero con sede a V
- Costruito nelle Officine Salvimar

- Total length 22cm
- Blade length 12cm
- Blade with asymmetrical profile
- Made of special anti-corrosion steel
- Anti-slip ergonomic handle
- Double fastening slit on the scabbard
- Material 30% fiberglass loaded nylon
- Serrated profile
- V-shaped scabbard seat
- Made in Salvimar Factories.





COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
BLACK	22 cm	12	12	400104
MILITARY GREEN	22 cm	12	12	400104M

GOEMON



ACID GREEN

BLACK

- Lunghezza totale 19,5cm - lunghezza lama 9,5
- Lama realizzata in acciaio speciale anticorrosione
- Fessura maggiorata per scoccia aste
- Materiale Nylon caricato vetro 30%
- Ottima resistenza agli urti e alle abrasioni
- Foro per raddrizzare le aste
- Fodero con sede a V
- Costruito nelle Officine Salvimar

- Total length 19.5cm
- Blade length 9.5
- Blade made of special anti-corrosion steel
- Enlarged slot for holding shafts
- 30% fiberglass loaded nylon material
- Excellent resistance to impact and abrasion
- Hole for straightening shafts
- V-seat scabbard
- Made in Salvimar Factories





COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
WHITE	19,5	9,5	7,5	400103W
BLACK	19,5	9,5	7,5	400103
ACID GREEN	19,5	9,5	7,5	400103G

ST-ATLANTIS 100



- Lunghezza totale 19,3cm
- lunghezza lama 8,9cm
- Coltello da pesca subacquea
- Lama a stiletto a doppio filo liscio e seghettato (Shark Tooth)
- Foro per raddrizzare le aste
- Tacca scoccia aste sul manico
- Costruito nelle Officine Salvimar

- Total length 19.3cm
- Blade length 8.9cm
- Spearfishing knife
- Smooth and serrated double edge stiletto blade (Shark Tooth)
- Hole for straightening shafts
- Shaft notch on the handle
- Made in Salvimar Factories.



BLADE BLACK - MILITARY GREEN



BLADE BLACK - ACID GREEN



MIDNIGHT BLUE



MILITARY GREEN

COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
BLADE BLACK - BLACK	193mm	89mm	89mm	400105
BLADE BLACK - MILITARY GREEN	193mm	89mm	89mm	400105M
BLADE BLACK - ACID GREEN	193mm	89mm	89mm	400105G
MILITARY GREEN	193mm	89mm	89mm	400101
MIDNIGHT BLUE	193mm	89mm	89mm	400101B

ST-BLADE 75



- Lunghezza totale 18,5cm
- lunghezza lama 8,9cm
- Lama a stiletto a doppio filo liscio e seghettato (Shark Tooth)
- Foro per raddrizzare le aste
- Fodero con sede a V per facilitare l'inserimento della lama
- Costruito nelle Officine Salvimar

- Total length 18.5cm
- Blade length 8.9cm
- Stiletto blade with smooth and serrated sharpening (Shark Tooth)
- Hole for straightening shafts
- Scabbard with V-shaped seat for easy blade insertion
- Made in Salvimar Factories



WHITE/Blade:BLACK

RED





	COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
	BLACK	185mm	89mm	75mm	400100
NEW	WHITE/Blade: BLACK	185mm	89mm	75mm	400100W
	RED	185mm	89mm	75mm	400100R

PREDATHOR



- Lunghezza totale con fodero 16cm - lunghezza lama 8cm
- Coltello molto compatto
- Lama in acciaio inox 420 a doppio taglio (liscio e dentellato)
- Sistema di sgancio rapido
- Adatto sull'avambraccio, braccio, polpaccio e cintura
- Adatto per apnea e al freediving
- Costruito nelle Officine Salvimar

- Very compact knife
- Total lengh: 16 cm
- Blade material: stainless steel 420 smooth and serrated sharpening
- Quick release
- Suitable for apnea and freediving
- Designed to be fixed to the arm, the forearm, the belt or calf
- Device for easy release
- Designed to be fixed to the arm, the forearm, the belt or the calf

NEW BOX 12 UNIT



BOX 12 UNIT **4001020PACK** 8058093687143



MIDNIGHT BLUE



RED



MILITARY GREEN



WHITE



ORANGE

COLOR	TOTAL LENGTH	BLADE LENGTH	GRINDING LENGTH	COD.
RED - BLACK	160mm	80mm	70mm	400102R
MIDNIGHT BLUE	160mm	80mm	70mm	400102B
ACID GREEN	160mm	80mm	70mm	400102G
MILITARY GREEN - BLACK	160mm	80mm	70mm	400102MG
WHITE - BLACK	160mm	80mm	70mm	400102W
ORANGE - BLACK	160mm	80mm	70mm	400102O

SFILETTATORE

- Materiale lama: 3Cr13
- Lunghezza lama: 17cm
- Lama flessibile a spessore differenziato: 2mm (base) - 1mm (punta)
- Lunghezza totale: 31,5cm
- Ideale per sfilettare le catture

- Blade material: 3Cr13
- Blade length: 17cm
- Flexible blade with differentiated thickness: 2mm (base)
- 1mm (tip)
- Total length: 31.5cm
- Ideal for filleting catches





COLOR	TOTAL LENGTH	BLADE LENGTH	COD.
RED / BLACK	31,5 cm	17 cm	400106

FASCIA ELASTICA KRYPSIS KNIFE HOLDER ELASTIC BAND



- Fascia elastica porta coltello in neoprene KRYPSIS
- Dimensioni: 5 cm (altezza) x 40 cm (lunghezza)
- Adatta per il fissaggio al braccio o al polpaccio

- KRYPSIS neoprene elastic band knife holder
- Size: 5 cm (height) x 40 cm (length)
- Suitable for fixing to the arm or calf

COD.
ACNEO0020

FASCIA ELASTICA KNIFE HOLDER ELASTIC BAND



- Fascia in velcro elastica adatta per braccio/polpaccio
- Altezza 5cm
- Lunghezza 40 cm

- Elastic Velcro band
- Fits arm/calf
- Height: 5 cm
- Length: 40 cm

COD.
400120

FASCIA ELASTICA KNIFE HOLDER ELASTIC BAND SLIM



- Fascia in velcro elastica
- Adatta per braccio/polpaccio
- Altezza: 2.5 cm
- Lunghezza: 40 cm

- Elastic Velcro band
- Fits arm/calf
- Height: 2.5 cm
- Length: 40 cm

COD.
400120S

TAGLIASAGOLA SAVER



- Saver, tagliasagola
- Fodero con aggancio per cintura
- Lama in acciaio inossidabile
- Spessore lama: 1,2mm
- Peso: 30 gr

- Saver, line cutter
- Scabbard with belt attachment
- Stainless steel blade
- Blade thickness: 1.2mm
- Weight: 30 g

COD.
400250


BAGS

ROLLER BAG 120





- Borsa 120L porta attrezzatura con ruote e maniglie di trasporto
- Realizzata in Strong Taurpalin
- Doppia tasca interna/esterna
- Spallacci per il trasporto manuale
- Apertura U-Zip

- 120L equipment bag with wheels and carrying handles
- Made of Strong Taurpalin
- Double interior/exterior pockets
- Shoulder straps for manual carrying
- U-Zip opening







COLOR	CAPACITY	SIZE	COD.
BLACK	120 lt	44 x 28 x 95 cm	BAG03BK

SUGGESTED PACK
5pz.

WHALE CARBON LOOK & WHALE BLACK





Borsone porta attrezzatura con capienza da 135l. Realizzato in robusto PVC Tarpaulin saldato ad alta frequenza, giunture stagne. Dotato di valvola per consentire lo scarico dell'acqua dopo aver lavato l'attrezzatura all'interno della borsa. Waterproof, impedisce la fuoriuscita di acqua durante il trasporto. Due maniglie laterali e spallacci a tracolla regolabili e rimovibili. Presente un ampio scomparto a rete interno ed una tasca esterna sulla parte superiore con cerniera resistente all'acqua.

- Borsone 135L PVC Tarpaulin
- Giunture stagne
- Valvola scarico
- Waterproof
- Maniglie/spallacci regolabili e rimovibili
- Tasca esterna, cerniera waterproof
- Ampio scomparto a rete interno
- Apertura a U, materiale ultra resistente
- Misure 103 x 35 x 38cm

Equipment duffle bag 135 litre capacity.
Made of robust, high frequency welded Tarpaulin PVC, watertight seams.
Equipped with a valve to allow the water to drain after washing the equipment inside the bag.
Waterproof, prevents water escaping during transport. Two side handles and adjustable and removable shoulder straps.
It has a large internal mesh compartment and an external pocket on the top with a water-resistant zip.

- 135L PVC Tarpaulin duffle bag
- Watertight seams
- Drain valve
- Waterproof
- Adjustable and removable handles/shoulder straps
- Outer pocket, waterproof zipper
- Large internal mesh compartment
- U-opening, ultra-strong material
- Measures 103 x 35 x 38cm







COLOR	CAPACITY	SIZE	COD.
CARBON LOOK	135 lt	103 x 35 x 38 cm	BAG02C
BLACK	135 lt	103 x 35 x 38 cm	BAG02BK

SUGGESTED PACK
10pz.

DRY BACK PACK 60FH

AVAILABLE 2026





- Zaino da 60 litri con chiusura stagna roll-top regolabile
- Ampia tasca posteriore per il trasporto delle pinne
- Supporti laterali integrati nel tessuto per maggiore stabilità e comfort durante il trasporto
- Elastici laterali per fissaggio di fucili da pesca o oggetti lunghi
- Spallacci imbottiti regolabili e removibili per una vestibilità comoda e sicura
- Fascia pettorale e ventrale: ideale per l'uso su moto o scooter
- Tasca frontale waterproof con cerniera

- 60-liter backpack with adjustable roll-top waterproof closure
- Large rear fins holder pocket
- Integrated side supports within the fabric for enhanced stability and comfort during transport
- Side elastic straps for securing spearguns or long items
- Padded, adjustable, and removable shoulder straps for a comfortable and secure fit
- Chest and waist straps: ideal for use on motorcycles or scooters
- Waterproof front pocket with zipper closure







COLOR	CAPACITY	SIZE	COD.
BLACK	60 lt	40 x 22 x 86 cm	400206

SUGGESTED PACK
10pz.

CYCLOP PLUS



- Borsone 100L porta attrezzatura in tessuto PVC Tarpaulin cucito
- Cerniera impermeabile
- Apertura U-Zip

- Large equipment bag
- Waterproof zipper closing
- U-Zip opening

COLOR	CAPACITY	SIZE	COD.
BLACK	100 lt	44 x 28 x 95 cm	BAG05BK

SUGGESTED PACK
5pz.

DRY BACK PACK 60/80



- Borsone 60/80L zaino in PVC Tarpaulin stagno
- Chiusura ad arrotolamento, giunture stagne
- Spallacci imbottiti e rimovibili

- 60/80L watertight PVC Tarpaulin backpack
- Roll-up closure
- Watertight seams
- Padded, removable shoulder straps

COLOR	CAPACITY	SIZE	COD.
BLACK	80 lt	44 x 28 x 75 cm	400204
ACID GREEN	80 lt	44 x 28 x 75 cm	400204G

SUGGESTED PACK
10pz.

SALVIMAR FIN BAG WR





- Zaino porta pinne lunghe/professionali
- Cerniera semi-perimetrale a doppio cursore
- Cinghie regolabili per trasporto in spalla
- Realizzata in robusto nylon impermeabile antistrappo
- Ampia tasca centrale porta accessori
- Aperta su 3 lati
- Supporti laterali per fissaggio arbalete o pneumatico
- Spallacci regolabili

- Backpack for long/professional fins
- Half-perimetral double slider zipper
- Adjustable strap for shoulder carriage
- Made in strong watertight nylon
- Wide front pocket over 3 sides
- Adjustable shoulder straps





COLOR	SIZE	COD.
BLACK	10 + 15 x 25 x 115cm	BAG04BK

SUGGESTED PACK
5pz.

SALVIMAR FIN BAG



- Zaino porta pinne lunghe/professionali
- Cerniera semi-perimetrale a doppio cursore
- Cinghie regolabili per trasporto in spalla
- Realizzata in robusto nylon impermeabile antistrappo
- Ampia tasca centrale porta accessori
- Aperta su 3 lati
- Supporti laterali per fissaggio arbalete o pneumatico
- Spallacci regolabili

- Backpack for long/professional fins
- Half-perimetral double slider zipper
- Adjustable strap for shoulder carriage
- Made in strong watertight nylon
- Wide front pocket over 3 sides
- Adjustable shoulder straps







COLOR	SIZE	COD.
BLACK - ACID GREEN	10 + 15 x 25 x 115cm	400196
KRYPSIS CAMU	10 + 15 x 25 x 115cm	400196K

SUGGESTED PACK
5pz.

TANTO BAG



- Borsa porta fucili in PVC Tarpaulin
- Chiusura con cerniera impermeabile
- Spallacci multiuso

- PVC Tarpaulin speargun bag
- Waterproof zipper closure
- Multi-purpose shoulder straps

COLOR	SIZE	COD.
BLACK	155 x 35 cm	400200

SUGGESTED PACK
10pz.

TALL BAG





BLACK

- Materiale: Tessuto 420D Ripstop
- Chiusura tramite cerniera
- Trasporto: Ampi spallacci per trasporto a mano, a tracolla e in spalla

- Material: 420D Ripstop fabric
- Zipper closure
- Carry: Wide shoulder straps for hand, shoulder and over-the-shoulder carry

COLOR	SIZE	COD.
KRYPSIS	155 x 23 cm	400209K
BLACK	155 x 23 cm	400209

SUGGESTED PACK
40pz.

ICEBERG 30lt



- Materiale: anti strappo elettrosaldato
- Rivestimento interno con intercapedine isolante
- Capacità di mantenere il ghiaccio per lungo tempo
- Forma studiata per essere stabile su qualsiasi mezzo di trasporto
- Chiusura con cerniera stagna e valvola di scarico per l'acqua
- Tracolla, manici e asole per fissaggio durante il trasporto
- Scala graduale esterna in cm/pollici per la misurazione del pescato

- Material: electro-welded anti-tear
- Inner shell with insulating cavity
- Ability to hold ice for a long time
- Shape designed to be stable on any means of transport
- Watertight zipper closure and water drain valve
- Shoulder strap, handles and loops
- External graduated scale in cm/inches for measuring the catch







COLOR	SIZE	COD.
GRAY	length 67,5 cm - height 40 cm . width 20,5cm	400205

SUGGESTED PACK
5pz.



photography by Alberto Balbi

DRY BAG BEACH



BLUE WHITE CARBON LOOK

YELLOW ORANGE CARBON LOOK

- Borsa stagna multifunzionale
- Materiale resistente, saldature stagne
- Sistema Hands Free con spallacci regolabili e moschettone

- Multifunctional watertight bag
- Durable material, watertight seams
- Hands Free system with adjustable shoulder and snap hook

COLOR	CAPACITY	COD.
CARBON LOOK	5 lt	BAG0105C
BLUE	5 lt.	BAG0105B
WHITE	5 lt.	BAG0105W
CARBON LOOK	10 lt	BAG0110C
YELLOW	10 lt.	BAG0110Y
ORANGE	10 lt.	BAG0110O
CARBON LOOK	20 lt.	BAG0120C

SUGGESTED PACK
25pz.

DRY SACK PHONE



BLUE YELLOW ORANGE

- Sacca Impermeabile, resistente alla sabbia, anti-neve, anti-polvere
- Schermo protettivo trasparente altamente sensibile al tatto

- Waterproof, sand-resistant, snowproof, dustproof bag
- Highly touch-sensitive, clear protective screen

COLOR	CAPACITY	COD.
BLUE	2,5 lt.	BAG0102B
YELLOW	2,5 lt.	BAG0102Y
ORANGE	2,5 lt.	BAG0102O

BELTS
WEIGHTS
BUOYS



photography by Alberto Balbi



MARSIGLIESE PRO

- Cintura elastica marsigliese
- 135 cm / 155 cm
- Fibbia inox
- Fori rinforzati e inserimento piombi facilitato
- Spessore differenziato
- Gomma naturale
- "Design" e "concept" made in Salvimar

- Elastic Marseille weight belt

- 135 cm / 155 cm
- Stainless steel buckle
- Reinforced holes and facilitated weight insertion
- Differentiated thickness
- Natural rubber
- Design and concept made in Salvimar

SUGGESTED PACK
20pz.

COLOR	LENGTH	COD.
BLACK	135cm	400050B
BLACK	135cm	400051B

COLOR	LENGTH	COD.
BLUE	135cm	000200B
BLUE	135cm	000200A



MARSIGLIESE MESH

- Gomma: mesh antiscivolo
- Spessore: 3,6mm
- Lunghezza: 130cm
- Fibbia: acciaio inox con sistema a sgancio rapido
- Interasse fori: 5cm

- Rubber: non-slip mesh
- Thickness: 3.6mm
- Length: 130cm
- Buckle: stainless steel with quick release system
- Hole spacing: 5cm

COLOR	LENGTH	COD.
BLACK	130cm	400055B

SUGGESTED PACK
20pz.



ELASTICA PRO

- Cintura piombi elastica con fibbia inox
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

- Cintura piombi elastica con fibbia inox
- Spessore differenziato
- Length: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

BUCKLE	LENGTH	COD.
INOX	145cm	400052B

SUGGESTED PACK
20pz.



PIOMBI ELASTICA ECO

- Cintura piombi elastica ECO con fibbia inox
- Lunghezza: 145cm
- Gomma naturale

- Eco elastic weight belt with stainless steel buckle
- Length: 145cm
- Natural rubber

BUCKLE	LENGTH	COD.
INOX	145cm	AP016

SUGGESTED PACK
20pz.



SNAKE ELASTICA PRO

- Cintura piombi elastica con fibbia nylon
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

- Elastic weight belt with nylon buckle
- Differentiated thickness
- Length: 145cm
- Natural rubber
- Design and Technical Concept made in Salvimar

BUCKLE	LENGTH	COD.
NYLON	145cm	400053B

SUGGESTED PACK
20pz.



SNAKE PIOMBI ELASTICA ECO

- Cintura piombi elastica con fibbia nylon
- Spessore differenziato
- Lunghezza: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

- Cintura piombi elastica con fibbia nylon
- Spessore differenziato
- Length: 145cm
- Gomma naturale
- Design e Technical Concept made in Salvimar

BUCKLE	LENGTH	COD.
NYLON	145cm	AP016B

SUGGESTED PACK
20pz.



SUGGESTED PACK
30pz.

PIOMBI CORDURA INOX

- Cintura piombi
- in Cordura con fibbia inox
- Lunghezza: 145cm

- Weight belt
- Made of Cordura with stainless steel buckle
- Length: 145cm



COLOR	LENGTH	COD.
BLACK	145cm	AP015
MILITARY GEEN	145cm	AP015M

COLOR	LENGTH	COD.
RED	145cm	AP015R
ACID GREEN	145cm	AP015V



SUGGESTED PACK
30pz.

SNAKE PIOMBI CORDURA NYLON

- Cintura piombi
- Cordura e fibbia in Nylon
- Lunghezza: 145cm
- Resistente all'abrasione
- Regolabile

- Weight belt
- Cordura and Nylon buckle
- Length: 145cm
- Abrasion resistant
- Adjustable



COLOR	LENGTH	COD.
BLACK	145cm	AP017
MILITARY GEEN	145cm	AP017M

COLOR	LENGTH	COD.
RED	145cm	AP017R
ACID GREEN	145cm	AP017V



SUGGESTED PACK
30pz.

FIBBIA SNAKE NYLON

- NYLON caricato 30%
- Passanti cintura maggiorati
- Leva di fissaggio rinaforzata
- Blocca Nylon/Gomma da 1,5 a 4,0mm
- Design e Technical Concept made in Salvimar

- 30% LOADED NYLON
- Enlarged belt loops
- Reinforced fastening lever
- Nylon/rubber locks from 1.5 to 4.0mm
- Design and Technical Concept made in Salvimar



COLOR	KIT	COD.
MILITARY GREEN	6	AP012/M
BLACK	6	AP012

COLOR	KIT	COD.
ACID GREEN	6	AP012/G
RED	6	AP012/R



FIBBIA INOX

KIT	COD.
1pz	AP010



NASTRO CINTURA

ROLL	COD.
50m	LCINT04



BALLAST COLLARE PER APNEA

- Collare piombato
- Materiale: piombo rivestito in morbida gomma
- Regolabile per deformazione
- Resistente alla corrosione
- Stabilità e distribuzione del peso
- Idrodinamicità

- Neck lead weights
- Material: Lead coated with soft rubber
- Adjustable through deformation
- Corrosion-resistant
- Weight stability and distribution
- Hydrodynamic design

COLOR	KG.	COD.
WHITE	1.000	AWS0030
WHITE	1.500	AWS0031
WHITE	1.800	AWS0032



PIOMBO DA CINTURA

- Piombo da cintura rivestito nero 500g. e 1000g.
- Dotato di passanti da 5cm per inserimento nella cintura

- Black coated belt lead 500g. & 1000g.
- Equipped with 5cm holes for insertion into the belt

COLOR	G.	COD.
BLACK	500	400865BK
BLACK	1000	400860BK

SUGGESTED PACK
12pz.



PIOMBO A SGANCIO

- Piombo a sgancio rapido da 950g
- Staffa di fissaggio in cintura in acciaio inox
- Anello inferiore in acciaio inox per aggancio rapido

- 950g quick release lead
- Stainless steel belt fastening bracket
- Stainless steel bottom ring for quick fastening

COLOR	COD.
BLACK	400850BK
YELLOW	400850Y

SUGGESTED PACK
12pz.



PEDAGNO IN PIOMBO

- Pedagno in piombo da 600g, rivestito
- Forma a U per estrazione e fissaggio in cintura
- Anello inox incluso per aggancio al moschetton

- 600g lead buoy, coated
- U-shape for extraction and attachment to belt
- Stainless ring included

COLOR	COD.
RED	400800

SUGGESTED PACK
12pz.




PIOMBO AVVOLGISAGOLA

Rocchetto in piombo da 400grammi, rivestito
- Forma cilindrica con testa x facilitare l'avvolgimento della sagola
- Ideale per stabilizzare la boa segnasub o segnare rapidamente la zona di pesca

- 400-gram lead spool, coated
- Cylindrical shape with head
- Ideal for stabilizing the scuba marker buoy or quickly marking the fishing area

COLOR	COD.
BLACK	400820

SUGGESTED PACK
12pz.



PIOMBO SCHIENALINO

- Piombo da cintura rivestito nero 500g. e 1000g.
- Dotato di passanti da 5cm per inserimento nella cintura

- Black coated belt lead 500g. & 1000g.
- Equipped with 5cm holes for insertion into the belt



SUGGESTED PACK
12pz.

COLOR	G.	COD.
BLACK	1000	400815
YELLOW	750	400813
RED	500	400810



PIOMBO PER CAVIGLIA

- Piombo per caviglia
- Equilibra la spinta positiva del neoprene
- Ideale per pesca all'agguato per mantenere le pinne aderenti al fondale
- Rivestito in plastica

- Ankle weight
- Balances the positive thrust of neoprene
- Ideal for ambush fishing to keep fins adhered to the bottom
- Plastic-coated





COLOR	G.	COD.
BLACK	500	400830
RED	250	400840



ARTIGLIO

- Pedagno in acciaio inox con apertura ad ombrello e sistema a gravità di bloccaggio
- Peso: 500 grammi
- Dimensioni: 19cm x 3cm (chiuso), apertura: 12cm
- Ideale per ancorare la pancetta, la boa segna sub, canoa, sup, gonfiabili
- Gli artigli alette richiudibili migliorano la tenuta e riducono l'attrito

- Stainless steel safety marker buoy with umbrella opening and gravity locking system
- Weight: 500 grams
- Size: 19cm x 3cm (closed), opening: 12cm
- Inflatable freediving buoy, scuba buoy, canoe, SUP, floats
- Foldable claws improve tightness and reduce friction

COD.
ACC0020



BARCHETTA
ALTA VISIBILITA'

- Plancetta gonfiabile con camera interna in PVC
- Rivestimento esterno in nylon ad alta resistenza
- Alta visibilità conforme alla normativa
- Dimensioni per spinta di galleggiamento 40 kg
- Vano porta oggetti con chiusura velcro
- Asta bandiera rinforzata (50cm), bandierina inclusa (320x290)
- Fasce in cordura per fissaggio di attrezzature
- In dotazione sagola galeggiante 6mm, 25m

- Inflatable dive board with PVC inner chamber
- High-strength nylon outer shell
- High visibility conforms to regulations
- Size for buoyancy thrust 40 kg
- Object holder compartment with Velcro closure
- Reinforced flag shaft (50cm), flag included (320x290)
- Cordura bands for fastening equipment
- Supplied with 6mm, 25mt floating rope

COD. 400504

SUGGESTED PACK 25pz.



SPHERA
ALTA VISIBILITA'

- Boa segnalazione Sub alta visibilità
- PVC interno, Nylon rinforzato esterno
- Doppia bandierina, alpha e rossa
- Sagola galleggiante 6mm, 25m
- Diametro 360mm, altezza 500mm

- High-visibility sub buoy
- PVC inside, Nylon reinforced outside
- Double flags, alpha and red
- Buoyant line 6mm, 25m
- Diameter 360mm, height 500mm

COD. 400506

SUGGESTED PACK 25pz.



TORPEDINE
ALTA VISIBILITA'

- Boa segnasub a siluro
- Tessuto ad alta visibilità
- Con anelli
- Sagola galleggiante 6mm, 25m

- Torpedo diving buoy
- High-visibility fabric
- With rings
- Buoyant line 6mm, 25m

COD. 400505

SUGGESTED PACK 25pz.

BOA SILURO IN TESSUTO



- Boa segnasub siluro
- PVC interno, nylon rinforzato esterno
- Tessuto con 2 bandierine CMAS e Alpha
- Anelli di fissaggio
- Sagola in dotazione

- Torpedo diving buoy
- PVC inside, nylon reinforced outside
- Fabric with 2 CMAS and Alpha flags
- Fixing rings
- Line included

LENGHT	COD.
84cm	400504

SUGGESTED PACK 25pz.

BOA SILURO PVC



- Boa segnasub a siluro in PVC
- Sagola in dotazione
- 2 bandierine CMAS e Alpha

- PVC torpedo buoy
- Line included
- 2 flags CMAS and Alpha

LENGHT	COD.
90cm	400500

SUGGESTED PACK 25pz.

CAMERA INTERNA BOE IN TESSUTO



- Camera interna per boe Salvimar
- Modelli: Torpedine, Boa Siluro

- Salvimar buoy inner chamber
- Models: Torpedine, Boa Siluro

COD.
400502/A

BOA SEGNASUB Ø 30cm



- Boa segnasub sferica piccola
- Piombo stabilizzatore e sagola inclusi

- Small Spherical dive Buoy
- Stabilizer lead and line included

COD.
AP025

SUGGESTED PACK 25pz.

ALPHA FLAG



- Bandierina internazionale Alpha

- International Alpha flag

COD.
400500/Z

CMAS FLAG



- Bandierina internazionale CMAS

- International CMAS flag

COD.
400500/Y

FLOAT LINE



- Linea di collegamento per boa e fucile/asta
- Materiale esterno rosso in PVC per elevata visibilità
- Anima interna in HMPE da 2mm, resistenza 280 Kg
- Include girella in acciaio inox
- Lunghezza 25mt.

- Connecting line for buoy and speargun/staff
- Red PVC outer material for high visibility
- Inner core of 2mm HMPE, 280kg strength
- Includes stainless steel swivel
- Length 25mt.

COLOR	LENGHT	Ø	UTS	COD.
RED	25mt	9mm	270kg	400507

AVVOLGISAGOLA



- Avvolgisagola
- Dimensioni ottimizzate per recupero 50cm/giro

- Line Winder
- Optimized dimensions for 50cm/turn recovery

COLOR	COD.
BLACK	400260
GREEN	400260G




BUNGEETECH

- Collegamento elastico tra subacqueo e boa di segnalazione
- L'anima interna ha un carico di rottura 80Kg

- Elastic connection between diver and signal buoy
- Inner core with 80kg breaking load
- Extensible up to 16mt.


TERMINALE

COLOR	LENGHT	Ø	COD.
MILITARY GREEN	4 UP TO 16mt	5mm	400510
SHINING BLUE	6 UP TO 24mt	5mm	400512



BUNGEE

- Collegamento elastico tra boa e arbalete/pneumatico ad allungamento controllato. Carico di rottura 160Kg
- Anima interna in Dynema®

- Elastic connection between buoy and sling gun/pneumatic gun with controlled elongation. 260Kg breaking load
- Inner core in Dynema®


TERMINALE

COLOR	LENGHT	EXTENSION	Ø	COD.
RED	5mt	15mt	Ø9,0mm	400520
BLACK	10mt	30mt	Ø9,0mm	400530



photography by Alberto Balbi



SWIMMY SAFE BAG

- Boa multifunzionale con capiente sacca stagna interna
- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio con sistema rapido di apertura/chiusura

- Multifunctional buoy with capacious inner watertight bag
- High-visibility swimming buoy
- Adjustable carrying strap with clip for added safety in the water
- Safety inflation valve with quick open/close system



ORANGE

LT	COLOR	COD.
20	ORANGE	4005420
20	YELLOW	400542Y



SWIMMY SAFE

- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio facilitato
- Forma idrodinamica per ridurre la resistenza con l'acqua

- Boa nuoto ad alta visibilità
- Laccio di trasporto regolabile con clip per una maggiore sicurezza in acqua
- Valvola di sicurezza per gonfiaggio facilitato
- Forma idrodinamica per ridurre la resistenza con l'acqua

LT	COLOR	COD.
15	ORANGE	400540



photography by Alberto Balbi

RIVA



- Scarpetta multiuso per superfici irregolari
- Neoprene bifoderato super elastico
- Suola antiscivolo rinforzata
- Rapida calzata, ultra confortevole
- Assicura un ottimo appoggio, maggior grip e protezione

- Multipurpose shoe for uneven surfaces
- Super stretchy double-lined neoprene
- Reinforced non-slip sole
- Quick fit, ultra comfortable
- Ensures excellent footing, greater grip and protection

COD.	COLOR	SIZES
SNS0501	BLUE	35
SNS0502	BLUE	36
SNS0503	BLUE	37
SNS0504	BLUE	38
SNS0505	BLUE	39
SNS0506	BLUE	40
SNS0507	BLUE	41
SNS0508	BLUE	42
SNS0509	BLUE	43
SNS0510	BLUE	44
SNS0511	BLUE	45

SUGGESTED PACK
6pz.



photography by Alberto Balbi

CAPPELLINO CON VISIERA



Cappy Hat



Cappy Krypto Black Hat

CAPPY HAT BLACK
Composizione:
60% cotone
40% polyestere

CAPPY HAT BLACK
Composition:
60% cotton
40% polyester

CAPPY KRYPTO
Composizione:
100% polyestere

CAPPY KRYPTO
Composition:
100% polyester

COLOR	SIZES	COD.
BLACK	ONE SIZE	ABB010
KRYPTONITE BLACK	ONE SIZE	ABB011





CAPPELLINO PILE

Cappello di pile
- Shell: 100% Cotone
- Fodera: 100% Poliestere

Fleece hat
- Shell: 100% Cotton
- Lining: 100% Polyester

COMP:	COLOR	SIZE	COD.
Shell: 100% Cotton Lining:100% Polyester	BLACK	UNISEX	ABB001

T-SHIRT SALVIMAR



OCTOPUS

NOAH GREEN



COMP.	COLOR	SIZE	COD.
140g/m² 100% Cotton	WHITE	S	ABB021
	WHITE	M	ABB022
	WHITE	L	ABB023
	WHITE	XL	ABB024
	WHITE	XXL	ABB025
140g/m² 100% Cotton	GREEN	S	ABB031
	GREEN	M	ABB032
	GREEN	L	ABB033
	GREEN	XL	ABB034
	GREEN	XXL	ABB035

COMP.	COLOR	SIZE	COD.
140g/m² 100% Cotton	BLACK	S	UTPUBBL26/1
	BLACK	M	UTPUBBL26/2
	BLACK	L	UTPUBBL26/3
	BLACK	XL	UTPUBBL26/4
	BLACK	XXL	UTPUBBL26/5
	GREEN	S	UTPUBBL25/1
	GREEN	M	UTPUBBL25/2
	GREEN	L	UTPUBBL25/3
	GREEN	XL	UTPUBBL25/4
	GREEN	XXL	UTPUBBL25/5

HOODIE SALVIMAR



COMPOSITION	COLOR	SIZE	COD.
320g/m² 93% Polyester 7% Elastane	CONVOY GRAY	S	050005C
	CONVOY GRAY	M	050005D
	CONVOY GRAY	L	050005E
	CONVOY GRAY	XL	050005F
	CONVOY GRAY	XXL	050005G

DISPLAY MASKS

L 41,4 x P 25,5 x H 50,2 cm

COD.
IMBSAL090



MASK SUPPORT

L 7,4 x H 11,4 cm

COD.
IMBSAL080





TUBO

Tubo in cartone AVANA con doppio tappo compreso

HAVANA cardboard tube with double cap included



H 1190mm
ø 30mm
SP. 4mm

	COD.
NEW	IMBSALVI30

H 1540mm
ø 30mm
SP. 4mm

	COD.
NEW	IMBSALVI31


H 1840mm
ø 30mm
SP. 4mm

	COD.
NEW	IMBSALVI32



METAL DISPLAY

L 52 x P 40 x H 180 cm



COD.
IMBSAL010

SALVIMAR FLAG

Bandiera con Asta
più Base a croce con Zavorra

L 60 x H 242

Flag with Pole and Cross Base with Weight Bag



COD.
IMBSAL070

ESPOSITORE ASTE
SHAFTS DISPLAY

Per il tuo negozio, espositore da terra aste Salvima.
Robusto e compatto, può contenere oltre 800 pz
Design by Salvimar, prodotto Made in Italy

L 70 cm x P 50 cm x H 50 cm

Salvimar Shafts floor-display for your shop Sturdy and solid, able to hold up to 800 pcs Design by Salvimar, made in Italy



COD.
IMBSAL050



photography by Cristian Umili

Via G. Farina 2/4/6
16030 Casarza Ligure - Ge - Italy
info@salvimar.com
www.salvimar.com

8 055957 006164